


Ref #	Part Number	Qty	Description
2 3 4 5 5 6 6 7 8 9 11 12	33311B 27652 27642 27876B 32783 32784 27878A 27880A 27882 27881 32581 30813 29783		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore) Pin, Dowel Plug, Oil drain, 1/4-18 Seal, Oil Intake Valve (Std.) (Incl. 9) Intake Valve (1/32" OS) (Incl. 9) Exhaust Valve (Std.) Exhaust Valve (1/32" OS) (Incl. 9) Cap, Upper valve spring Spring, Valve Cap, Lower valve spring Crankshaft (Incl. 12 & 13) Pin, Crankshaft gear Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.
14A 14A 14 14 15 15 15 16 17 18 18A 19 20 21 22 23 24 26 27 28 29 30 31 32 33 34 35 35	33312B 33314B 34531 34532 34533 34854 34855 34856 27888 31295C 650662C 30682 26073 28264 33156 34034 31303B 28427 30684 31546 650488 650493 650489 30939A 28938C 30938A 33636 26073 650570 650691 650697A		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16) Piston & Pin Ass'y. (.010" OS) (Incl. 16) Piston & Pin Ass'y. (.020" OS) (Incl. 16) Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Ring Set (Std.) (2-5/8" Bore) Ring Set (.010" OS) Ring Set (.010" OS) Ring, Piston pin retaining Rod Assy., Connecting (Incl. 18) Screw, Connecting rod (Late productio n) Bolt, Connecting rod (Early productio n) Connecting rod bolt washer (Early pro duction) Connecting rod nut (Used on early pro duction) Camshaft Lifter, Valve Cover, Cylinder (Incl. 24, 27 & 105) Seal, Oil * Gasket, Cylinder cover Bushing, Crankshaft Screw, 1/4-20 x 1-1/4" Screw, 1/4-20 x 1-3/4" Screw, 1/4-20 x 5/8" Cover, Cylinder head * Gasket, Cylinder head Head, Cylinder (Incl. 3 of 36) Resistor Spark Plug Washer, Flat (Use as required) Washer, Flat (Use as required) Washer, Flat (Use as required)
36 37	650695A 650694A 650128 650597		Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Screw, 10-24 x 1/2" (Use as required) Screw, 10-24 x 5/8" (Use as required)


		y Description
38	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	29918	Lockwasher
	650548	Screw, 8-32 x 5/16"
	30319 32326A	Rivet, Split (Used on early production)
32	32320A	Lever, Governor (New lever does not need 1 of Ref #49,51,53,54,132,133)
		· · · · · · · · · · · · · · · · · · ·
	30322	Lock Nut, 8-32 (Use as required)
	29916	Clamp, Governor lever (Use as require d)
	30205	Bracket, Adjusting
	30824 29216	Link, Throttle
	29752	Locknut, 10-32 Nut & Lockwasher, 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699B	Rod Assy., Governor (This one piece gov. rod is no
	000002	longer used. It is replaced by 30699C assy.,
		Ref.#63A)
63A	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	31297	Dipstick (Incl. 68)
	29673	* Ġasket, Dipstick
69	29747B	Screw, 5/16-24 x 21/32"
70	32158E	Blower Hsg. (For elec.starter)(Incl.1 89,190)
	33876	Gasket, Stator
	29536	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	28820	Screw, 10-32 x 1/2" (Use as required)
	650521	Screw, 10-32 x 1-1/8" (Use as require d)
89	730127	Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)
98	28569	Compression Spring (Used with 29500 screw)(Use
		as required)
98	32924	Compression Spring (Used with 650688 screw) (Use
		as required)
98	31342	Compression Spring (Used with 650549 screw) (Use
		as required)
99	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
102	30884	Key, Flywheel
	31843A	Bracket, Governor gear
104	650836	Screw, 10-24 x 1/2"

Dof #	Part Number	Otv.	Description
		Qıy	Description Shoft Machanical governor
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
	30588A		Spool, Governor
109	29193		Ring, Retaining
111D	34158		Bracket, Lower fuel tank
112	34159		Plate, Upper fuel tank mtg.
	650561		Screw, 1/4-20 x 5/8"
	650665		Screw, 1/4-15 x 3/4"
	34186A		Fuel Tank (Incl. 115 & 120)
	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
113	33032		
			(Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
			(Use as required)
			,
119	29774		Fuel Line (Braided 8.25") (Use as req uired)
119	30705		Fuel Line (Braided 16") (Use as requi red)
119	30962		Fuel Line (Braided 32") (Use as required)
120	26460		Clamp, Fuel line (Use as required)
121	32401		Muffler
	27930A		* Gasket, Exhaust
	26073		Washer, Flat
	650694A		Screw, 5/16-18 x 2"
	650548		Screw, 8-32 x 5/16" (Early production)
	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
	29538		Base, Engine mounting
	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
	27275		Clip, Wire (Use as required)
	29443		Clip, Fuel line (Use as required)
193	610118		Cover, Spark plug
226	610973		Terminal Assy.
229	28942		Screw, 10-32 x 3/8"
230	27793		Clip, Conduit
232	34240		Ground Wire
	29716		Screw, 1/4-28 x 7/16"
	32125		Cup, Starter
	590417		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
			,
	34346		Decal, Instruction
	550223		Decal, Name
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required)
	32173		Decal, H.P. (6 H.P.) (Use as required)
	30547A		Contact Assy., Breaker
300	30548B		Condenser
301	631021		Inlet Needle, Seat & Clip Assy.
	631927		Carburetor (Incl. 75 & 301) (Refer to Division 5,
			Section A, page 140 for breakdown)
			222

Ref #	Part Number	Qty	Description
304	610689A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
306	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
310	33235A		* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
86A	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97
			& 298B) (Use as req.)
1121	CEOCCE		Corour 1/4 45 x 2/4"
	650665		Screw, 1/4-15 x 3/4" Muffler (Incl. 124, 124A, 8, 124B) (This aparts arrestor
IZIE	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
124A	33171		Muffler Screen (Use as required)
124B	33185		Cover & Tube, Muffler (Use as require d)
124	650578		Screw, 8-18 x 3/8"
125	27930A		* Gasket, Exhaust
134	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
135	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
136	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
137	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
138	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use
			in 730561 ass'y. only)
224	730561		Air Cleaner Kit
234	730301		(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
			adjustable carburetor.)
	650687		Screw, 10-32 x 5/16" (Use as required)
	650257		Screw, 8-32 x 5/16"
	650765		Screw, 10-32 x 1/2"
	34581		Cover, Carburetor
278	32398		Bracket, Choke
	28820		Screw, 10-32 x 1/2"
280	650760		Screw, 8-32 x 3/8"
280A	650764		"U" Clip Nut
281	31291		Plug, Cover
	35438		Knob, Speed Control
	570629A		Primer Assy.
290	32180C		Line, Primer
298G	34414		Decal, "Warning"
298F	34416		Decal, Choke
298F	34144		Decal, "Primer"



Ref #	Part Number	Qty	Description
37A	27261	·	Washer, Flat (Use as required)
37	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	28425		Cover, Valve spring
	35350		Tube, Breather
	30824		
			Link, Throttle
	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use
			as required)
98	32924		Compression Spring (Used with 650688 screw) (Use
	0202 .		as required)
			•
98	31342		Compression Spring (Used with 650549 screw) (Use
			as required)
00	650540		Corour F 40 x 7/46" (Llos on required)
	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	32683A		Gasket, Fuel pump cover (Use as requi red)
	32955		Cover, Fuel pump pad (Use as required)
184	9556		Plug, Pipe 1/8-27 (Use as required)
185	30063		Screw, 1/4-20 x 1/2" (Use as required)
220	34126		Bracket, Grommet mounting
	28545		Grommet, Plastic
	650760		Screw, 8-32 x 3/8"
	30826		Spring, Extension
	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
	33108A		, , , , , , , , , , , , , , , , , , , ,
			Control Bracket (Incl. 224A & 226)
	610973		Terminal Assy.
	33177		Terminal (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	32576		Seal, Snow guard
239	34127		Guard, Starter
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
	33018		Harness Assy., Adapter (Use as requir ed)
	590473		Rewind Starter (Refer to Division 5, Section C, page
000	000170		29 for breakdown)
			,
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120
			volt starter motor kit may have been added to this
			engine. This can be added only if cylinder has drilled
			and tapped starter mounting bosses and a ring gear
			flywheel has been added (see #309). Refer to
			service number stamped on end cap of motor,
			•
309	30811A		Flywheel (Ring gear flywheel requiredon engines
			using 110-120 volt starter motor kits listed above.)