

		Qty	Description
	34919A		Cylinder (Incl. 2,3 & 4) (2-5/8" Bore)
	27652		Pin, Dowel
	27642		Pipe plug, 1/4-18
	32630 29536		Seal, Oil Player Housing Poffle (Without electric starter knock
5	29330		Blower Housing Baffle (Without electric starter knock out) (Use as required)
5	35256A		Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
6	650561		Screw, 1/4-20 x 5/8"
7	29538		Base, Engine mounting
8	650542		Screw, 5/16-18 x 3/4"
	35235		Crankshaft
	29783		Pin, Crankshaft gear (Used on early p rod.)
11	27884		Gear, Crankshaft (Used on early production) This
			gear is serviceable ONLY when it is pinned to the crankshaft.
13	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
13	34532		Piston, Pin & Ring Set (.010" OS)
13	34533		Piston, Pin & Ring Set (.020" OS)
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	27888		Ring, Piston pin retaining
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856 31295C		Ring Set (.020" OS) Rod Assy., Connecting (Incl. 17)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
	33156		Camshaft
	30622A		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
22	650561		Screw, 1/4-20 x 5/8" (Use as required)
22	30063		Screw, 1/4-20 x 1/2" (Use as required)
	30684		Gasket Cylinder Cover
	31451A		Cylinder Cover (Incl.26, 34, 127A, 12 9 & 130)
	28460		Seal, Oil
	650488		Screw, 1/4-20 x 1-1/4"
	650493 30600C		Screw, 1/4-20 x 1-3/4" Ped Assy, Covernor (Incl. 30 & 31)
	30699C 30700		Rod Assy., Governor (Incl. 30 & 31) Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29642		Ring, Retaining
	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
37	29193		Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	32783		Intake Valve (Std.)
	32784		Intake Valve (1/32" OS)
	27878A		Exhaust Valve (Std.)
42	27880A		Exhaust Valve (1/32" OS)

Ref #	Part Number	Qtv	Description
	27882		Cap, Upper valve spring
	27881		Spring, valve
	32581		Cap, Lower valve spring
	650814		Screw, 10-24 x 1"
			•
	32589		Key, Flywheel
	28938C		Gasket, Cylinder head
	30938A		Head, Cylinder
	33636		Resistor Spark Plug (RJ-8C)
54	610118		Cover, Spark plug (Use as required)
55	30939A		Cover Assy., Cylinder head
56	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
56	650694A		Screw, 5/16-18 x 2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	30322		Locknut, 8-32
	29916		Clamp, Governor lever (Use as require d)
	33454		
			Lever Assy., Governor
	29918		Washer, Lock, No. 8 E.T.
	650548		Screw, 8-32 x 5/16"
	29216		Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
	34662		Link, Throttle
65A	34661		Link, Governor
67A	34677		Control Bracket (Incl. 68, 69, 72 & 1 38)
68	31342		Spring, Compression
69	650549		Screw, 5-40 x 7/16"
	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
			Screw, 10-24 x 1/2"
	650128		·
	35350		Tube Breather
	27915A		* Gasket, Intake pipe to cylinder
	34712		Flange, Carburetor (Incl. 86A)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
86A	650517		Screw, 1/4-20 x 13/16"
87	27272A		* Air Cleaner Gasket (Use as required)
87	30767		Spacer, Cleaner (Use as required)
94A	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96)
			(Use in 730561 assembly only)
101	0.4450		
	34158		Bracket, Fuel tank
	650665		Screw, 1/4-14 x 7/8"
103	34159		Plate, Fuel tank mounting
104	34186A		Fuel Tank (Incl. 105 & 107) NOTE: These tanks
			were built with different size fuel inlet openings.
			Tanks with the 1-3/16" I.D. opening use fuel cap
			33032 or 34210. Tanks with the 1-1/2" I.D. opening
			use fuel cap 35355.
			•
	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
105	33032		Fuel Cap (Red Plastic) (Spurt resistant, Low profile)
			(Use as required)

209 611084

Page	4	of	5
------	---	----	---

Rof #	Part Number	Otv	Description
	34210	Qty	Fuel Cap (Red Plastic) (Spurt resistant, High profile)
100	01210		(Use as required)
			,
	35355		Fuel Cap (Red plastic) (Use as requir ed)
	29774		Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962		Fuel Line (Braided, 32") (Use as required)
	26460_		Clamp, Fuel line (Use as required)
	32158E		Blower Housing (For electric starter)
	29747B		Screw, 5/16-24 x 21/32"
	27930A		* Gasket, Exhaust flange
	33714		Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
	391026		Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
	32401		Muffler
	34390		Deflector, Exhaust (Optional)
	30196		Screw, 5/16-18 x 3/4"
	26073		Washer, Flat
	650694A		Screw, 5/16 - 18 x 2"
	32125		Cup, Starter
	35009		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
	29716		Screw, 1/4-28 x 7/16"
	31691		Bracket, Air cleaner
	28820		Screw, 10-32 x 1/2"
	30727		Element, Air cleaner
	31715		Body, Air cleaner
	650152		Screw, 8-32 x 3/8"
	31855		Retainer, Bearing
	31793		Bearing, Ball
	31792		Washer, Thrust
	650778		Washer, Lock
	650580		Nut, Lock
	32410		Knob, Speed control
	34663		Spring, Speed control
	650821		Screw, 10-32 x 1/2"
	30747		Clip, Spark plug shorting
	650890		Lockwasher, Shakeproof, 5/16
	33171 33185		Screen, Muffler (Use as required)
	650578		Cover & tube, Muffler (Use as required)
	33323		Screw, 8-18 x 3/8" (Use as required) Screen, Muffler (Use as required)
	33700		, ,
	31297		Cover & Tube, Muffler (Use as require d) Dipstick (Incl. 146A)
	29673		* Gasket, Oil fill
	730164		Air Cleaner Ass'y. (Red
201	730104		Poly)(Incl.87,120,121,122,123,124 & 230)(As req.)
			Foly/(IIIcl.o7, 120, 121, 122, 123, 124 & 230)(A5 1eq.)
201	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 &
			124) (Use as required)
201 /	730130		Muffler Adapter Kit (Incl.110,112)(As req.)
	730561		Air Cleaner Kit
2010	7 3030 1		(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100
			& 230C) (Used only on engine with an externally
			vented fully adjustable carburetor)
			volited fully adjustable calburetory

Flywheel

Ref #	Part Number	Qty	Description
	650872		Stud, Solid State mounting
211	34443A		Solid State Assy. (Incl. 54)
230	34346		Decal, Instruction
230	550223		Decal, Name
230B	35344		Decal, Control
231	30547A		Breaker Assy (Used on Std. Point igni tion)
232A	631021		Inlet, Needle Seat & Clip Assy.
240	611077		Alternator (Optional)
241	650868		Screw, 8-18 x 1-1/8" (3 required)(Opt .)
242	611078		Connector, A.C. Lighting (Optional)
242	611079		Connector, D.C. Charging (Optional)
243	590610		Tube, Centering (Optional)
244	590613		Alternator Shaft (Optional)
250	632230		Carburetor (Incl. 85) (Refer to Division 5, Section A,
			Page 182 for breakdown)
252	590420A		Rewind Starter (Refer to Division 5, Section C, page
202	330420/1		25 for breakdown)
			,
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt
			starter motor kit may have been added to this engine.
			It can be added only if cylinder hasdrilled and tapped
			starter mounting bosses and a ring gear flywheel
			(see#255). Refer to service number stamped on end
			cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines
			using 110-120 volt starter motor kits listed above)
			(Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines
200	011042		using 110-120 volt starter motor kits listed above)
			(Used on Std. point ignition 1982 or later)
			,
255	611085		Flywheel (Minimum ring gear flywheel required on
			engines using 110-120 volt starter motor kits listed
			above) (Used on solid state external ignition)
256	33235A		Gasket Set (Incl. items marked*)
			,