


Dof #	Part Number	Otv	Description
	Part Number	Qly	Description  Ovlinder (Incl. 2.3.4.5.194) (2.5/8" Para)
1	33311B		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
	30969		Cap, Oil drain
	27642		Plug, Oil drain, 1/4-18
3B	30968		Nipple, Oil drain
4	27876B		Seal, Oil
5	27877A		Intake Valve (Std.) (Incl. 9)
5	27880A		Inake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32514		Crankshaft (Incl. 12 & 13)
	29783		Pin, Crankshaft gear Used in early production. This
12	29703		
			gear is serviceable ONLY when itis pinned to the
			crankshaft.
13	27884		Gear, Crankshaft Used in early production. This
			gear is serviceable ONLY when itis pinned to the
			crankshaft.
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34532		Piston, Pin & Ring Set (.010" OS)
14	34533		Piston, Pin & Ring Set (.020" OS)
15	34854		Ring Set (Std.) (2-5/8" Bore)
15	34855		Ring Set (.010" OS)
15	34856		Ring Set (.020" OS)
16	27888		Ring, Piston pin retaining
17	31380C		Rod Assy., Connecting (Incl. 18)
18	650662C		Screw, Connecting rod (Late productio n)
18A	30682		Bolt, Connecting rod (Early productio n)
19	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
	33156		Camshaft
	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 27 & 105)
	28427		Seal, Oil
	30684		* Gasket, Cylinder cover
	31546		Bushing, Crankshaft
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-1/4 Screw, 1/4-20 x 1-3/4"
	650489		,
			Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)


37 37 38 39 40 41 45 46 48 49 50 51	Part Number 650128 650597 27896A 28423 28424 28425 27915A 30195A 30196 29918 650548 30319 32326A	Qty	Description  Screw, 10-24 x 1/2" (Use as required)  Screw, 10-24 x 5/8" (Use as required)  * Gasket, Breather cover  Body, Breather  Element, Breather  Cover, Valve spring  * Gasket, Intake  Flange, Carburetor (Incl. 79 & 80)  Screw, 5/16-18 x 3/4"  Lockwasher  Screw, 8-32 x 5/16"  Rivet, Split (Used on early productio n)  Lever, Governor (New lever does not need 1 of Ref  #49,51,53,54,132,133)
54 55 56 58 59 60 61 62 63A	30322 29916 30205 30824 29216 29752 650572 29826 29642 30699C 30699B		Lock Nut, 8-32 (Use as required) Clamp, Governor lever (Use as require d) Bracket, Adjusting Link, Throttle Locknut, 10-32 Nut & Lockwasher, 1/4-28 Screw, 1/4-28 x 1-1/8" Screw, 10-32 x 3/4" Ring, Retaining Rod Assy., Governor (Incl. 64 & 65) Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A)
65 66A 68 69 70 73 74 75 81 81 81	30700 650494 31297 29673 29747B 32158E 29536 650561 31688A 30196 28820 650521 27272A 730127		Yoke, Governor Screw, 6-40 x 5/16" Dipstick (Incl. 68)  * Gasket, Dipstick Screw, 5/16-24 x 21/32" Blower Hsg. (For elec.starter)(Incl.1 89,190) Baffle, Blower housing Screw, 1/4-20 x 5/8"  * Gasket, Carburetor Screw, 5/16-18 x 3/4" (Use as require d) Screw, 10-32 x 1/2" (Use as required) Screw, 10-32 x 1-1/8" (Use as require d)  * Gasket, Air cleaner Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)
98	28569		Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99 99	650549 29500 650688 30884		Screw, 5-40 x 7/16" (Use as required) Screw, 8-32 x 3/4" (Use as required) Screw, 10-32 x 1 (Use as required) Key, Flywheel

Dof #	Part Number	Otv	Description
	Part Number 31843A	Qty	Description Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650665		Screw, 1/4-15 x 3/4"
	650561		Screw, 1/4-20 x 5/8"
	35584		Fuel Tank (Incl. 115 & 120)
	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
113	33032		(Use as required)
			(Ose as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
			(Use as required)
110	29774		Fuel Line (Braided 8.25") (Use as req uired)
	30705		Fuel Line (Braided 3.23 ) (Ose as required)
	30962		Fuel Line (Braided 32") (Use as required)
	26460		Clamp, Fuel line (Use as required)
	32401		Muffler
	27930A		* Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	26073		Washer, Flat
	650694A		Screw, 5/16-18 x 2"
	650548		Screw, 8-32 x 5/16" (Early production )
	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
	29538		Base, Engine mounting
	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
	27275		Clip, Wire (Use as required)
	29443		Clip, Fuel line (Use as required)
	610118		Cover, Spark plug
	610973		Terminal Assy.
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	29682		Ground Wire
	29716		Screw, 1/4-28 x 7/16"
264	32125		Cup, Starter
265	590417		Screen, Starter cup
266	650815		Washer, Belleville
267	8116		Nut, Hex
298	34346		Decal, Instruction
298A	550223		Decal, Name
298A	33310		Decal, 5 HP Mini-Bike (Use as require d)
298A	31517		Decal, H.P. (5 H.P.) (Use as required)
298A	32173		Decal, H.P. (6 H.P.) (Use as required )
299	30547A		Contact Assy., Breaker
300	30548B		Condenser
301	631021		Inlet Needle, Seat & Clip Assy.
303	631827		Carburetor (Incl. 75 & 301) (Refer to Division 5,
			Section A, page 206 for breakdown)

Ref #	Part Number	Qty	Description
304	610694A	•	Magneto (w/ring gear for 120 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
306	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
310	33235A		* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
35 36 36 36 38 81 81 81 82 86A 89A	26073 650570 650691 650697A 650695A 650694A 27896A 30196 28820 650521 27272A 34697 730128	_	Washer, Flat (Use as required) Washer, Flat (Use as required) Washer, Flat (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Screw, 5/16-18 x 3/4" (Use as require d) Screw, 10-32 x 1/2" (Use as required) Screw, 10-32 x 1-1/8" (Use as require d) * Gasket, Air cleaner Air Cleaner Elbow Assy.(Use in 730561 only.) Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 & 298B) (Use as req.)
111 112B 113A 117A 118	30767 33167 33166A 650665 32961 33679 391026		Spacer, Cleaner Bracket, Lower fuel tank Bracket, Upper fuel tank Screw, 1/4-15 x 3/4" Valve, Fuel shut-off Bushing, Fuel fitting Muffler (Incl. 124, 124A & 124B) (This spark arrester mufflercan be used on any model)
124B 124 125 134 135 136 137	33171 33185 650578 27930A 31288 730130 6021A 650697A 30196 34819		Muffler Screen (Use as required) Cover & Tube, Muffler (Use as require d) Screw, 8-18 x 3/8"  * Gasket, Exhaust Muf.Adapter Kit(Incl.125,136,137)(As req.) Muf.Adapter Kit(Incl.125 & 138)(As re quired) Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 3/4" (Use as required) Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in 730561 ass'y. only)
234	730561		Air Cleaner Kit (Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A (Use only on engines with an externally ventedfully adjustable carburetor.)
274A 274 275 278 279 280 280A 282 283 284	650687 650765 650257 32395 32398 28820 650760 650764 32397 32399 32400 31682		Screw, 10-32 x 5/16" (Use as required ) Screw, 10-32 x 1/2" Screw, 8-32 x 5/16" Cover, Carburetor Bracket, Choke Screw, 10-32 x 1/2" Screw, 8-32 x 3/8" "U" Clip Nut Plate Assy., Choke Spring, Choke knob Knob, Choke Decal, Operating



Ref #	Part Number	Qty	Description
	650128		Screw, 10-24 x 1/2" (Use as required)
37	650597		Screw, 10-24 x 5/8" (Use as required)
37A	27261		Washer, Flat (Use as required)
41	28425		Cover, Valve spring
43A	35350		Tube, Breather
56	30824		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use
			as required)
			,
98	32924		Compression Spring (Used with 650688 screw) (Use
			as required)
98	31342		Compression Spring (Used with 650549 screw) (Use
30	31342		as required)
			as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
99	650688		Screw, 10-32 x 1 (Use as required)
182	32683A		Gasket, Fuel pump cover (Use as required)
	32955		Cover, Fuel pump pad (Use as required)
	9556		Plug, Pipe 1/8-27 (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required )
	650736		Screw, 10-16 x 3/8"
	33013		Cover, Starter bubble
	34126		Bracket, Grommet mounting
	28545		•
			Grommet, Plastic
	650760		Screw, 8-32 x 3/8"
	30826		Spring, Extension
	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
	33108A		Control Bracket (Incl. 224A & 226)
	610973		Terminal Assy.
	33177		Terminal (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	32576		Seal, Snow guard
239	31680		Guard, Starter
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
298E	31718		Decal, Choke
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590473		Rewind Starter (Refer to Division 5, Section C, page
			29 for breakdown)
000	00000		•
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120
			volt starter motor kit may have been added to this
			engine. This can be added only if cylinder has drilled
			and tapped starter mounting bosses and a ring gear
			flywheel has been added (see #309). Refer to
			service number stamped on end cap of motor,
200	30811A		Flywheel (Ring gear flywheel requireden engines
309	300 I IA		Flywheel (Ring gear flywheel requiredon engines
			using 110-120 volt starter motor kits listed above.)