


Ref #	Part Number	Qty	Description
1	33311B		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	31827		Crankshaft (Incl. 12 & 13)
12	29783		Pin, Crankshaft gear Used in early production. This
			gear is serviceable ONLY when itis pinned to the
			crankshaft.
13	27884		Gear, Crankshaft Used in early production. This
			gear is serviceable ONLY when itis pinned to the
			crankshaft.
111	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B		Piston & Pin Ass'y. (3td.)(2-3/8) (Incl. 16)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (300.) (2 3/3 Bore)
	34533		Piston, Pin & Ring Set (.020" OS)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 18)
	650662C		Screw, Connecting rod (Late productio n)
	30682		Bolt, Connecting rod (Early productio n)
19	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
21	33156		Camshaft
22	34034		Lifter, Valve
23	31451A		Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)
24	28460		Seal, Oil
26	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-3/4"
	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128 650507		Screw, 10-24 x 1/2" (Use as required)
	650597 27806A		Screw, 10-24 x 5/8" (Use as required)
38	27896A		* Gasket, Breather cover


Ref #	Part Number	Qty Desc	scription
40 41 45 46 48 49 50 51	28423 28424 28425 27915A 30195A 30196 29918 650548 30319 32326A	Elen Cove * Ga Flan Scre Lock Scre Rive Leve	ly, Breather ment, Breather ver, Valve spring asket, Intake nge, Carburetor (Incl. 79 & 80) ew, 5/16-18 x 3/4" kwasher ew, 8-32 x 5/16" et, Split (Used on early productio n) er, Governor (New lever does not need 1 of Ref ,51,53,54,132,133)
54 55 56 58 59 60 61 62	30322 29916 30205 31710 29216 29752 650572 29826 29642 30699B	Clan Brac Link Lock Nut Scre Scre Ring Rod long	k Nut, 8-32 (Use as required) mp, Governor lever (Use as require d) cket, Adjusting k, Throttle knut, 10-32 & Lockwasher, 1/4-28 ew, 1/4-28 x 1-1/8" ew, 10-32 x 3/4" g, Retaining d Assy., Governor (This one piece gov. rod is no ger used. It is replaced by 30699C assy., #63A)
64 65 66A 68 69 70 73 74 75 81 81 81 82 83 84B 85	30699C 30700 650494 31297 29673 29747B 32158E 29536 650561 31688A 30196 28820 650521 650152 27272A 31691 30727 31715 730127	Yoke Scre Dips * Ga Scre * Ga Scre Scre Scre * Ga Brad Elen Body Air O	Assy., Governor (Incl. 64 & 65) i.e., Governor ew, 6-40 x 5/16" stick (Incl. 68) asket, Dipstick ew, 5/16-24 x 21/32" wer Hsg. (For elec.starter)(Incl.1 89,190) fle, Blower housing ew, 1/4-20 x 5/8" asket, Carburetor ew, 5/16-18 x 3/4" (Use as require d) ew, 10-32 x 1/2" (Use as required) ew, 10-32 x 1-1/8" (Use as require d) ew, 8-32 x 3/8" asket, Air cleaner cket, Air cleaner fly, Air cleaner ly, Air cleaner Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & B) (Use as required)
98	28569		npression Spring (Used with 29500 screw)(Use equired)
98	32924		npression Spring (Used with 650688 screw) (Use equired)
	31342	as re	npression Spring (Used with 650549 screw) (Use equired)
99	650688 650549 29500	Scre	ew, 10-32 x 1 (Use as required) ew, 5-40 x 7/16" (Use as required) ew, 8-32 x 3/4" (Use as required)

Ref #	Part Number	Qty	Description
103 104 105 106 107 108 109 113 115	30884 31843A 650836 31845 30590A 30591 30588A 29193 30063 410144B 33032		Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Shaft, Mechanical governor Washer, Flat Gear Assy., Governor (Incl. 106) Spool, Governor Ring, Retaining Screw, 1/4-20 x 1/2" Fuel Cap (White Plastic)(Standard)(As req.) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required)
119 119 120 125 132 134 144 146 147 148 186 186 193 224 225B 226 229 230 244 245 246 247 248 262 264 265 266 267 298A 298A 298A 298A 298A 298A	29774 30705 30962 26460 27930A 650548 650139 650542 29538 650128 30622A 27275 29443 27276 31386 31726B 610973 28942 27793 31792 31855 650778 650580 29716 32125 590417 650815 8116 550223 33310 31517 32173 31752 34346 30547A		Fuel Line (Braided 8.25") (Use as req uired) Fuel Line (Braided 16") (Use as requi red) Fuel Line (Braided 32") (Use as requi red) Clamp, Fuel line (Use as required) * Gasket, Exhaust Screw, 8-32 x 5/16" (Early production) Screw, 8-32 x 1/2" (Early production) Screw, 5/16-18 x 3/4" Base, Engine mounting Screw, 10-24 x 1/2" Extension, Blower housing Clip, Wire (Use as required) Clip, Fuel line (Use as required) Cover, Spark Plug Spring, Extension Control Bracket (Incl. 98, 99, 226 & 284A) Terminal Assy. Screw, 10-32 x 3/8" Clip, Conduit Bearing, Ball Washer, Thrust Retainer, Bearing Washer, Lock Nut, Lock Screw, 1/4-28 x 7/16" Cup, Starter Screen, Starter cup Washer, Belleville Nut, Hex Decal, Name Decal, 5 HP Mini-Bike (Use as required) Decal, H.P. (5 H.P.) (Use as required) Decal, H.P. (6 H.P.) (Use as required) Decal, Air cleaner Decal, Instruction Contact Assy., Breaker
300 301	30547A 30548B 631021 631152		Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 301) (Refer to Division 5, Section A, page 64 for breakdown)

Ref #	Part Number	Qty	Description
304	610689A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310	33235A		* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
35	26073		Washer, Flat (Use as required)
35	650570		Washer, Flat (Use as required)
35	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
	31431		Elbow, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
	650163		Screw, 10-32 x 7/8"
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97
			& 298B) (Use as req.)
111B	34823		Bracket, Lower fuel tank
	31977		Fuel Tank (Incl. 115)
	29683		Valve, Fuel strainer & shut-off
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
1244	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	29212		Screw, 1/4-28 x 7/16"
	650570		Washer, Flat
	31979		Strap, Fuel tank
	650451		Screw, 1/4-20 x 1"
	650456		Nut, 1/4-20
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use
			in 730561 ass'y. only)
234	730561		Air Cleaner Kit
	730001		(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
273	650687		Screw, 10-32 x 5/16" (Use as required)



Ref #	Part Number	Qty	Description
37	650128	-	Screw, 10-24 x 1/2" (Use as required)
37	650597		Screw, 10-24 x 5/8" (Use as required)
37A	27261		Washer, Flat (Use as required)
41	28425		Cover, Valve spring
43A	35350		Tube, Breather
56	31710		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use
			as required)
00	00004		•
98	32924		Compression Spring (Used with 650688 screw) (Use
			as required)
98	31342		Compression Spring (Used with 650549 screw) (Use
			as required)
			• ,
	650688		Screw, 10-32 x 1 (Use as required)
	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	32683A		Gasket, Fuel pump cover (Use as required)
	32955		Cover, Fuel pump pad (Use as required)
	9556		Plug, Pipe 1/8-27 (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
	610973		Terminal Assy.
	33177		Terminal (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
262	29716		Screw, 1/4-28 x 7/16"
266	650815		Washer, Belleville
267	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page
			25 for breakdown)
200	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120
300	33320D		
			volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled
			and tapped starter mounting bosses and a ring gear
			flywheel has been added (see #309). Refer to
			service number stamped on end cap of motor,
			service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines
			using 110-120 volt starter motor kits listed above.)