
H60-75433M Engine Parts List



D-6.11	Dout Number	<u></u>	Description
	Part Number	Qty	Description
	33311B		Cylinder (Incl. 2, 3, 4 & 41)(2-5/8" Bore)
	27652		Pin, Dowel
	27642 27876B		Pipe plug, 1/4-18
			Seal, Oil Blower Housing Baffle (Without electric starter knock
5	29536		Blower Housing Baffle (Without electric starter knock
			out) (Use as required)
5	35256A		Blower Housing Baffle (With electric starter
			knockout) (As req.)(point ign.)
6	650561		Screw, 1/4-20 x 5/8"
	29538		Base, Engine mounting
	650542		Screw, 5/16-18 x 3/4"
	30799		Crankshaft
	29783		Pin, Crankshaft gear (Used on early p rod.)
11	27884		Gear, Crankshaft (Used on early production) This
			gear is serviceable ONLY when it is pinned to the
			crankshaft.
13	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	27888		Ring, Piston pin retaining
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010'' OS)
15	34856		Ring Set (.020" OS)
16	31380C		Rod Assy., Connecting (Incl. 17)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
	33156		Camshaft
	30622A		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	30684		Gasket Cylinder Cover
	31303B		Cover, Cylinder (Incl. 26 & 34)
	31546		Bushing, Crankshaft
	28427 650488		Seal, Oil Screw, 1/4-20 x 1-1/4"
	650488 650493		Screw, 1/4-20 x 1-1/4 Screw, 1/4-20 x 1-3/4"
	30699C		Rod Assy., Governor (Incl. 30 & 31)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29642		Ring, Retaining
	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
	29193		Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	32783		Intake Valve (Std.)
	32784		Intake Valve (1/32" OS)
	27878A		Exhaust Valve (Std.)

Ref #	Part Number	Qty	Description
42	27880A		Exhaust Valve (1/32" OS)
43	27882		Cap, Upper valve spring
44	27881		Spring, valve
	32581		Cap, Lower valve spring
	33876		Gasket, Stator
	650489		Screw, 1/4-20 x 5/8"
	34240		Ground Wire
	30884		Key, Flywheel
	28938C		Gasket, Cylinder head
	30938A		
			Head, Cylinder
	33636		Resistor Spark Plug (RJ-8C)
	610118		Cover, Spark plug (Use as required)
	30939A		Cover Assy., Cylinder head
	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	30322		Locknut, 8-32
	29916		Clamp, Governor lever (Use as require d)
58A	32326A		Lever, Governor
59	29918		Washer, Lock, No. 8 E.T.
60	30205		Bracket, Governor adjusting
61	650548		Screw, 8-32 x 5/16"
62	29216		Locknut, 10-32
63	29826		Screw, 10-32 x 3/4"
64	31386		Spring, Extension
	30824		Link, Throttle
	33108A		Control Assy., Remote Speed (Incl. 64 & 72)
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	35350		Tube Breather
	29752		Nut & Lockwasher, 1/4-28
	27915A		* Gasket, Intake pipe to cylinder
	30195A		Flange, Carburetor (Incl. 81 & 86)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
	650572		Screw, 1/4-28 x 1-1/8"
	27272A		* Air Cleaner Gasket (Use as required)
	30767		Spacer, Cleaner (Use as required)
94A	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96)
			(Use in 730561 assembly only)
101	34158		Bracket, Fuel tank
	650665		Screw, 1/4-14 x 7/8"
	34159		Plate, Fuel tank mounting
			E

		/ Description
104	34186A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.
	410144B 33032	Fuel Cap (White Plastic)(Std.)(As req uired) Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as required)
105	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
$\begin{array}{c} 105\\ 106\\ 106\\ 107\\ 108\\ 109\\ 110\\ 1110\\ 1110\\ 1112\\ 111\\ 111E\\ 111D\\ 112\\ 113\\ 114\\ 115\\ 116\\ 117\\ 118\\ 119\\ 143A\\ 143B\\ 119\\ 143A\\ 143B\\ 143\\ 144\\ 144A\\ 145\\ 144A\\ 145\\ 146A\\ 150\\ 151\\ 152\\ 153\end{array}$	35355 29774 30962 26460 32158E 29747B 27930A 391026 32401 34390 33714 30196 26073 650694A 32125 590417 650815 8116 29716 33171 33185 650578 33700 33323 31297 29673 34132 34217 31291 650764	(Use as required) Fuel Cap (Red plastic) (Use as required) Fuel Line (Braided, 8 1/4") (Use as required) Fuel Line (Braided, 32") (Use as required) Blower Housing (For electric starter) Screw, 5/16-24 x 21/32" * Gasket, Exhaust flange Opt.Spark Arrest Muf.(Incl.143,143A,1 43B) Muffler Deflector, Exhaust (Optional) Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A) Screw, 5/16-18 x 3/4" Washer, Flat Screw, 5/16 - 18 x 2" Cup, Starter Screen, Starter cup Washer, Belleville Nut, Hex Screw, 1/4-28 x 7/16" Screen, Muffler (Use as required) Cover & tube, Muffler (Use as required) Cover & Tube, Muffler (Use as required) Screen, Muffler (Use as required) Dipstick (Incl. 146A) * Gasket, Oil fill Plate, Choke indicator Cover, Carburetor Plug, Cover Nut, "U" Clip
155 156 157 158 159	650760 34126 650257 650765 28820 32398 650760	Screw, 8-32 x 3/8" Bracket, Grommet mounting Screw, 8-32 x 5/16" Screw, 10-32 x 1/2" Screw, 10-32 x 1/2" Bracket, Choke Screw, 8-32 x 3/8"
161 162 163	28545 34127 32576 730164	Grommet, Plastic Guard, Starter Seal, Snow Guard Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 & 230)(As req.)

	Port Number	<u></u>	Description
		Qīy	Description
201	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
201A	730130		Muffler Adapter Kit (Incl.110,112)(As req.)
201B	730561		Air Cleaner Kit
			(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100
			& 230C) (Used only on engine with an externally
			vented fully adjustable carburetor)
230F	34414		Decal, Warning
	34346		Decal, Instruction
	34416		Decal, Instruction
	550223		Decal, Name
	30547A		Breaker Assy (Used on Std. Point igni tion)
231A	30548B		Condenser
232A	631021		Inlet, Needle Seat & Clip Assy.
	611077		Alternator (Optional)
	650868		Screw, 8-18 x 1-1/8" (3 required)(Opt .)
	611078		Connector, A.C. Lighting (Optional)
	611079		Connector, D.C. Charging (Optional)
	590610		Tube, Centering (Optional)
	590613		Alternator Shaft (Optional)
250	631911		Carburetor (Incl. 85) (Refer to Division 5, Section A,
			page 138 for breakdown)
251	610689A		Magneto NOTE: The complete magneto is not
			available as an assembly. The magneto number is
			shown for reference purposes only. Order
			component parts individually, as shown in parts list.
			(Refer to Division 5, Section B, page 24 for
			breakdown)
252	590473		Rewind Starter (Refer to Division 5, Section C, page
			29 for breakdown)
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt
			starter motor kit may have been added to this engine.
			It can be added only if cylinder hasdrilled and tapped
			starter mounting bosses and a ring gear flywheel
			(see#255). Refer to service number stamped on end
			cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines
			using 110-120 volt starter motor kits listed above)
			(Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines
200			using 110-120 volt starter motor kits listed above)
			(Used on Std. point ignition 1982 or later)
255	611085		Flywheel (Minimum ring gear flywheel required on
200	011000		engines using 110-120 volt starter motor kits listed
			above) (Used on solid state external ignition)
0.50	000054		, (č ,
256	33235A		Gasket Set (Incl. items marked*)