

1 2 3 4		Oty Description Cylinder (Incl. 2,3 & 4) (2-5/8" Bore) Pin, Dowel Pipe plug, 1/4-18 Seal, Oil Blower Housing Baffle (Without electric starter knock
5	35256A	out) (Use as required) Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
7 8 9 10	650561 29538 650542 34882 29783 27884	Screw, 1/4-20 x 5/8" Base, Engine mounting Screw, 5/16-18 x 3/4" Crankshaft Pin, Crankshaft gear (Used on early p rod.) Gear, Crankshaft (Used on early production) This gear is serviceable ONLY when it is pinned to the crankshaft.
13A 13A 13 13 14 15 15 15 16 17 18 20 21 22 22 23 24 25 26 27 28 29 30 31 33 34 35	33312B 33314B 34531 34532 34533 27888 34854 34855 34856 31380C 650662C 34034 30622A 650128 650561 30063 30684 31303B 31546 28427 650488 650493 30699C 30700 650494 29642 31845 30588A 35479	crankshaft. Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14) Piston & Pin Ass'y. (.010" OS) (Incl. 14) Piston & Pin Ass'y. (.020" OS) (Incl. 14) Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Ring, Piston pin retaining Ring Set (Std.) (2-5/8" Bore) Ring Set (.010" OS) Ring Set (.010" OS) Rod Assy., Connecting (Incl. 17) Bolt, Connecting rod (Incl. 2 pieces) Lifter, Valve Extension, Blower housing Screw, 10-24 x 1/2" Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Gasket Cylinder Cover Cover, Cylinder (Incl. 26 & 34) Bushing, Crankshaft Seal, Oil Screw, 1/4-20 x 1-1/4" Screw, 1/4-20 x 1-3/4" Rod Assy., Governor (Incl. 30 & 31) Yoke, Governor Screw, 6-40 x 5/16" Ring, Retaining Shaft, Mechanical governor Spool, Governor Washer, Flat
38 39 40 41	29193 30591 31843A 650836 32783	Ring, Retaining Gear Assy., Governor Bracket, Governor gear Screw, 10-24 x 1/2" Intake Valve (Std.)
42	32784 27878A 27880A	Intake Valve (1/32" OS) Exhaust Valve (Std.) Exhaust Valve (1/32" OS)

		Qty	Description
43	27882		Cap, Upper valve spring
44	27881		Spring, valve
45	32581		Cap, Lower valve spring
46	33876		Gasket, Stator
	650489		Screw, 1/4-20 x 5/8"
	32589		Key, Flywheel
	28938C		Gasket, Cylinder head
	30938A		Head, Cylinder
	34251		Resistor Spark Plug (RJ-17LM)
	610118		Cover, Spark plug (Use as required)
	27276		Cover, Spark plug
	30939A		Cover Assy., Cylinder head
	650690		Washer, Belleville (Use as required)
56	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
56	650694A		Screw, 5/16-18 x 2" (Use as required)
56	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
56A	650691		Washer, Flat (Use as required)
57	29916		Clamp, Governor lever (Use as require d)
57A	30322		Locknut, 8-32
58A	32326A		Lever, Governor
	29918		Washer, Lock, No. 8 E.T.
	30205		Bracket, Governor adjusting
	650548		Screw, 8-32 x 5/16"
	29216		Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
	32327		Link, Throttle
	610973		
			Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	35350		Tube Breather
	27915A		* Gasket, Intake pipe to cylinder
	34712		Flange, Carburetor (Incl. 86A)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
86A	650517		Screw, 1/4-20 x 13/16"
87	27272A		* Air Cleaner Gasket (Use as required)
87	30767		Spacer, Cleaner (Use as required)
94A	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96)
			(Use in 730561 assembly only)
104	34158		
			Bracket, Fuel tank
	650665		Screw, 1/4-14 x 7/8"
	34159		Plate, Fuel tank mounting
104	34186A		Fuel Tank (Incl. 105 & 107) NOTE: These tanks
			were built with different size fuel inlet openings.
			Tanks with the 1-3/16" I.D. opening use fuel cap
			33032 or 34210. Tanks with the 1-1/2" I.D. opening
			use fuel cap 35355.
105	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
	33032		Fuel Cap (Red Plastic) (Spurt resistant, Low profile)
100	3332		(Use as required)
			(30.04003)

	Part Number	Qty	Description
105	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
106 106 107 108 109	35355 30962 29774 26460 32158E 29747B 391026		Fuel Cap (Red plastic) (Use as required) Fuel Line (Braided, 32") (Use as required) Fuel Line (Braided, 8 1/4") (Use as required) Clamp, Fuel line (Use as required) Blower Housing (For electric starter) Screw, 5/16-24 x 21/32" Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
111E 111D 115 116 117	34390 33714 32125 35009 650815		Deflector, Exhaust (Optional) Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A) Cup, Starter Screen, Starter cup Washer, Belleville
119 120 121 122 123	8116 29716 31691 28820 30727 31715		Nut, Hex Screw, 1/4-28 x 7/16" Bracket, Air cleaner Screw, 10-32 x 1/2" Element, Air cleaner Body, Air cleaner
131 132 133 140	650152 30845A 33450 30886A 30747		Screw, 8-32 x 3/8" Bolt, Governor spring adjusting Nut, 10-32 Lock Spring, Extension Clip, Spark plug shorting
143 143B 143A 144 144A 145 146A 169 171	650890 650578 33185 33171 33700 33323 31297 29673 32862 29574 730164		Lockwasher, Shakeproof, 5/16 Screw, 8-18 x 3/8" (Use as required) Cover & tube, Muffler (Use as require d) Screen, Muffler (Use as required) Cover & Tube, Muffler (Use as require d) Screen, Muffler (Use as required) Dipstick (Incl. 146A) * Gasket, Oil fill Nut, Conduit Elbow, 90-degree Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 & 230)(As req.)
201	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
	730130 730561		Muffler Adapter Kit (Incl.110,112)(As req.) Air Cleaner Kit (Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C) (Used only on engine with an externally vented fully adjustable carburetor)
231A 232A 240 241 242 242 243	30547A 30548B 631021 611077 650868 611078 611079 590610		Breaker Assy (Used on Std. Point igni tion) Condenser Inlet, Needle Seat & Clip Assy. Alternator (Optional) Screw, 8-18 x 1-1/8" (3 required)(Opt.) Connector, A.C. Lighting (Optional) Connector, D.C. Charging (Optional) Tube, Centering (Optional) Alternator Shaft (Optional)

Ref #	Part Number	Qty	Description
250	632230		Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 182 for breakdown)
251	611038		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 39 for breakdown)
252	590420A		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A		Gasket Set (Incl. items marked*)