


Ref #	Part Number	Qty	Description
2 3 4 5 5 6 6 7 8 9 11 12	33311B 27652 27642 9556 27876B 32783 32784 27878A 27880A 27882 27881 32581 31827 29783		Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore) Pin, Dowel Plug, Oil drain, 1/4-18 Pipe Plug, 1/8-27 Seal, Oil Intake Valve (Std.) (Incl. 9) Intake Valve (1/32" OS) (Incl. 9) Exhaust Valve (Std.) Exhaust Valve (1/32" OS) (Incl. 9) Cap, Upper valve spring Spring, Valve Cap, Lower valve spring Crankshaft (Incl. 12 & 13) Pin, Crankshaft gear Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.
14 14A 14A 14A 15 15 15 16 17 18A 18 19 20 21 22 23 24 26 28 29 30 31 32 33 34 35	34531 34532 34533 33312B 33314B 34854 34855 34856 27888 31380C 30682 650662C 26073 28264 33156 34034 31451A 28460 30684 650493 650516 30939A 28938C 30938A 33636 26073 650570		Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16) Piston & Pin Ass'y. (.010" OS) (Incl. 16) Piston & Pin Ass'y. (.020" OS) (Incl. 16) Ring Set (Std.) (2-5/8" Bore) Ring Set (.010" OS) Ring Set (.020" OS) Ring, Piston pin retaining Rod Assy., Connecting (Incl. 18) Bolt, Connecting rod (Early productio n) Screw, Connecting rod (Late productio n) Connecting rod bolt washer (Early pro duction) Connecting rod nut (Used on early pro duction) Camshaft Lifter, Valve Cylinder Cover (Incl.24, 105, 246, 24 7 & 248) Seal, Oil * Gasket, Cylinder cover Screw, 1/4-20 x 1-1/4" Screw, 1/4-20 x 1-3/4" Screw, 1/4-20 x 1-1/8" Cover, Cylinder head * Gasket, Cylinder head Head, Cylinder (Incl. 3 of 36) Resistor Spark Plug Washer, Flat (Use as required) Washer, Flat (Use as required)
36 36 36 37	650691 650697A 650695A 650694A 650128 650597		Washer, Flat (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Screw, 10-24 x 1/2" (Use as required) Screw, 10-24 x 5/8" (Use as required)


D-4#	Dowt Niverskiau	Mr. Description
		Oty Description
	27896A	* Gasket, Breather cover
	28423	Body, Breather
40	28424	Element, Breather
41	28425	Cover, Valve spring
	27915A	* Gasket, Intake
	34712	Flange, Carburetor (Incl. 60)
	30196	Screw, 5/16-18 x 3/4"
		•
	29918	Lockwasher
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used on early productio n)
52	33454	Lever Assy., Governor
53	30322	Lock Nut, 8-32 (Use as required)
54	29916	Clamp, Governor lever (Use as require d)
56	34662	Link, Throttle
	29216	Locknut, 10-32
	650517	Screw, 1/4-20 x 13/16"
	29826	
		Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Rod Assy., Governor (This one piece gov. rod is no
		longer used. It is replaced by 30699C assy.,
		Ref.#63A)
0.4	20700	Value Covernor
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	31297	Dipstick (Incl. 68)
68	29673	* Gasket, Dipstick
69	29747B	Screw, 5/16-24 x 21/32"
70	32158E	Blower Hsg. (For elec.starter)(Incl.1 89,190)
71	33876	Gasket, Stator
	29536	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
		Screw, 10, 10-10 x 5/4 (Use as required)
	28820	Screw, 10-32 x 1/2" (Use as required)
	650521	Screw, 10-32 x 1-1/8" (Use as require d)
	650152	Screw, 8-32 x 3/8"
	27272A	* Gasket, Air cleaner
83	31691	Bracket, Air cleaner
84B	30727	Element, Air cleaner
85	31715	Body, Air cleaner
	730127	Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G &
		298B) (Use as required)
22	20502	, ,
98	28569	Compression Spring (Used with 29500 screw)(Use
		as required)
QR.	32924	Compression Spring (Used with 650688 screw) (Use
30	02021	as required)
		• •
98	31342	Compression Spring (Used with 650549 screw) (Use
		as required)
00	650540	• •
	650549	Screw, 5-40 x 7/16" (Use as required)
	29500	Screw, 8-32 x 3/4" (Use as required)
	650688	Screw, 10-32 x 1 (Use as required)
102	30884	Key, Flywheel
103	31843A	Bracket, Governor gear
_		

	Part Number	Qty	Description
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
106	30590A		Washer, Flat
107	30591		Gear Assy., Governor (Incl. 106)
108	30588A		Spool, Governor
109	29193		Ring, Retaining
	34158		Bracket, Lower fuel tank
	34159		Plate, Upper fuel tank mtg.
	650665		Screw, 1/4-15 x 3/4"
	650561		Screw, 1/4-20 x 5/8"
	34186A		Fuel Tank (Incl. 115 & 120)
	410144B		Fuel Cap (White Plastic) (Standard) (As req.)
115	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
			(Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
110	0-1210		(Use as required)
			(Ose as required)
119	29774		Fuel Line (Braided 8.25") (Use as req uired)
119	30705		Fuel Line (Braided 16") (Use as required)
119	30962		Fuel Line (Braided 32") (Use as required)
	26460		Clamp, Fuel line (Use as required)
	32401		Muffler
	27930A		* Gasket, Exhaust
			·
	30196		Screw, 5/16-18 x 3/4"
	26073		Washer, Flat
	650694A		Screw, 5/16-18 x 2"
	650548		Screw, 8-32 x 5/16" (Early production)
	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
146	29538		Base, Engine mounting
147	650128		Screw, 10-24 x 1/2"
148	30622A		Extension, Blower housing
186	27275		Clip, Wire (Use as required)
	29443		Clip, Fuel line (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	31793		• •
			Bearing, Ball
	31792		Washer, Thrust
	31855		Retainer, Bearing
	650778		Washer, Lock
	650580		Nut, Lock
	29716		Screw, 1/4-28 x 7/16"
	32125		Cup, Starter
265	35009		Screen, Starter cup
266	650815		Washer, Belleville
267	8116		Nut, Hex
298A	550223		Decal, Name
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required)
	32173		Decal, H.P. (6 H.P.) (Use as required)
	34346		Decal, Instruction
			·
	30547A		Contact Assy., Breaker
	610767A		Condenser
301	631021		Inlet Needle, Seat & Clip Assy.

Ref #	Part Number	Qty	Description
303	632178		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A, page 176 for breakdown)
304	610984		Magneto (w/ring gear) (12 Volt) (3 Am p) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 36 for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310	33235A		* Gasket Set (Incl. items marked *)



D. ( "	Dout Nivershore	<u> </u>	December
		Qty	Description
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
86A	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97
			& 298B) (Use as req.)
113Δ	650665		Screw, 1/4-15 x 3/4"
	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
1212	001020		mufflercan be used on any model)
			• ,
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
	650578		Screw, 8-18 x 3/8"
	27930A		* Gasket, Exhaust
	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use
			in 730561 ass'y. only)
234	730561		Air Cleaner Kit
204	700001		(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100 <i>A</i>
			(Use only on engines with an externally ventedfully
			adjustable carburetor.)
			•
273	650687		Screw, 10-32 x 5/16" (Use as required)



Ref #	Part Number	Qty	Description
37A	27261		Washer, Flat (Use as required)
37	650128		Screw, 10-24 x 1/2" (Use as required)
37	650597		Screw, 10-24 x 5/8" (Use as required)
41	28425		Cover, Valve spring
43A	35350		Tube, Breather
	34662		Link, Throttle
	30985		Control, Throttle
	29747B		Screw, 5/16-24 x 21/32"
	28569		Compression Spring (Used with 29500 screw)(Use
00	20000		as required)
			• ,
98	32924		Compression Spring (Used with 650688 screw) (Use
			as required)
0.8	31342		Compression Spring (Used with 650549 screw) (Use
30	31342		
			as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
99	650688		Screw, 10-32 x 1 (Use as required)
	650821		Screw, 10-32 x 1/2"
	34663		Spring, Speed control
	30063		Screw, 1/4-20 x 1/2"
	32683A		Gasket, Fuel pump cover (Use as required)
	32955		Cover, Fuel pump pad (Use as required)
	9556		Plug, Pipe 1/8-27 (Use as required)
	30063		
			Screw, 1/4-20 x 1/2" (Use as required )
	34067		Wire Harness (4-1/4")
	34068		Wire Harness (6-1/4")
	34664		Control Bracket (Incl. 98, 99, 140 & 226)
	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
	33177		Terminal (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	29716		Screw, 1/4-28 x 7/16"
	650815		Washer, Belleville
267	8116		Nut, Hex
305	33018		Harness Assy., Adapter (Use as requir ed)
306	590420		Rewind Starter (Refer to Division 5, Section C, page
			25 for breakdown)
200	22220D		Starter Motor Kit (110 120 Volt) NOTE: This 110 120
300	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120
			volt starter motor kit may have been added to this
			engine. This can be added only if cylinder has drilled
			and tapped starter mounting bosses and a ring gear
			flywheel has been added (see #309). Refer to
			service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines
			using 110-120 volt starter motor kits listed above.)
			a.sg o 120 fold old fill fill fill fill did do voi