

1 2 3 4	33311B 27652 27642 27876B	ty Description Cylinder (Incl. 2, 3, 4 & 41)(2-5/8" Bore) Pin, Dowel Pipe plug, 1/4-18 Seal, Oil
5	29536	Blower Housing Baffle (Without electric starter knock out) (Use as required)
5	35256A	Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
7 8 9 10	650561 29538 650542 31856A 29783 27884	Screw, 1/4-20 x 5/8" Base, Engine mounting Screw, 5/16-18 x 3/4" Crankshaft Pin, Crankshaft gear (Used on early p rod.) Gear, Crankshaft (Used on early production) This gear is serviceable ONLY when it is pinned to the crankshaft.
13 13A 13A 13A 14 15 15 16 17 18 20 21 22 22 23 24 25 26 27 28 29 30 31 33 34 35 36	34531 34532 34533 33312B 33314B 27888 34854 34855 34856 31380C 650662C 34034 30622A 650128 650561 30063 30684 31303B 31546 28427 650488 650493 30699C 30700 650494 29642 31845 30588A 35479	Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14) Piston & Pin Ass'y. (.010" OS) (Incl. 14) Piston & Pin Ass'y. (.020" OS) (Incl. 14) Ring, Piston pin retaining Ring Set (Std.) (2-5/8" Bore) Ring Set (.010" OS) Ring Set (.020" OS) Rod Assy., Connecting (Incl. 17) Bolt, Connecting rod (Incl. 2 pieces) Lifter, Valve Extension, Blower housing Screw, 10-24 x 1/2" Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Gasket Cylinder Cover Cover, Cylinder (Incl. 26 & 34) Bushing, Crankshaft Seal, Oil Screw, 1/4-20 x 1-1/4" Screw, 1/4-20 x 1-3/4" Rod Assy., Governor (Incl. 30 & 31) Yoke, Governor Screw, 6-40 x 5/16" Ring, Retaining Shaft, Mechanical governor Spool, Governor
38 39	29193 30591 31843A 650836	Ring, Retaining Gear Assy., Governor Bracket, Governor gear Screw, 10-24 x 1/2"
41 41	32783 32784	Intake Valve (Std.) Intake Valve (1/32" OS)
	27878A 27880A	Exhaust Valve (Std.) Exhaust Valve (1/32" OS)

D ("	D (A)		D
		lty	Description
	27882		Cap, Upper valve spring
	27881		Spring, valve
	32581		Cap, Lower valve spring
	33876		Gasket, Stator
	650489		Screw, 1/4-20 x 5/8"
	34240		Ground Wire
	30884		Key, Flywheel
	30969		Cap, Oil drain
	30968		Nipple, Oil drain 1/4" x 2-1/2"
	28938C		Gasket, Cylinder head
	30938A		Head, Cylinder
53	34251		Resistor Spark Plug (RJ-17LM)
54	610118		Cover, Spark plug (Use as required)
55	30939A		Cover Assy., Cylinder head
56A	650691		Washer, Flat (Use as required)
56B	650690		Washer, Belleville (Use as required)
56	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
56	650694A		Screw, 5/16-18 x 2" (Use as required)
56	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
57A	30322		Locknut, 8-32
57	29916		Clamp, Governor lever (Use as require d)
58A	32326A		Lever, Governor
59	29918		Washer, Lock, No. 8 E.T.
	30205		Bracket, Governor adjusting
	650548		Screw, 8-32 x 5/16"
	29216		Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
	31386		Spring, Extension
	30824		Link, Throttle
	33108A		Control Assy., Remote Speed (Incl. 64 & 72)
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	35350		Tube Breather
	29752		Nut & Lockwasher, 1/4-28
	27915A		* Gasket, Intake pipe to cylinder
	30195A		Flange, Carburetor (Incl. 81 & 86)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
	650572		Screw, 1/4-28 x 1-1/8"
	27272A		* Air Cleaner Gasket (Use as required)
	30767		Spacer, Cleaner (Use as required)
	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96)
34A	UTU 1 0		(Use in 730561 assembly only)
101	34158		Bracket, Fuel tank
	650665		Screw, 1/4-14 x 7/8"
	34159		Plate, Fuel tank mounting
			•

D ("	D (N)	O 1	
	Part Number	Qty	Description First Tank (Incl. 105.8.107) NOTE: Those tanks
104	34156A		Fuel Tank (Incl. 105 & 107) NOTE: These tanks
			were built with different size fuel inlet openings.
			Tanks with the 1-3/16" I.D. opening use fuel cap
			33032 or 34210. Tanks with the 1-1/2" I.D. opening
			use fuel cap 35355.
105	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
105	33032		Fuel Cap (Red Plastic) (Spurt resistant, Low profile)
			(Use as required)
105	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile)
100	04210		(Use as required)
40=			,
	35355		Fuel Cap (Red plastic) (Use as requir ed)
	29774		Fuel Line (Braided, 8 1/4") (Use as r equired)
	30962		Fuel Line (Braided, 32") (Use as required)
	26460		Clamp, Fuel line (Use as required)
	32158E		Blower Housing (For electric starter)
	29747B		Screw, 5/16-24 x 21/32"
	27930A		* Gasket, Exhaust flange
	391026		Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
	33714		Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
	34390		Deflector, Exhaust (Optional) Muffler
	32401		
	30196 26073		Screw, 5/16-18 x 3/4" Washer, Flat
	650694A		Screw, 5/16 - 18 x 2"
	32125		Cup, Starter
	590417		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
	29716		Screw, 1/4-28 x 7/16"
	32410		Knob, Speed control
	650578		Screw, 8-18 x 3/8" (Use as required)
	33185		Cover & tube, Muffler (Use as require d)
143A	33171		Screen, Muffler (Use as required)
144	33700		Cover & Tube, Muffler (Use as require d)
144A	33323		Screen, Muffler (Use as required)
145	31297		Dipstick (Incl. 146A)
146A	29673		* Gasket, Oil fill
	570629A		Primer Assy.
	32180C		Line, Primer
	34132		Plate, Choke indicator
	34217		Cover, Carburetor
	31291		Plug, Cover
	650764		Nut, "U" Clip
	650760		Screw, 8-32 x 3/8"
	34126		Bracket, Grommet mounting
	650257		Screw, 8-32 x 5/16"
	650765		Screw, 10-32 x 1/2"
	28820		Screw, 10-32 x 1/2"
	32398		Bracket, Choke
	650760 28545		Screw, 8-32 x 3/8"
	28545 31680		Grommet, Plastic Guard, Starter
	32576		· · · · · · · · · · · · · · · · · · ·
	33013		Seal, Snow Guard Cover, Starter bubble
104	JJU 1J		Cover, Starter bubble

165 167 168 182	Part Number 650736 34174 650665 32961 730164	Qty	Description Screw, 10-16 x 3/8" Deflector, Exhaust Screw, 1/4-15 x 7/8" Valve, Fuel shut off Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 & 230)(As req.)
201	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
201B	730561		Air Cleaner Kit (Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C) (Used only on engine with an externally vented fully adjustable carburetor)
230 231A 231 232A 240 241 242 242 243 244	730130 34346 30548B 30547A 631021 611077 650868 611078 611079 590610 590613 631927		Muffler Adapter Kit (Incl.110,112)(As req.) Decal, Instruction Condenser Breaker Assy (Used on Std. Point igni tion) Inlet, Needle Seat & Clip Assy. Alternator (Optional) Screw, 8-18 x 1-1/8" (3 required)(Opt.) Connector, A.C. Lighting (Optional) Connector, D.C. Charging (Optional) Tube, Centering (Optional) Alternator Shaft (Optional) Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 140 for breakdown)
251	610964A		Magneto (w/ring gear for 120 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
252	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A		Gasket Set (Incl. items marked*)