

		Qty	Description (1) (2) 7 (2) 7
	34919A		Cylinder (Incl. 2,3 & 4) (2-5/8" Bore)
	27652		Pin, Dowel
	27642 32630		Pipe plug, 1/4-18
	29536		Seal, Oil Blower Housing Baffle (Without electric starter knock
3	29330		out) (Use as required)
5	35256A		Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
6	650561		Screw, 1/4-20 x 5/8"
7	29538		Base, Engine mounting
	650542		Screw, 5/16-18 x 3/4"
	35193		Crankshaft
	29783		Pin, Crankshaft gear (Used on early p rod.)
11	27884		Gear, Crankshaft (Used on early production) This
			gear is serviceable ONLY when it is pinned to the crankshaft.
13	34531		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532		Piston, Pin & Ring Set (.010" OS)
13	34533		Piston, Pin & Ring Set (.020" OS)
	33312B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14)
	33313B		Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33314B		Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	27888		Ring, Piston pin retaining
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855 34856		Ring Set (.010" OS)
	31380C		Ring Set (.020" OS) Rod Assy., Connecting (Incl. 17)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
	32115		Camshaft
	30622A		Extension, Blower housing
21	650128		Screw, 10-24 x 1/2"
	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	30684		Gasket Cylinder Cover
	31303B		Cover, Cylinder (Incl. 26 & 34)
	31546		Bushing, Crankshaft
	28427 650488		Seal, Oil Screw, 1/4-20 x 1-1/4"
	650493		Screw, 1/4-20 x 1-1/4 Screw, 1/4-20 x 1-3/4"
	30699C		Rod Assy., Governor (Incl. 30 & 31)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
33	29642		Ring, Retaining
34	31845		Shaft, Mechanical governor
	30588A		Spool, Governor
	35479		Washer, Flat
	29193		Ring, Retaining
	30591		Gear Assy., Governor
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	32783 32784		Intake Valve (Std.)
	32784 27878A		Intake Valve (1/32" OS) Exhaust Valve (Std.)
42	21010A		LAHAUSI VAIVE (OIU.)

Ref#	Part Number	Qty	
42	27880A		Exhaust Valve (1/32" OS)
43	27882		Cap, Upper valve spring
44	27881		Spring, valve
45	32581		Cap, Lower valve spring
47	650814		Screw, 10-24 x 1"
49	32589		Key, Flywheel
	28938C		Gasket, Cylinder head
	30938A		Head, Cylinder
	33636		Resistor Spark Plug (RJ-8C)
	610118		Cover, Spark plug (Use as required)
	30939A		Cover Assy., Cylinder head
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650690		Washer, Belleville (Use as required)
	650691		Washer, Flat (Use as required)
	30322		Locknut, 8-32
	29916		Clamp, Governor lever (Use as require d)
	33454		Lever Assy., Governor
	29918		Washer, Lock, No. 8 E.T.
	650548		
			Screw, 8-32 x 5/16"
	29216		Locknut, 10-32
	29826		Screw, 10-32 x 3/4"
	34661		Link, Governor
	34662		Link, Throttle
	34664		Control Bracket (Incl. 68, 69, 72 & 1 38)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	610973		Terminal Assy. (Use as required)
	27896A		Gasket, Valve chamber cover
	28423		Breather Assy., Valve
	28424		Element, Breather
	28425		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	35350		Tube Breather
	27915A		* Gasket, Intake pipe to cylinder
	34712		Flange, Carburetor (Incl. 86A)
	30196		Screw, 5/16-18 x 3/4"
	31688A		* Gasket, Carburetor
	650517		Screw, 1/4-20 x 13/16"
	27272A		* Air Cleaner Gasket (Use as required)
87	30767		Spacer, Cleaner (Use as required)
94A	34819		Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96)
			(Use in 730561 assembly only)
101	34158		Bracket, Fuel tank
	650665		Screw, 1/4-14 x 7/8"
	34159		Plate, Fuel tank mounting
	34186A		
104	J+100A		Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built with different size fuel inlet openings.
			Tanks with the 1-3/16" I.D. opening use fuel cap
			33032 or 34210. Tanks with the 1-1/2" I.D. opening
			use fuel cap 35355.
			use tuel cap 30000.

D.4.11	Davi Novak an	December the re
	Ţ	Description Fuel Cap (Pad Plastic) (Spurt registant Low profile)
105	33032	Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as required)
105	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
105 106 106 107 108 109 110 111E 111C 111D 111 112 113 114 115 116 117 118 119 120 121 122 123 124 138 139	35355 410144B 29774 30962 26460 32158E 29747B 27930A 34390 391026 33714 32401 30196 26073 650694A 32125 35009 650815 8116 29716 31691 28820 30727 31715 650152 34663 650821 30747	Fuel Cap (Red plastic) (Use as requir ed) Fuel Cap (White Plastic)(Std.)(As req uired) Fuel Line (Braided, 8 1/4") (Use as r equired) Fuel Line (Braided, 32") (Use as required) Clamp, Fuel line (Use as required) Blower Housing (For electric starter) Screw, 5/16-24 x 21/32" * Gasket, Exhaust flange Deflector, Exhaust (Optional) Opt.Spark Arrest Muf.(Incl.143,143A,1 43B) Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A) Muffler Screw, 5/16-18 x 3/4" Washer, Flat Screw, 5/16 - 18 x 2" Cup, Starter Screen, Starter cup Washer, Belleville Nut, Hex Screw, 1/4-28 x 7/16" Bracket, Air cleaner Screw, 10-32 x 1/2" Element, Air cleaner Body, Air cleaner Screw, 8-32 x 3/8" Spring, Speed control Screw, 10-32 x 1/2" Clip, Spark plug shorting
141 143A 143B 143 144A	650890 33171 33185 650578 33323 33700	Lockwasher, Shakeproof, 5/16 Screen, Muffler (Use as required) Cover & tube, Muffler (Use as require d) Screw, 8-18 x 3/8" (Use as required) Screen, Muffler (Use as required) Cover & Tube, Muffler (Use as require d)
145 146A	31297 29673 730164	Dipstick (Incl. 146A) * Gasket, Oil fill Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 & 230)(As req.)
201	730164	Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
	730130 730561	Muffler Adapter Kit (Incl.110,112)(As req.) Air Cleaner Kit (Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C) (Used only on engine with an externally vented fully adjustable carburetor)
210 211	611084 650872 34443A 34346	Flywheel Stud, Solid State mounting Solid State Assy. (Incl. 54) Decal, Instruction

Ref #	Part Number	Qty	Description
	550223		Decal, Name
	30547A		Breaker Assy (Used on Std. Point igni tion)
232A	631021		Inlet, Needle Seat & Clip Assy.
240	611077		Alternator (Optional)
241	650868		Screw, 8-18 x 1-1/8" (3 required)(Opt .)
242	611078		Connector, A.C. Lighting (Optional)
242	611079		Connector, D.C. Charging (Optional)
243	590610		Tube, Centering (Optional)
244	590613		Alternator Shaft (Optional)
250	632230		Carburetor (Incl. 85) (Refer to Division 5, Section A, Page 182 for breakdown)
252	590420A		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A		Gasket Set (Incl. items marked*)