
ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY OEM.




D - 4 !!	Deat Niverban	01:-	December Com
	Part Number	Qty	Description Oddingler (Incl. 2, 4, 20, 8, 47) (2, 4/2 Para)
	33042		Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
	27652		Pin, Dowel
	31950		Seal, Oil
	31940		Intake Valve (Std.)
	31941		Intake Valve (1/32" OS) (Incl. 9)
	31942		Exhaust Valve (Std.)
	31943		Exhaust Valve (1/32" OS) (Incl. 9)
	650592		Key, Flywheel
8	31944		Spring, Valve
9A	31945		Cap, Lower valve spring (Std.)
9A	31946		Cap, Lower valve spring (1/32" OS)
9	31946		Cap, Lower valve spring (1/32" OS)
9	31945		Cap, Lower valve spring (Std.)
10	20810		Pin, Valve spring retainer
11	33390B		Crankshaft (Incl. 12, 13, 78 & 79)
12	29783		Pin, Crankshaft gear
	31931		Gear, Crankshaft
	32238B		Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
	32239B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32240B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32621B		Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B		Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	34511		Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
	34512		Piston, Pin & Ring Set (Otal.) (O 1/2 Bolls)
	34513		Piston, Pin & Ring Set (.020" OS)
	34524		Piston, Pin & Ring Set (.030" OS)
	34525		Piston, Pin & Ring Set (.040" OS)
	32241		Ring Set (Std.) (3-1/2" Bore)
	32242		Ring Set (3td.) (3-1/2 Bore)
	32243		Ring Set (.010 OS)
	32625		Ring Set (.020 'OS) Ring Set (.030" OS)
			Ring Set (.030 'OS) Ring Set (.040" OS)
	32626 32336		
			Re-Ringing Set, Piston
	31919		Ring, Piston pin retaining
	33093A		Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383		Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384		Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077		Bolt, Connecting rod
	26073		Washer, Connecting rod
	28264		Nut Assy., Lock
	32150		Camshaft (MCR)
	31939		Lifter, Valve
	32580A		Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
	31956A		* Gasket, Cylinder cover
	32908		Oil Fill Tube
25A	29985		"O" Ring
	29673		* Gasket, Oil fill tube
	33055		Dipstick (Incl. 25A)
28	32426		Spacer, Governor rod
29	650588		Screw, 1/4-20 x 2"
31	31968		Link, Governor
32	650451		Screw, 1/4-20 x 1"
33	31964		Clamp, Governor lever
	29193		Ring, Retaining
	31963		Lever, Governor adjusting
			, ,


Ref #	Part Number	Qty	Description
36	650518		Lockwasher
37	650544		Screw, 10-24 x 7/8"
38	7975		Nut, 10-24
39	31965		Plate, Governor spring
	30312		Screw, 10-32 x 1/2"
	31967		Spring, Governor
	30590A		Washer, Flat
	32425		Rod Assy., Governor
	31948		Spool, Governor
	29193		Ring, Retaining
	31947		Gear Assy., Governor
	31930		Shaft, Mechanical Governor
	32246A		* Gasket, Cylinder head
	33034		Head, Cylinder
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650711		Screw, 5/16-18 x 1-5/8" (Use as required)
	650628A		Screw, 5/16-18 x 2-3/8" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650714		Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650692		
			Screw, 5/16-18 x 1-3/4" (Use as required)
	650603		Screw, 5/16-18 x 5/8" (Use as require d)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug (RJ-17LM)
	33035		Cover, Cylinder head
	28537		Washer, Flat (Use on required)
	650691		Washer, Flat (Use as required)
	650690 8374		Washer, Belleville (Use as required)
	8274 650128		Washer, Lock (Use as required)
	650128 31976		Screw, 10-24 x 1/2"
	410144B		Extension, Blower housing Fuel Cap (White Plastic)(Std.)(As req uired)
	34210		
03	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
			(Use as required)
67	650517		Screw, 1/4-20 x 27/32" (Use as requir ed)
67	650561		Screw, 1/4-20 x 5/8" (Use as required)
67	30063		Screw, 1/4-20 x 1/2" (Use as required)
67	792028		Screw, 5/16-18 x 7/8" (Use as require d)
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
73	32579		Baffle, Blower housing
74	650561		Screw, 1/4-20 x 5/8"
78	31932		Bearing, Tapered roller
79	31928		Cup, Bearing
80	32031		Spacer, Steel (.010" thick) NOTE: Determine the
			gap between the cover and the machined surface on
			the cylinder which can be from .001"up to .007" in
			which case no shim gaskets will be required. Use of
			gasket must be limited to a combined total of .010"
			thick. Steel spacersmust be used as required

## 1917 ### 1918 ### 1919 #### 1919 ###	Ref#	Part Number	Qty	Description
the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req 82A 32599 "O" Ring Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat Screw, 5/16-18 x 7/8" 84 792028 Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required to eliminat Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required) 85 650666 Washer, Lock 86 650594 Nut, Flywheel, 3/4-16 87 33044A Blower Hsg. (Incl.73) (For electric s tarter) 8274 Washer, Lock 98 31957 Screw, 5/16-24 x 3/8" Washer, Lock 98 31958 Screw, 5/16-24 x 9/16" 98 31958 Screw, 5/16-24 x 9/16" 98 31958 "Gasket, Breather 99 31957 Breather Assy. 100 36350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 2" 107 33099 Spring 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Screw, 10-24 x 2" 119 650587 Screw, 10-24 x 2." 110 650587 Screw, 10-24 x 2." 111 650587 Screw, 10-24 x 2." 112 650599 Screw, 10-32 x 5/8" 113 29752 Nut & Lockwasher Assy. 114 650587 Screw, 10-32 x 5/8" 115 27272 "Gasket, Air cleaner 116 650513 Nut, Wing 117 30767 Spacer, Air cleaner 118 650713 Screw, 5/16-18 x 5/8" (Use as require d) 119 879028 Screw, 5/16-18 x 5/8" (Use as require d) 128 650713 Screw, 5/16-18 x 5/8" (Use as require d) 129 879029 Screw, 5/16-18 x 5/8" (Use as require d) 141 26073 Hardinard Republication of the cover of the	81	31971		on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010"
83 32577 Cover, Öylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001" up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat 84 792028 Screw, 5/16-18 x 7/8" 84A 650679 Lockwasher, 5/16" (Use as required) 85 650666 Washer, Lock 86 650594 Nut, Flywheel, 3/4-16 87 33044A Blower Hsg. (Incl.73) (For electric s tarter) 87 33044A Blower Hsg. (Incl.73) (For electric s tarter) 88 274 Washer, Lock 96 650595 Screw, 5/16-24 x 3/8" 98 31958 "Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 5/16-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650591 Screw, 10-24 x 1/2" 107 33099 Spring 112 33038 Plug, Button (Use as required) 113 29752 Stud, Carburetor 115 27272 "Gasket, Tic Jeaner 120 650513 Nut, Wing 128 650513 Nut, Wing 128 650513 Screw, 10-32 x 5/8" 129 592028 Screw, 5/16-18 x 5/8" (Use as require d) 141 8274 Lockwasher, Assy. 144 650637 Spacer, Air cleaner 150 50501 Screw, 10-32 x 5/8" 160 50501 Screw, 10-32 x 5/8" 170 Sasket, Fix cleaner 170 Sasket, Fix cleaner 171 Screw, 5/16-18 x 5/8" (Use as require d) 172 7272 "Gasket, Rir cleaner 173 Screw, 5/16-18 x 5/8" (Use as require d) 174 September 20073 Screw, 5/16-18 x 5/8" (Use as require d) 175 Screw, 5/16-18 x 5/8" (Use as require d) 177 Squared 178 Screw, 5/16-18 x 5/8" (Use as require d) 179 Squared 170 Square	82	31972		the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010"
84A 650679 Lockwasher, 5/16" (Use as required) 85 650666 Washer, Lock 86 650594 Nut, Flywheel, 3/4-16 87 33044A Blower Hsg. (Incl.73) (For electric s tarter) 91 8274 Washer, Lock 95 8274 Washer, Lock 96 650624 Screw, 5/16-24 x 9/16" 98 31958 * Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 431984A Lever, Control 105 650597 Screw, 10-24 x 2" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 12 650399 Screw, 10-32 x 5/8" 126 650513 <td< td=""><td></td><td></td><td></td><td>Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel</td></td<>				Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel
141 26073 Washer, Flat (Use as required) 145 31960 * Gasket, Carburetor 147 31959 Baffle, Air 151 33356 Terminal, Ground	84A 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 112 113 114 115 120 121 126 128 128	650679 650666 650594 33044A 8274 650595 8274 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 33038 29752 650587 27272 650399 30767 650513 650713 650429 792028		Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d)
THINGS TO TO LOT	141 145 147 151	26073 31960 31959 33356		Washer, Flat (Use as required) * Gasket, Carburetor Baffle, Air Terminal, Ground

Ref #	Part Number	Qty	Description
173	610118		Cover, Spark plug (Use as required)
176	32426		Spacer, Screen
177	650675		Washer, Flat 1/4"
177	8345		Washer, 1/4 plain (Use as required)
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
187	650713		Screw, 5/16-18 x 5/8"
188	26073		Washer, Flat
219	32154		Cap, Pipe
220	32438		Nipple, Pipe
246	33776		Screen, Starter pulley
248	650670		Screw, 1/4-20 x 3/4"
249	32046		Rope Assy., Starter (Use as required)
264	650661		Screw, 1/4-20 x 3/4"
265	610408		Nut, Hex
266	610750		Grommet, Lead wire
267	610748		Solid State Magneto (Incl.151,173,265,266)
278	610746		Solid State Flywheel
299B	32730		Decal, Craftsman
299	34346		Decal, Instruction
300	32411A		Valve, Seat, Spring & Gasket Assy.
301	631498		Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A		* Gasket Set (Incl. items marked *)

This illustration may not depict actual equipment and is for reference only! **VIEW 2 of 3** 132 133 175 135 129 262 268 257A 270A 260A 255 235 252 275 299C 165





Ref #	Part Number	Qty	Description
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
180	650701		Screw, 8-18 x 7/16" (Use as required)
222	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
252	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 &
			291) (Use as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
254	610761		Alternator Coil (Solid State) (10 Amp) (Incl. Nos. 253,
			256 & 257A)
255	650416		Screw, 10-32 x 1"
256	610922		Terminal, Female
257B	610824		Flat Connector (Female terminals) (As req.)
257A	610819		Connector, Pyramid (For female termin als)
266	610750		Grommet, Lead wire
	610749		Solid State Regulator (10 Amp)
	730198		Starter Switch Kit(Incl. 287-298) (As req.)
303	33835		Electric Starter Motor (12 Volt) NOTE: The 32817
			and 33835 starter motors are used interchangeably
			on the se models. Refer to service numberstamped
			on end cap of motor, or on decal for identification.
			Refer to Division 5, Section D for breakdown.



41 31967 Spring, Governor 70G 32961 Valve, Fuel shut-off 71 26460 Clamp, Fuel line (Use as required) 72 29774 Fuel Line (Braided) (8.25") (Use as required) 72 30705 Fuel Line (Braided) (16") (Use as req uired) 72 30962 Fuel Line (Braided) (32") (Use as req uired) 72 30965 Fuel Line (Braided) (48") (Use as req uired) 119 28534 Pipe Plug, 1/8-27 (Use as required) 119 9556 Plug, Pipe, 1/8-27 (Use as required) 121A 29774 Spacer, Air cleaner 122B 32905 Bracket, Air cleaner 122C 32907B Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 239 33010 Repair Kit, Impulse fuel pump <th>Ref #</th> <th>Part Number</th> <th>Qty</th> <th>Description</th>	Ref #	Part Number	Qty	Description
71 26460 Clamp, Fuel line (Use as required) 72 29774 Fuel Line (Braided) (8.25") (Use as required) 72 30705 Fuel Line (Braided) (16") (Use as req uired) 72 30962 Fuel Line (Braided) (48") (Use as req uired) 72 30965 Fuel Line (Braided) (48") (Use as req uired) 73 28534 Pipe Plug, 1/8-27 (Use as required) 74 19 Pipe Plug, 1/8-27 (Use as required) 75 124 29774 76 1228 32905 77 1228 32907 8 124 124 8 1220 32907 9 124 124 125 32904 124 126 127 128 127 31990 129 128 129 129 129 129 129 120 129 129 120 129 129 120 129 129 120 129 129 120 129 129 <	41	31967		Spring, Governor
72 29774 Fuel Line (Braided) (8.25") (Üse as required) 72 30705 Fuel Line (Braided) (16") (Use as req uired) 72 30962 Fuel Line (Braided) (32") (Use as req uired) 72 30965 Fuel Line (Braided) (48") (Use as req uired) 119 28534 Pipe Plug, 1/8-27 (Use as required) 119 9556 Plug, Pipe, 1/8-27 (Use as required) 121A 29774 Spacer, Air cleaner 122B 32905 Bracket, Air cleaner 122C 32907B Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	70G	32961		Valve, Fuel shut-off
72 30705 Fuel Line (Braided) (16") (Use as req uired) 72 30962 Fuel Line (Braided) (32") (Use as req uired) 72 30965 Fuel Line (Braided) (48") (Use as req uired) 119 28534 Pipe Plug, 1/8-27 (Use as required) 119 9556 Plug, Pipe, 1/8-27 (Use as required) 121A 29774 Spacer, Air cleaner 122B 32905 Bracket, Air cleaner 122C 32907B Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	71	26460		Clamp, Fuel line (Use as required)
72 30962 Fuel Line (Braided) (32") (Use as req uired) 72 30965 Fuel Line (Braided) (48") (Use as req uired) 119 28534 Pipe Plug, 1/8-27 (Use as required) 119 9556 Plug, Pipe, 1/8-27 (Use as required) 121A 29774 Spacer, Air cleaner 122B 32905 Bracket, Air cleaner 122C 32907B Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72 30965 Fuel Line (Braided) (48") (Use as req uired) 119 28534 Pipe Plug, 1/8-27 (Use as required) 119 9556 Plug, Pipe, 1/8-27 (Use as required) 121A 29774 Spacer, Air cleaner 122B 32905 Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump Washer, Lock	72	30705		Fuel Line (Braided) (16") (Use as req uired)
119 28534 Pipe Plug, 1/8-27 (Use as required) 119 9556 Plug, Pipe, 1/8-27 (Use as required) 121A 29774 Spacer, Air cleaner 122B 32905 Bracket, Air cleaner 122C 32907B Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	72	30962		Fuel Line (Braided) (32") (Use as req uired)
119 9556 Plug, Pipe, 1/8-27 (Use as required) 121A 29774 Spacer, Air cleaner 122B 32905 Bracket, Air cleaner 122C 32907B Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	72	30965		Fuel Line (Braided) (48") (Use as req uired)
121A 29774 Spacer, Air cleaner 122B 32905 Bracket, Air cleaner 122C 32907B Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	119	28534		Pipe Plug, 1/8-27 (Use as required)
122B 32905 Bracket, Air cleaner 122C 32907B Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	119	9556		Plug, Pipe, 1/8-27 (Use as required)
122C 32907B Bracket, Air cleaner 123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	121A	29774		Spacer, Air cleaner
123A 32008 Element, Air cleaner 124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	122B	32905		Bracket, Air cleaner
124 32906 Element, Pre-Air cleaner 125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	122C	32907B		Bracket, Air cleaner
125 32904 Cover, Pre-air cleaner 172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	123A	32008		Element, Air cleaner
172 31990 Bracket, Choke control 184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	124	32906		Element, Pre-Air cleaner
184 27793 Clip, Conduit 185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	125	32904		Cover, Pre-air cleaner
185 28942 Screw, 10-32 x 3/8" 237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	172	31990		Bracket, Choke control
237 32958 Fitting, Fuel 238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	184	27793		Clip, Conduit
238 32959 Fuel Pump, Impulse 239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	185	28942		Screw, 10-32 x 3/8"
239 33010 Repair Kit, Impulse fuel pump 285 32960 Washer, Lock	237	32958		Fitting, Fuel
285 32960 Washer, Lock	238	32959		Fuel Pump, Impulse
,	239	33010		Repair Kit, Impulse fuel pump
286 650849 Nut, Hex jam, 3/8-24	285	32960		Washer, Lock
	286	650849		Nut, Hex jam, 3/8-24