


1 2 3 4 5 5 6 6 7 8 9 11 12	Part Number 34761 27652 27642 27876B 32783 32784 27878A 27880A 27882 27881 32581 31791 29783	Qty	Cylinder (C I liner)(Incl.2,3,4,184)(2-5/8") Pin, Dowel Plug, Oil drain, 1/4-18 Seal, Oil Intake Valve (Std.) (Incl. 9) Intake Valve (1/32" OS) (Incl. 9) Exhaust Valve (Std.) Exhaust Valve (1/32" OS) (Incl. 9) Cap, Upper valve spring Spring, Valve Cap, Lower valve spring Crankshaft (Incl. 12 & 13) Pin, Crankshaft gear Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.
14 14A 14A 14A 15 15 16 17 18A 18 19 20 21 22 23 24 26 28 29 30 31 32 33 34 35 35	34503 34504 34505 31797B 31798B 31799B 34854 34855 34856 27888 31380C 30682 650662C 26073 28264 33156 34034 31451A 28460 30684 650451 650599 650489 30939A 28938C 30938A 33636 26073 650570 650691		•
36 36 37 37	650697A 650695A 650694A 650128 650597 27896A		Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) Screw, 10-24 x 1/2" (Use as required) Screw, 10-24 x 5/8" (Use as required) * Gasket, Breather cover


Ref # Part Number			
40 28424 41 28425 Cover, Valve spring 43 32447 45 27915A 46 34712 Flange, Carburetor (Incl. 60)		<i>_</i>	
41 28425 43 32447 45 27915A 46 34712 47 Tube, Breather 48 30198 48 30198 49 29918 50 650548 51 30319 52 33454 53 30322 54 29916 56 34662 56 29916 56 34662 57 29916 58 29216 59 39916 50 650517 51 30322 50 650517 51 28226 51 29826 52 29916 53 30699B 50 650517 50 670 5826 50 670 590 670 5826 50 670 590 670 5826 50 670 590 670 5826 50 670 670 670 5826 50 670 670 670 670 670 670 670 670 670 67			
43 32447 45 27915A 46 34712 47 Tube, Breather 48 30196 48 30196 49 29918 50 650548 50 650548 50 650548 51 30319 52 33454 53 30322 54 29916 56 34662 57 30322 58 29216 59 29216 50 650517 51 20326 51 20326 52 29642 53 29216 54 29916 55 30699B 56 650517 57 57 30699B 67 30699B 67 30699B 67 30700 68 30699B 68 30699B 69 30699B 70 30700 70 5089B 70 30700 71 30876 72 31461 73 39536 74 360561 75 3168BA 76 3688A 77 460561 77 3168BA 78 3089C 89 31342 80 3089B 78 3099C 79 31461 80 3089B 80 80 80 80 80 80 80 80 80 80 80 80 80 8			,
45 27915A 46 34712 48 30196 48 30196 49 29918 50 650548 51 30319 49 29918 50 650548 51 30319 51 23454 52 3454 53 30322 53 42 29916 56 34662 58 29216 58 29216 59 650517 50 650517 51 29826 51 29826 52 29642 53 30699B 50 68099B 60 68099 60 680 7 80 680 890 80 80 80 80 80 80 80 80 80 80 80 80 80			
46 34712 48 30196 49 29918 40 29918 40 29918 41			•
48 30196 49 29918 50 650548 51 30319 Rivet, Split (Used on early production) 52 33454 53 30322 Lock Nat, 8-32 x 5/16" 53 30322 Lock Nut, 8-32 (Use as required) 54 29916 Clamp, Governor lever (Use as required) 56 34662 Link, Throttle 10 29826 11 29826 12 29642 13 30699B Corew, 10-32 x 3/4" 61 29826 Corew, 10-32 x 3/4" 62 30699B Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 64 30700 76 5650494 Screw, 6-40 x 5/16" 68A 31297 Splittle (Incl. 68) 68 29673 Corew, 6-40 x 5/16" 70 32158E Blower Hsg. (For elec.starter) (Incl. 1 89,190) Gasket, Stator 72 31461 Bushing, Crankshaft 73 29536 Rod Screw, 1/4-20 x 5/8" 75 31688A Corew, 1/4-20 x 5/8" 75 31688A Corew, 1/4-20 x 5/8" 75 31688A Corew, 1/4-20 x 5/8" 76 30127 Corew, 1/4-20 x 5/8" 77 31421 Corew, 1/4-20 x 5/8" 78 32924 Compression Spring (Used with 650549 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 99 650549 Screw, 1-32 x 1/12" (Use as required) 99 650688 Corew, 1-32 x 1/16" (Use as required) 99 650688 Corew, 1-32 x 1/16" (Use as required) 99 650688 Corew, 1-32 x 1/16" (Use as required) 99 650688 Corew, 1-32 x 1/16" (Use as required) 99 650688 Corew, 1-32 x 1/16" (Use as required) 99 650688 Corew, 1-32 x 1/16" (Use as required) 99 650688 Corew, 1-32 x 1/16" (Use as required) 99 650688 Corew, 1-32 x 1/16" (Use as required) 99 650688 Corew, 1-32 x 1/16" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as required) 99 650688 Corew, 1-32 x 1/2" (Use as			,
Lockwasher Screw, B-32 x 5/16" Strew,			,
50 650548 Screw, 8-32 x 5/16" 51 30319 Rivet, Split (Used on early production) 52 33454 Lever Assy., Governor 53 30322 Lock Nut, 8-32 (Use as required) 54 29916 Clamp, Governor lever (Use as required) 56 34662 Link, Throttle 60 650517 Screw, 1/4-20 x 13/16" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining 63 30699B Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 64 30700 Yoke, Governor 65 650494 Screw, 6-40 x 5/16" 68 39673 * Gasket, Dipstick 69 29747B Screw, 5/16-24 x 21/32" 70 32158E Blower Hsg. (For elec. starter) (Incl. 1 89,190) 72 31461 Bushing, Crankshaft 73 29536 Baffle, Blower housing 74 650561 Screw, 1			,
51 30319 52 33454 53 30322 54 29916 55 30322 54 29916 56 34662 58 29216 58 29216 58 29216 58 29216 58 29216 58 29216 58 29829 60 650517 61 29826 62 29842 63 30699B 63 30699B 63 30699B 63 30699B 63 30699C 64 30700 65 650494 66A 31297 66A 31297 70 32158E 70 32158E 70 32158E 71 33876 72 31461 73 29536 74 650561 75 31688A 81 30196 81 30196 82 5crew, 1/4-20 x 5/8* 83 5crew, 1/4-20 x 5/8* 84 505051 85 75 31688A 86 505051 87 605054 89 32924 80 7000			
52 33454 53 30322 Lock Nut, 8-32 (Use as required) 54 29916 56 34662 Link, Throttle 56 34662 Link, Throttle 56 34662 Lockmut, 10-32 60 650517 Screw, 1/4-20 x 13/16* 61 29826 Screw, 1/4-20 x 13/16* 61 29826 Screw, 1/4-20 x 3/4* 62 29642 Ring, Retaining Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 64 30700 65 650494 Screw, 6-40 x 5/16* 66A 31297 Dipstick (Incl. 68) 68 29673 69 29747B Screw, 5-/16-24 x 21/32* 70 32158E Blower Hsg. (For elec.starter)(Incl.1 89,190) 72 31461 Bushing, Crankshaft Bushing, Crankshaft 73 29536 Baffle, Blower housing 74 650561 Screw, 1/4-20 x 5/8* 75 31688A Screw, 1/4-20 x 5/8* 76 3820 Screw, 1/4-20 x 5/8* 77 30196 Screw, 1/4-20 x 5/8* 78 31688A Screw, 1/4-20 x 5/8* 79 30127 Screw, 1/4-20 x 5/8* Screw, 1/4-2			,
53 30322	51	30319	Rivet, Split (Used on early productio n)
54 29916 56 34662 Link, Throttle 58 29216 Clamp, Governor lever (Use as require d) Link, Throttle 16 29826 Corew, 1/4-20 x 13/16" Screw, 1/4-20 x 3/4" 61 29826 Screw, 1/3-22 x 3/4" 62 29642 Ring, Retaining 63 30699B Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 64 30700 70 Yoke, Governor 65 650494 Screw, 6-40 x 5/16" Pipstick (Incl. 68) 68 29673 Pipstick (Incl. 68) 68 29673 Screw, 6-40 x 5/16" Dipstick (Incl. 68) 69 29747B Screw, 5-40 x 5/16" Screw, 5-16-2 x 2 1/12" Plower Hsg., (For elec.starter)(Incl.1 89,190) Gasket, Stator 72 31461 Bushing, Crankshaft Bushing, Crankshaft Bushing, Crankshaft Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/4-20 x 1/18" (Use as require d) Screw, 10-32 x 1/2" (Use as require d) Screw, 10-32 x 1/2" (Use as require d) Compression Spring (Used with 650649 screw) (Use as required) 98 32924 Compression Spring (Used with 650549 screw) (Use as required) 99 29500 Screw, 5-40 x 7/16" (Use as required) Screw, 5-40 x 7/16" (Use as required) Screw, 5-32 x 3/4" (Use as required) 99 29500 Screw, 5-32 x 3/4" (Use as required) Screw, 1-32 x 1/2" (Use as required) Screw, 1-32 x 3/4" (Use as required) Screw, 1-32 x 1/2" (Use as required) Pipstick (Incl. 1 8 x 3/4" (Use as required) Screw, 1-32 x 1/2" (Use as required) Screw, 1-32 x 1/2" (Use as required) Screw, 1-32 x 3/4" (Use as required) Screw, 1-32 x 1/2" (Use as required) Screw, 1-32 x 3/4" (Use as requi	52	33454	Lever Assy., Governor
56 34662 Link, Throttle 58 29216 Locknut, 10-32 60 650517 Screw, 10-32 x 3/4" 61 29826 Screw, 10-32 x 3/4" 62 29642 Ring, Retaining 63 30699B Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 64 30700 Yoke, Governor 65 650494 Screw, 6-40 x 5/16" 66A 31297 Dipstick (Incl. 68) 69 29747B Screw, 5/16-24 x 21/32" 70 32158E Blower Hsg. (For elec. starter)(Incl.1 89,190) 71 33876 Gasket, Stator 72 31461 Bushing, Crankshaft 73 32636 Baffle, Blower housing 74 650561 Screw, 1/4-20 x 5/8" 75 31688A "Gasket, Carburetor 81 30196 Screw, 5/16-18 x 3/4" (Use as required) 81 28820 Screw, 5/16-18 x 3/4" (Use as required)	53	30322	Lock Nut, 8-32 (Use as required)
58 29216 60 650517 61 29826 60 650517 61 29826 61 29842 62 29642 63 30699B 63 30699B 64 30700 65 65049 65 29673 66 31297 67 32158E 70 32158E 71 33876 72 31461 73 32953 74 650561 75 31688A 76 32927 77 3127 78 3127 79 3127 79 3127 79 3127 79 3127 70 3127 70 3127 70 3127 70 3127 70 3125 71 31876 72 31461 73 39536 74 650561 75 31688A 76 36842 77 30196 78 31688A 79 310196 79 310197 70 3127 70 3127 70 3127 70 3127 70 3127 70 3127 70 3127 70 3127 70 3127 70 3128 70 312	54	29916	
60 650517 61 29826 61 29826 62 29642 63 30699B 63 30699B 63 30699B 64 2 28642 65 28642 66 30699B 65 26 28642 66 30699B 66 30699C 66 30700 67 26 28643 68 29673 68 29673 69 29747B 69 29747B 60 32158E 70 32158E 71 33876 72 31461 73 329536 74 650561 75 31688A 76 650561 77 31096 78 650521 79 30127 70 32158 70 32158 71 33876 72 31461 73 329536 74 650561 75 31688A 76 650521 77 31688 78 36 36 36 36 36 36 36 36 36 36 36 36 36			Link, Throttle
61 29826 62 29642 Ring, Retaining Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A) 63A 30699C Rod Assy., Governor (Incl. 64 & 65) 43 30700 Yoke, Governor 65 650494 Screw, 6-40 x 5/16" Dipstick (Incl. 68) 68 29673 Pipstick (Incl. 68) 69 29747B Screw, 5/16-24 x 21/32" Plostick 70 32158E Blower Hsg. (For elec.starter)(Incl.1 89,190) Gasket, Stator Bushing, Crankshaft Bushing, Crankshaft Bushing, Crankshaft Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/4-20 x 5/8" 76 3820 Screw, 1/4-32 x 1/2" (Use as require d) Screw, 1/4-32 x 1/2" (Use as require d) Compression Spring (Used with 650648 screw) (Use as required) Screw, 1/4-20 x 5/80 (Use as required) Screw, 1/4-20 x 5/80 (Use as required) Compression Spring (Used with 650649 screw) (Use as required) Screw, 1/4-20 x 5/80 (Use as required) Screw, 1/4-32 x 1/2" (Use as required) Screw, 1/4-32 x 1/4" (Use as required)	58	29216	Locknut, 10-32
62 29642	60	650517	Screw, 1/4-20 x 13/16"
Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A)	61	29826	Screw, 10-32 x 3/4"
longer used. It is replaced by 30699C assy., Ref.#63A 30699C	62	29642	
Ref.#63A) 63A 30699C	63	30699B	Rod Assy., Governor (This one piece gov. rod is no
63A 30699C 64 30700 65 650494 66A 31297 68 29673 69 29747B 70 32158E 71 33876 72 31461 73 29536 81 30196 81 28820 81 28820 81 28820 81 28820 81 28720 81 28820 81 28727 82 27272A 89 730127 89 32924 89 32924 89 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 29500 screw) (Use as required) 99 650549 99 29500 99 650688 101 650625 102 30884 103 650836 Rod Assy., Governor (Incl. 64 & 65) Yoke, Governor (Incl. 68) **Gasket, Dipstick (Incl. 61) **Gasket, Stator **Gasket, Stator **Gasket, Carburetor **Gasket, Carburetor **Gasket, Air cleaner **Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) **Gasket, Air cleaner **Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) **Gasket, Air cleaner **Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) **Gasket, Air cleaner **Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) **Sayantary (Use as required) **Say			
64 30700 65 650494 66A 31297 66A 31297 68 29673 68 29673 69 29747B 70 32158E 71 33876 72 31461 73 29536 74 650561 75 31688A 76 30196 81 650521 82 7272A 89 730127 89 32924 89 31342 80 2978 80			Ref.#63A)
64 30700 65 650494 66A 31297 66A 31297 68 29673 68 29673 69 29747B 70 32158E 71 33876 72 31461 73 29536 74 650561 75 31688A 76 30196 81 650521 82 7272A 89 730127 89 32924 89 31342 80 2978 80	621	30600C	Pad Assy Covernor (Incl. 64.8.65)
65 650494 66A 31297 Dipstick (Incl. 68) 68 29673 * Gasket, Dipstick 69 29747B Screw, 5/16-24 x 21/32" 70 32158E Blower Hsg. (For elec.starter)(Incl.1 89,190) 71 33876 Gasket, Stator 72 31461 Bushing, Crankshaft 73 29536 Baffle, Blower housing 74 650561 Screw, 1/4-20 x 5/8" 75 31688A Screw, 1/4-20 x 5/8" 75 31688A Screw, 5/16-18 x 3/4" (Use as required) 81 30196 Screw, 10-32 x 1/2" (Use as required) 81 650521 Screw, 10-32 x 1/2" (Use as required) 82 27272A Say Gasket, Air cleaner 89 730127 Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) 98 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 90 650688 Screw, 8-32 x 3/4" (Use as required) Screw, 10-32 x 1 (Use as required)			· · · · · · · · · · · · · · · · · · ·
66A 31297 68 29673 68 29673 69 29747B Screw, 5/16-24 x 21/32" 70 32158E RIOWER HSg. (For elec. starter) (Incl.1 89,190) 71 33876 72 31461 RSGREW, 5/16-24 x 21/32" RSGREW, 5/16-124 x 3/4" RSGREW, 5/16-124 x 3/4" RSGREW, 5/16-134 x 3/4" R			·
68 29673 * Ġasket, Dipstick 69 29747B Screw, 5/16-24 x 21/32" 70 32158E Blower Hsg. (For elec.starter)(Incl.1 89,190) 71 33876 Gasket, Stator 72 31461 Bushing, Crankshaft 73 29536 Baffle, Blower housing 74 650561 Screw, 14-20 x 5/8" 75 31688A * Gasket, Carburetor 81 30196 Screw, 5/16-18 x 3/4" (Use as require d) 81 28820 Screw, 10-32 x 1/2" (Use as required) 81 650521 Screw, 10-32 x 1-1/8" (Use as require d) 82 27272A * Gasket, Air cleaner 89 730127 Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) 98 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 29500 screw) (Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 650549 Screw, 3-32 x 3/4" (Use as required) 99 650688 Screw, 3-32 x 3/4" (Use as required) 101 650625 Washer, Th			
Screw, 5/16-24 x 21/32" Blower Hsg. (For elec.starter) (Incl.1 89,190) 71			• • •
Blower Hsg. (For elec.starter)(Incl.1 89,190)			•
71 33876 72 31461 73 29536			
72 31461			
73 29536 Baffle, Blower housing 74 650561 Screw, 1/4-20 x 5/8" 75 31688A * Gasket, Carburetor 81 30196 Screw, 5/16-18 x 3/4" (Use as required) 81 28820 Screw, 10-32 x 1/2" (Use as required) 81 650521 Screw, 10-32 x 1-1/8" (Use as required) 82 27272A * Gasket, Air cleaner 89 730127 Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) 98 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 650688 Screw, 5-40 x 7/16" (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			•
74 650561 75 31688A 81 30196 81 28820 81 650521 82 27272A 89 730127 80 32924 81 30324 82 28569 83 28569 84 28569 85 28569 86 2650549 89 650549 89 650688 89 650688 80 28569 80 30 30 30 30 30 30 30 30 30 30 30 30 30			
75 31688A * Gasket, Carburetor 81 30196 Screw, 5/16-18 x 3/4" (Use as require d) 81 28820 Screw, 10-32 x 1-1/8" (Use as required) 81 650521 Screw, 10-32 x 1-1/8" (Use as require d) 82 27272A * Gasket, Air cleaner 89 730127 Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) 98 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 650688 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			
81 30196 Screw, 5/16-18 x 3/4" (Use as require d) 81 28820 Screw, 10-32 x 1/2" (Use as required) 81 650521 Screw, 10-32 x 1-1/8" (Use as require d) 82 27272A * Gasket, Air cleaner 89 730127 Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) 98 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 650688 Screw, 8-32 x 3/4" (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			,
81 28820 Screw, 10-32 x 1/2" (Use as required) 81 650521 Screw, 10-32 x 1-1/8" (Use as require d) 82 27272A * Gasket, Air cleaner 89 730127 Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) 98 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			·
81 650521 Screw, 10-32 x 1-1/8" (Use as require d) 82 27272A * Gasket, Air cleaner 89 730127 Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) 98 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 650689 Screw, 8-32 x 3/4" (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			, , ,
82 27272A * Gasket, Air cleaner 89 730127 Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) 98 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 650688 Screw, 8-32 x 3/4" (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			• • • • • • • • • • • • • • • • • • • •
Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required) 98 32924			
298B) (Use as required) Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 29500 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			·
98 32924 Compression Spring (Used with 650688 screw) (Use as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 29500 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"	69	730127	
as required) 98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 99 29500 90 50688 Screw, 5-40 x 7/16" (Use as required) 90 650688 Screw, 8-32 x 3/4" (Use as required) 90 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			296b) (Use as required)
98 31342 Compression Spring (Used with 650549 screw) (Use as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 29500 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"	98	32924	Compression Spring (Used with 650688 screw) (Use
as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 99 29500 99 650688 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			as required)
as required) 98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 99 29500 99 650688 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"	00	21242	Compression Spring (Used with 650540 corew) (Use
98 28569 Compression Spring (Used with 29500 screw)(Use as required) 99 650549 Screw, 5-40 x 7/16" (Use as required) 99 29500 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"	90	31342	
as required) 99 650549 99 29500 99 650688 101 650625 102 30884 103 31843A 104 650836 Screw, 5-40 x 7/16" (Use as required) Screw, 8-32 x 3/4" (Use as required) Screw, 10-32 x 1 (Use as required) Washer, Thrust Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2"			as required)
as required) 99 650549 99 29500 99 650688 Screw, 8-32 x 3/4" (Use as required) 99 650625 Washer, Thrust 102 30884 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"	98	28569	Compression Spring (Used with 29500 screw)(Use
99 650549 Screw, 5-40 x 7/16" (Use as required) 99 29500 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			· · · · · · · · · · · · · · · · · · ·
99 29500 Screw, 8-32 x 3/4" (Use as required) 99 650688 Screw, 10-32 x 1 (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"	00	650540	• ,
99 650688 Screw, 10-32 x 1 (Use as required) 101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			• • • • • • • • • • • • • • • • • • • •
101 650625 Washer, Thrust 102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			
102 30884 Key, Flywheel 103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			
103 31843A Bracket, Governor gear 104 650836 Screw, 10-24 x 1/2"			•
104 650836 Screw, 10-24 x 1/2"			
105 31845 Shaft, Mechanical governor			
	105	31845	Shaft, Mechanical governor

Ref #	Part Number	Qty	Description
106	30590A		Washer, Flat
107	30591		Gear Assy., Governor (Incl. 106)
	30588A		Spool, Governor
	29193		Ring, Retaining
	34158		Bracket, Lower fuel tank
			•
	34159		Plate, Upper fuel tank mtg.
	650561		Screw, 1/4-20 x 5/8"
	650665		Screw, 1/4-15 x 3/4"
	34186A		Fuel Tank (Incl. 115 & 120)
115	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
115	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
			(Use as required)
445	24240		First Con (Dod Dioatic) (Count Decistant High Drofile)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
			(Use as required)
119	29774		Fuel Line (Braided 8.25") (Use as req uired)
	30705		Fuel Line (Braided 16") (Use as required)
	30962		Fuel Line (Braided 32") (Use as required)
			, , , , , , , , , , , , , , , , , , , ,
	26460		Clamp, Fuel line (Use as required)
	32401		Muffler
	27930A		* Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
127	26073		Washer, Flat
128	650694A		Screw, 5/16-18 x 2"
132	650548		Screw, 8-32 x 5/16" (Early production)
132	650139		Screw, 8-32 x 1/2" (Early production)
	650542		Screw, 5/16-18 x 3/4"
	29538		Base, Engine mounting
	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
	30747		Clip, Shorting
	650890		Lockwasher
	27275		Clip, Wire (Use as required)
	29443		Clip, Fuel line (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	31793		Bearing, Ball
245	31792		Washer, Thrust
246	31855		Retainer, Bearing
247	650778		Washer, Lock
248	650580		Nut, Lock
262	29716		Screw, 1/4-28 x 7/16"
	32125		Cup, Starter
	590417		Screen, Starter cup
	650815		Washer, Belleville
	8116		,
			Nut, Hex
	34346		Decal, Instruction
	34768		Decal, Name
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required)
	32173		Decal, H.P. (6 H.P.) (Use as required)
298B	31752		Decal, Air cleaner
299	30547A		Contact Assy., Breaker
300	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
551			

Ref #	Part Number	Qty	Description
303	632213	-	Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A, page 176 for breakdown)
304	610689A		Magneto (Refer to Division 5, Section B, page 24 for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310	33235A		* Gasket Set (Incl. items marked *)



35 35 36 36 36 38 43 76 78 79 81 81 81 82 83A 84 84C 86A 86A	Part Number 26073 650570 650691 650697A 650695A 650694A 27896A 32447 34698A 650826 650513 30196 28820 650521 27272A 34699 34782 34783 34780 34697 650163 730128	Qty	Description Washer, Flat (Use as required) Washer, Flat (Use as required) Washer, Flat (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Tube, Breather Gasket, Air cleaner elbow Stud, 1/4-20 Nut, Wing Screw, 5/16-18 x 3/4" (Use as require d) Screw, 10-32 x 1/2" (Use as required) Screw, 10-32 x 1-1/8" (Use as require d) * Gasket, Air cleaner Bracket, Air cleaner Element, Air cleaner Filter, Pre-Air Elbow, Air cleaner Air Cleaner Elbow Assy.(Use in 730561 only.) Screw, 10-32 x 7/8" Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 & 298B) (Use as req.)
100 100A 113A 117D	34781 650825 650665 30675 391026		Cover, Air cleaner Pop Rivet (Purchase locally) (1/8" di a.) Nut & Lockwasher, 1/4-20 Screw, 1/4-15 x 3/4" Fitting, Breather tube Muffler (Incl. 124, 124A & 124B) (This spark arrester mufflercan be used on any model)
124B 124 125 134 135 136 137	33171 33185 650578 27930A 31288 730130 6021A 650697A 30196 34819		Muffler Screen (Use as required) Cover & Tube, Muffler (Use as require d) Screw, 8-18 x 3/8" * Gasket, Exhaust Muf.Adapter Kit(Incl.125,136,137)(As req.) Muf.Adapter Kit(Incl.125 & 138)(As re quired) Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 3/4" (Use as required) Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in 730561 ass'y. only)
234	730561		Air Cleaner Kit (Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A (Use only on engines with an externally ventedfully adjustable carburetor.)
	650687 34704		Screw, 10-32 x 5/16" (Use as required) Decal, Air cleaner



37 37 37A 41 44 56 69	Part Number 650128 650597 27261 28425 32446 34662 29747B 32924	Qty	Description Screw, 10-24 x 1/2" (Use as required) Screw, 10-24 x 5/8" (Use as required) Washer, Flat (Use as required) Cover, Valve spring Grommet, Breather tube Link, Throttle Screw, 5/16-24 x 21/32" Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
98	28569		Compression Spring (Used with 29500 screw)(Use as required)
99 99 139 140 182 183 184 185 225C 225 227 229 230 262 266 267 305 306	650549 29500 650688 650821 34663 32683A 32955 9556 30063 34664 730152 33177 28942 27793 29716 650815 8116 33018 590420		Screw, 5-40 x 7/16" (Use as required) Screw, 8-32 x 3/4" (Use as required) Screw, 10-32 x 1 (Use as required) Screw, 10-32 x 1/2" Spring, Speed control Gasket, Fuel pump cover (Use as required) Cover, Fuel pump pad (Use as required) Plug, Pipe 1/8-27 (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Control Bracket (Incl. 98, 99, 140 & 226) Control Bracket (Incl.91 thru 97)(As r eq.) Terminal (Use as required) Screw, 10-32 x 3/8" Clip, Conduit Screw, 1/4-28 x 7/16" Washer, Belleville Nut, Hex Harness Assy., Adapter (Use as requir ed) Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)