


| 1<br>2<br>3<br>4<br>5<br>5<br>6<br>6<br>7<br>8<br>9<br>11<br>12  | Part Number  34761  27652  27642  27876B  32783  32784  31469A  31470A  27882  27881  32581  31791  29783   | Qty | Cylinder (C I liner)(Incl.2,3,4,184)( 2-5/8") Pin, Dowel Plug, Oil drain, 1/4-18 Seal, Oil Intake Valve (Std.) (Incl. 9) Intake Valve (1/32" OS) (Incl. 9) Exhaust Valve (Std.) (Incl. 9) Exhaust Valve (1/32" OS) (Incl. 9) Cap, Upper valve spring Spring, Valve Cap, Lower valve spring Crankshaft (Incl. 12 & 13) Pin, Crankshaft gear Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft. |
|--|---|-----|--|
| 13   | 27884   |     | Gear, Crankshaft Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.   |
| 14<br>14A<br>14A<br>14A<br>15<br>15<br>15<br>16<br>17<br>18<br>18A<br>19<br>20<br>21<br>22<br>23<br>24<br>26<br>28<br>29<br>30<br>31<br>32<br>33<br>34<br>35<br>35 | 34503<br>34504<br>34505<br>31797B<br>31798B<br>31799B<br>34854<br>34855<br>34856<br>27888<br>31380C<br>650662C<br>30682<br>26073<br>28264<br>33156<br>34034<br>31451A<br>28460<br>30684<br>650451<br>650599<br>650516<br>30939A<br>28938C<br>30938A<br>33636<br>26073<br>650570<br>650691 |     | •  |
| 36<br>36<br>37<br>37   | 650697A<br>650695A<br>650694A<br>650128<br>650597<br>27896A   |     | Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) Screw, 10-24 x 1/2" (Use as required) Screw, 10-24 x 5/8" (Use as required) * Gasket, Breather cover   |


|     | Part Number     | Qty | Description   |
|-----|-----------------|-----|---|
|     | 28423           |     | Body, Breather  |
|     | 28424           |     | Element, Breather   |
|     | 28425           |     | Cover, Valve spring   |
|     | 27915A          |     | * Gasket, Intake  |
|     | 30195A          |     | Flange, Carburetor (Incl. 79 & 80)  |
|     | 30196           |     | Screw, 5/16-18 x 3/4"   |
|     | 29918           |     | Lockwasher  |
|     | 650548          |     | Screw, 8-32 x 5/16"   |
|     | 30319           |     | Rivet, Split (Used on early productio n)                                      |
| 52  | 32326A          |     | Lever, Governor (New lever does not need 1 of Ref #49,51,53,54,132,133)       |
| 50  | 20222           |     | , , , , , , , , , , , , , , , , , , ,   |
|     | 30322           |     | Lock Nut, 8-32 (Use as required)  |
|     | 29916           |     | Clamp, Governor lever (Use as require d)                                      |
|     | 30205<br>31710  |     | Bracket, Adjusting  |
|     | 29216           |     | Link, Throttle  |
|     | 29752           |     | Locknut, 10-32  |
|     | 650572          |     | Nut & Lockwasher, 1/4-28<br>Screw, 1/4-28 x 1-1/8"                            |
|     | 29826           |     | Screw, 10-32 x 3/4"   |
|     | 29642           |     | Ring, Retaining   |
|     | 30699B          |     | Rod Assy., Governor (This one piece gov. rod is no                            |
| 03  | 30099B          |     | longer used. It is replaced by 30699C assy.,                                  |
|     |                 |     | Ref.#63A)   |
| 63A | 30699C          |     | Rod Assy., Governor (Incl. 64 & 65)   |
|     | 30700           |     | Yoke, Governor  |
|     | 650494          |     | Screw, 6-40 x 5/16"   |
|     | 31297           |     | Dipstick (Incl. 68)   |
|     | 29673           |     | * Gasket, Dipstick  |
|     | 29747B          |     | Screw, 5/16-24 x 21/32"   |
|     | 32158E          |     | Blower Hsg. (For elec.starter)(Incl.1 89,190)                                 |
|     | 31461           |     | Bushing, Crankshaft   |
|     | 29536           |     | Baffle, Blower housing  |
|     | 650561          |     | Screw, 1/4-20 x 5/8"  |
| 75  | 31688A          |     | * Gasket, Carburetor  |
| 81  | 30196           |     | Screw, 5/16-18 x 3/4" (Use as require d)                                      |
| 81  | 28820           |     | Screw, 10-32 x 1/2" (Use as required)   |
| 81  | 650521          |     | Screw, 10-32 x 1-1/8" (Use as require d)                                      |
| 81A | 650152          |     | Screw, 8-32 x 3/8"  |
| 82  | 27272A          |     | * Gasket, Air cleaner   |
| 83  | 31691           |     | Bracket, Air cleaner  |
| 84B | 30727           |     | Element, Air cleaner  |
| 85  | 31715           |     | Body, Air cleaner   |
| 89  | 730127          |     | Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G &                            |
|     |                 |     | 298B) (Use as required)   |
| 98  | 28569           |     | Compression Spring (Used with 29500 screw)(Use                                |
|     |                 |     | as required)  |
| 98  | 32924           |     | Compression Spring (Used with 650688 screw) (Use as required)                 |
| 98  | 31342           |     | Compression Spring (Used with 650549 screw) (Use as required)                 |
|     | 650549<br>29500 |     | Screw, 5-40 x 7/16" (Use as required)<br>Screw, 8-32 x 3/4" (Use as required) |

| Dof # | Dout Number | Ot / | Description  |
|-------|-------------|------|--|
|       |             | Qly  | Description  |
|       | 650688      |      | Screw, 10-32 x 1 (Use as required)                     |
|       | 650625      |      | Washer, Thrust   |
|       | 30884       |      | Key, Flywheel  |
|       | 31843A      |      | Bracket, Governor gear                                 |
| 104   | 650836      |      | Screw, 10-24 x 1/2"                                    |
| 105   | 31845       |      | Shaft, Mechanical governor                             |
| 106   | 30590A      |      | Washer, Flat   |
| 107   | 30591       |      | Gear Assy., Governor (Incl. 106)                       |
|       | 30588A      |      | Spool, Governor  |
|       | 29193       |      | Ring, Retaining  |
|       | 650561      |      | Screw, 1/4-20 x 5/8"                                   |
|       | 410144B     |      | Fuel Cap (White Plastic)(Standard)(As req.)            |
|       | 33032       |      | •                |
| 113   | 33032       |      | Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)  |
|       |             |      | (Use as required)                                      |
| 115   | 34210       |      | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) |
|       |             |      | (Use as required)                                      |
| 119   | 29774       |      | Fuel Line (Braided 8.25") (Use as req uired)           |
| 119   | 30705       |      | Fuel Line (Braided 16") (Use as required)              |
| 119   | 30962       |      | Fuel Line (Braided 32") (Use as required)              |
|       | 26460       |      | Clamp, Fuel line (Use as required)                     |
|       | 32401       |      | Muffler  |
|       | 34174       |      | Deflector, Exhaust                                     |
|       | 650665      |      | Screw, 1/4-15 x 7/8"                                   |
|       | 27930A      |      | * Gasket, Exhaust                                      |
|       | 30196       |      | Screw, 5/16-18 x 3/4"                                  |
|       | 26073       |      | Washer, Flat   |
|       |             |      | ,  |
|       | 650694A     |      | Screw, 5/16-18 x 2"                                    |
|       | 650548      |      | Screw, 8-32 x 5/16" (Early production )                |
|       | 650139      |      | Screw, 8-32 x 1/2" (Early production)                  |
|       | 650542      |      | Screw, 5/16-18 x 3/4"                                  |
|       | 30802       |      | Base, Engine mounting                                  |
| 147   | 650128      |      | Screw, 10-24 x 1/2"                                    |
| 148   | 30622A      |      | Extension, Blower housing                              |
| 186   | 27275       |      | Clip, Wire (Use as required)                           |
| 186   | 29443       |      | Clip, Fuel line (Use as required)                      |
|       | 610118      |      | Cover, Spark plug                                      |
|       | 31386       |      | Spring, Extension                                      |
|       | 31711B      |      | Control Bracket (Incl. 98, 99 & 226)                   |
|       | 610973      |      | Terminal Assy.   |
|       | 28942       |      | Screw, 10-32 x 3/8"                                    |
|       | 27793       |      | Clip, Conduit  |
|       | 30831       |      | • •  |
|       |             |      | Ground Wire (Incl. 223)                                |
|       | 31793       |      | Bearing, Ball  |
|       | 31792       |      | Washer, Thrust   |
|       | 31855       |      | Retainer, Bearing                                      |
|       | 650778      |      | Washer, Lock   |
|       | 650580      |      | Nut, Lock  |
|       | 29716       |      | Screw, 1/4-28 x 7/16"                                  |
|       | 32125       |      | Cup, Starter   |
| 265   | 590417      |      | Screen, Starter cup                                    |
|       | 650815      |      | Washer, Belleville                                     |
|       | 8116        |      | Nut, Hex   |
|       | 34346       |      | Decal, Instruction                                     |
|       | 31752       |      | Decal, Air cleaner                                     |
| 2300  | 01702       |      | Doodi, All Glodiloi                                    |

| Ref # | Part Number | Qty | Description  |
|-------|-------------|-----|--|
| 298A  | 550223      |     | Decal, Name  |
| 298A  | 33310       |     | Decal, 5 HP Mini-Bike (Use as require d)   |
| 298A  | 31517       |     | Decal, H.P. (5 H.P.) (Use as required)   |
| 298A  | 32173       |     | Decal, H.P. (6 H.P.) (Use as required)   |
| 299   | 30547A      |     | Contact Assy., Breaker   |
| 300   | 30548B      |     | Condenser  |
| 301   | 631021      |     | Inlet Needle, Seat & Clip Assy.  |
| 303   | 631828      |     | Carburetor (Incl. 75 & 301) (Refer to Division 5,  |
|       |             |     | Section A, page 144 for breakdown)   |
| 304   | 610681A     |     | Magneto (w/ring gear) (12 Volt) (3 Am p) NOTE:<br>The complete magneto is not available as an<br>assembly. The magneto number is shown for<br>reference purposes only. Order component parts<br>individually, as shown in parts list. (Refer to Division<br>5, Section B, page 23 for breakdown) |
| 306   | 590420      |     | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)   |
| 310   | 33235A      |     | * Gasket Set (Incl. items marked *)  |



| Ref # | Part Number | Qty | Description   |
|-------|-------------|-----|---|
|       | 26073       |     | Washer, Flat (Use as required)                        |
|       | 650570      |     | Washer, Flat (Use as required)                        |
|       | 650691      |     | Washer, Flat (Use as required)                        |
|       | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as requi red)            |
|       | 650695A     |     | Screw, 5/16-18 x 2-1/4" (Use as requi red)            |
|       | 650694A     |     | Screw, 5/16-18 x 2" (Use as required)                 |
|       | 27896A      |     | * Gasket, Breather cover                              |
|       | 30196       |     | Screw, 5/16-18 x 3/4" (Use as require d)              |
|       | 28820       |     | Screw, 10-32 x 1/2" (Use as required)                 |
|       | 650521      |     | Screw, 10-32 x 1-1/8" (Use as require d)              |
|       | 27272A      |     | * Gasket, Air cleaner                                 |
|       | 34697       |     | Air Cleaner Elbow Assy.(Use in 730561 only.)          |
| 89A   | 730128      |     | Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97  |
|       |             |     | & 298B) (Use as req.)                                 |
| 111A  | 31694       |     | Bracket, Lower fuel tank                              |
|       | 29683       |     | Valve, Fuel strainer & shut-off                       |
|       | 391026      |     | Muffler (Incl. 124, 124A & 124B) (This spark arrester |
|       |             |     | mufflercan be used on any model)                      |
| 124B  | 33185       |     | Cover & Tube, Muffler (Use as require d)              |
|       | 650578      |     | Screw, 8-18 x 3/8"                                    |
|       | 33171       |     | Muffler Screen (Use as required)                      |
|       | 27930A      |     | * Gasket, Exhaust                                     |
| 134   | 31288       |     | Muf.Adapter Kit(Incl.125,136,137)(As req.)            |
| 135   | 730130      |     | Muf.Adapter Kit(Incl.125 & 138)(As re quired)         |
| 136   | 6021A       |     | Screw, 5/16-18 x 1-1/2" (Use as required)             |
|       | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as requi red)            |
|       | 30196       |     | Screw, 5/16-18 x 3/4" (Use as require d)              |
|       | 31697       |     | Strap, Fuel tank                                      |
|       | 29212       |     | Screw, 1/4-28 x 7/16"                                 |
|       | 6201        |     | Screw, Hex hd. cap, 1/4-28 x 7/8                      |
|       | 29752       |     | Nut & Lockwasher, 1/4-28                              |
| 233   | 34819       |     | Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use     |
|       |             |     | in 730561 ass'y. only)                                |
| 234   | 730561      |     | Air Cleaner Kit                                       |
|       |             |     | (Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A  |
|       |             |     | (Use only on engines with an externally ventedfully   |
|       |             |     | adjustable carburetor.)                               |
| 273   | 650687      |     | Screw, 10-32 x 5/16" (Use as required )               |
|       |             |     | · · · · · · · · · · · · · · · · · · ·                 |



| Ref # | Part Number ( | Qty | Description  |
|-------|---------------|-----|--|
| 37    | 650128        |     | Screw, 10-24 x 1/2" (Use as required)                  |
| 37    | 650597        |     | Screw, 10-24 x 5/8" (Use as required)                  |
| 37A   | 27261         |     | Washer, Flat (Use as required)                         |
| 41    | 28425         |     | Cover, Valve spring                                    |
| 43A   | 35350         |     | Tube, Breather   |
|       | 31710         |     | Link, Throttle   |
|       | 29747B        |     | Screw, 5/16-24 x 21/32"                                |
|       | 28569         |     | Compression Spring (Used with 29500 screw)(Use         |
|       | 25555         |     | as required)   |
|       |               |     | • ,  |
| 98    | 32924         |     | Compression Spring (Used with 650688 screw) (Use       |
|       |               |     | as required)   |
| 98    | 31342         |     | Compression Spring (Used with 650549 screw) (Use       |
|       | · · · · · ·   |     | as required)   |
|       |               |     | •  |
|       | 650549        |     | Screw, 5-40 x 7/16" (Use as required)                  |
|       | 29500         |     | Screw, 8-32 x 3/4" (Use as required)                   |
|       | 650688        |     | Screw, 10-32 x 1 (Use as required)                     |
|       | 30063         |     | Screw, 1/4-20 x 1/2"                                   |
|       | 30064         |     | Cover, Panel   |
| 154   | 30065         |     | Nut, 5-40  |
| 155   | 30066         |     | Screw, 5-40 x 3/8"                                     |
| 156   | 28728         |     | Nut  |
| 157   | 28727         |     | Lockwasher   |
| 158   | 28726         |     | Screw, 5-40 x 9/16"                                    |
| 182   | 32683A        |     | Gasket, Fuel pump cover (Use as requi red)             |
| 183   | 32955         |     | Cover, Fuel pump pad (Use as required)                 |
| 184   | 9556          |     | Plug, Pipe 1/8-27 (Use as required)                    |
| 185   | 30063         |     | Screw, 1/4-20 x 1/2" (Use as required )                |
| 225   | 730152        |     | Control Bracket(Incl.91 thru 97)(As r eq.)             |
| 226   | 610973        |     | Terminal Assy.   |
|       | 33177         |     | Terminal (Use as required)                             |
|       | 28942         |     | Screw, 10-32 x 3/8"                                    |
|       | 27793         |     | Clip, Conduit  |
|       | 29716         |     | Screw, 1/4-28 x 7/16"                                  |
|       | 650815        |     | Washer, Belleville                                     |
|       | 8116          |     | Nut, Hex   |
|       | 33018         |     | Harness Assy., Adapter (Use as requir ed)              |
|       | 590420        |     | Rewind Starter (Refer to Division 5, Section C, page   |
| 000   | 000 120       |     | 25 for breakdown)                                      |
|       |               |     | ,  |
|       | 35765A        |     | Electric Starter Motor (12 Volt)                       |
| 308   | 33328D        |     | Starter Motor Kit (110-120 Volt) NOTE: This 110-120    |
|       |               |     | volt starter motor kit may have been added to this     |
|       |               |     | engine. This can be added only if cylinder has drilled |
|       |               |     | and tapped starter mounting bosses and a ring gear     |
|       |               |     | flywheel has been added (see #309). Refer to           |
|       |               |     | service number stamped on end cap of motor,            |
| 300   | 30811A        |     | Flywheel (Ring gear flywheel requiredon engines        |
| 000   | 333177        |     | using 110-120 volt starter motor kits listed above.)   |
|       |               |     | doing 110 120 voit starter motor kits listed above.)   |