


1 2 3 4 5 5 6 6 7 8 9 11 12	Part Number 34761 27652 27642 27876B 32783 32784 27878A 27880A 27882 27881 32581 31856A 29783	Qty	Cylinder (C I liner)(Incl.2,3,4,184)(2-5/8") Pin, Dowel Plug, Oil drain, 1/4-18 Seal, Oil Intake Valve (Std.) (Incl. 9) Intake Valve (1/32" OS) (Incl. 9) Exhaust Valve (Std.) Exhaust Valve (1/32" OS) (Incl. 9) Cap, Upper valve spring Spring, Valve Cap, Lower valve spring Crankshaft (Incl. 12 & 13) Pin, Crankshaft gear Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft. Gear, Crankshaft Used in early production. This
13	27884		gear, Crankshaft Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.
14A 14A 14 14 15 15 15 16 17 18 18A 19 20 21 22 23 24 26 27 28 29 30 31 32 33 34 35 35	31797B 31799B 34503 34504 34505 34854 34855 34856 27888 34750 650662C 30682 26073 28264 33156 34034 31303B 28427 30684 31546 650451 650599 650489 30939A 28938C 30938A 33636 26073 650570 650691		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16) Piston & Pin Ass'y. (.010" OS) (Incl. 16) Piston & Pin Ass'y. (.020" OS) (Incl. 16) Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Ring Set (Std.) (2-5/8" Bore) Ring Set (.010" OS) Ring Set (.020" OS) Ring, Piston pin retaining Rod Assy., Connecting (Incl. 18) Screw, Connecting rod (Late production) Connecting rod bolt washer (Early pro duction) Connecting rod nut (Used on early pro duction) Camshaft Lifter, Valve Cover, Cylinder (Incl. 24, 27 & 105) Seal, Oil * Gasket, Cylinder cover Bushing, Crankshaft Screw, 1/4-20 x 1" Screw, 1/4-20 x 5/8" Cover, Cylinder head * Gasket, Cylinder head Head, Cylinder (Incl. 3 of 36) Resistor Spark Plug Washer, Flat (Use as required) Washer, Flat (Use as required) Washer, Flat (Use as required)
36 37	650695A 650694A 650128 650597		Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Screw, 10-24 x 1/2" (Use as required) Screw, 10-24 x 5/8" (Use as required)

Rof #	Part Number	Otv	Description
38 39 40	27896A 28423 28424 28425	<i>y</i>	* Gasket, Breather cover Body, Breather Element, Breather Cover, Valve spring
43 45 46	32447 27915A 34712		Tube, Breather * Gasket, Intake Flange, Carburetor (Incl. 60)
49 50 51	30196 29918 650548 30319 32326A		Screw, 5/16-18 x 3/4" Lockwasher Screw, 8-32 x 5/16" Rivet, Split (Used on early productio n) Lever, Governor (New lever does not need 1 of Ref #49,51,53,54,132,133)
54 55 56 58 60 61 62 63A	30322 29916 30205 31710 29216 650517 29826 29642 30699C 30699B		Lock Nut, 8-32 (Use as required) Clamp, Governor lever (Use as require d) Bracket, Adjusting Link, Throttle Locknut, 10-32 Screw, 1/4-20 x 13/16" Screw, 10-32 x 3/4" Ring, Retaining Rod Assy., Governor (Incl. 64 & 65) Rod Assy., Governor (This one piece gov. rod is no longer used. It is replaced by 30699C assy., Ref.#63A)
65 66A 68 69 70 71 72 73 74 75 81 81 81	30700 650494 34012 29673 29747B 32158E 33876 31461 29536 650561 31688A 30196 28820 650521 27272A 730127		Yoke, Governor Screw, 6-40 x 5/16" Dipstick (Incl. 68) * Gasket, Dipstick Screw, 5/16-24 x 21/32" Blower Hsg. (For elec.starter)(Incl.1 89,190) Gasket, Stator Bushing, Crankshaft Baffle, Blower housing Screw, 1/4-20 x 5/8" * Gasket, Carburetor Screw, 5/16-18 x 3/4" (Use as require d) Screw, 10-32 x 1/2" (Use as required) Screw, 10-32 x 1-1/8" (Use as require d) * Gasket, Air cleaner Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B) (Use as required)
98	28569		Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99 99	650549 29500 650688 650625		Screw, 5-40 x 7/16" (Use as required) Screw, 8-32 x 3/4" (Use as required) Screw, 10-32 x 1 (Use as required) Washer, Thrust


Ref #	Part Number	Qty	Description
102	30884	-	Key, Flywheel
103	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
			•
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
	30588A		Spool, Governor
109	29193		Ring, Retaining
113	30063		Screw, 1/4-20 x 1/2"
115	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
115	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
			(Use as required)
			(Coo as roquirou)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
			(Use as required)
4.40	00==4		
	29774		Fuel Line (Braided 8.25") (Use as req uired)
119	30705		Fuel Line (Braided 16") (Use as requi red)
119	30962		Fuel Line (Braided 32") (Use as requi red)
120	26460		Clamp, Fuel line (Use as required)
	32401		Muffler
	27930A		* Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	26073		
			Washer, Flat
	650694A		Screw, 5/16-18 x 2"
	650548		Screw, 8-32 x 5/16" (Early production)
132	650139		Screw, 8-32 x 1/2" (Early production)
144	650542		Screw, 5/16-18 x 3/4"
146	29538		Base, Engine mounting
147	650128		Screw, 10-24 x 1/2"
	30622A		Extension, Blower housing
	27275		Clip, Wire (Use as required)
	29443		Clip, Fuel line (Use as required)
			• • • • • • • • • • • • • • • • • • • •
	610118		Cover, Spark plug
	31386		Spring, Extension
225B	31711B		Control Bracket (Incl. 98, 99 & 226)
226	610973		Terminal Assy.
229	28942		Screw, 10-32 x 3/8"
230	27793		Clip, Conduit
	34235		Ground Wire
	29716		Screw, 1/4-28 x 7/16"
	32125		Cup, Starter
	590417		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
298	34346		Decal, Instruction
298A	34768		Decal, Name
298A	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required)
	32173		Decal, H.P. (6 H.P.) (Use as required)
	30547A		Contact Assy., Breaker
	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
303	632213		Carburetor (Incl. 75 & 301) (Refer to Division 5,
			Section A, page 176 for breakdown)

Ref #	Part Number	Qty	Description
304	610689A	•	Magneto (Refer to Division 5, Section B, page 24 for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310	33235A		* Gasket Set (Incl. items marked *)



Ref #	Part Number	Otv	Description
	26073	Qty	Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	32447		Tube, Breather
	34698A		Gasket, Air cleaner elbow
78	650826		Stud, 1/4-20
79	650513		Nut, Wing
81	30196		Screw, 5/16-18 x 3/4" (Use as require d)
81	28820		Screw, 10-32 x 1/2" (Use as required)
81	650521		Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A		* Gasket, Air cleaner
83A	34699		Bracket, Air cleaner
84	34782		Element, Air cleaner
84C	34783		Filter, Pre-Air
86A	34780		Elbow, Air cleaner
	34697		Air Cleaner Elbow Assy.(Use in 730561 only.)
	650163		Screw, 10-32 x 7/8"
89A	730128		Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97
			& 298B) (Use as req.)
90	34781		Cover, Air cleaner
	650825		Nut & Lockwasher, 1/4-20
100			Pop Rivet (Purchase locally) (1/8" di a.)
111B	34823		Bracket, Lower fuel tank
114A	34826A		Fuel Tank (Incl. 115, 117 & 118)
117D	30675		Fitting, Breather tube
117	33395		Elbow, Fuel strainer (Incl. 118)
	33679		Bushing, Fuel fitting
121E	391026		Muffler (Incl. 124, 124A & 124B) (This spark arrester
			mufflercan be used on any model)
124	650578		Screw, 8-18 x 3/8"
	33171		Muffler Screen (Use as required)
	33185		Cover & Tube, Muffler (Use as require d)
125	27930A		* Gasket, Exhaust
134	31288		Muf.Adapter Kit(Incl.125,136,137)(As req.)
135	730130		Muf.Adapter Kit(Incl.125 & 138)(As re quired)
136	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
137	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
138	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	29212		Screw, 1/4-28 x 7/16"
	34824		Strap, Fuel tank
	34825		Spring, Compression
	650827		Screw, 1/4-20 x 1-1/4"
	650828		Nut, Clip "U" type 1/4-20
	650639		Rivet, Pop (Can be purchased locally)
233	34819		Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use
			in 730561 ass'y. only)

Ref #	Part Number	Qty	Description
234	730561		Air Cleaner Kit (Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A (Use only on engines with an externally ventedfully adjustable carburetor.)
	650687 34704		Screw, 10-32 x 5/16" (Use as required) Decal, Air cleaner



Ref #	Part Number	Qty	Description
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 5/8" (Use as required)
	27261		Washer, Flat (Use as required)
	28425		Cover, Valve spring
	32446		Grommet, Breather tube
	31710		Link, Throttle
	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
182	32683A		Gasket, Fuel pump cover (Use as required)
183	32955		Cover, Fuel pump pad (Use as required)
184	9556		Plug, Pipe 1/8-27 (Use as required)
185	30063		Screw, 1/4-20 x 1/2" (Use as required)
225	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
	610973		Terminal Assy.
	33177		Terminal (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	29716		Screw, 1/4-28 x 7/16"
	650815		Washer, Belleville
	8116		Nut, Hex
	33018		Harness Assy., Adapter (Use as required)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)