
ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY OEM.




Rof #	Part Number	Qty	Description
	33039	Qty	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
	27652		
			Pin, Dowel
	31950		Seal, Oil
	31940		Intake Valve (Std.)
	31941		Intake Valve (1/32" OS) (Incl. 9)
6	31942		Exhaust Valve (Std.)
6	31943		Exhaust Valve (1/32" OS) (Incl. 9)
7	650592		Key, Flywheel
8	31944		Spring, Valve
	31946		Cap, Lower valve spring (1/32" OS)
	31945		Cap, Lower valve spring (Std.)
	32475		Cap, Lower valve spring (Rotator)
	20810		Pin, Valve spring retainer
	32575A		Crankshaft (Incl. 12, 13, 17, 78 & 79)
	29783		Pin, Crankshaft gear
			and the second s
	31931		Gear, Crankshaft
	32001C		Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
	32002B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32003B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32619B		Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	34508		Piston, Pin & Ring Set (Std.) (3-5/16 " Bore)
14	34509		Piston, Pin & Ring Set (.010" OS)
14	34510		Piston, Pin & Ring Set (.020" OS)
14	34850		Piston, Pin & Ring Set (.030" OS)
14	34523		Piston, Pin & Ring Set (.040" OS)
14	32620B		Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	32004		Ring Set (Std.) (3-5/16" Bore)
	32005		Ring Set (.010" OS)
	32006		Ring Set (.020" OS)
	32623		Ring Set (.030" OS)
	32624		Ring Set (.030 '03)
			• • •
	32321		Re-Ringing Set, Piston
	31919		Ring, Piston pin retaining
	33093A		Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383		Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384		Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077		Bolt, Connecting rod
	26073		Washer, Connecting rod
20	28264		Nut Assy., Lock
21	32150		Camshaft (MCR)
22	31939		Lifter, Valve
23A	31956A		* Gasket, Cylinder cover
23	32685		Cylinder Cover (Incl.4,25,26A,28,30,3 4 & 43)
	31985		Oil Fill Tube
	29673		* Gasket, Oil fill tube
	29673		* Gasket, Oil fill
	35499		"O" Ring
	33070		Dipstick (Incl. 25A)
	32426		Spacer, Governor rod
	650588		Screw, 1/4-20 x 2"
	31927		Oil Drain Plug
	31968		Link, Governor
	650451		Screw, 1/4-20 x 1"
	31964		Clamp, Governor lever
34	29193		Ring, Retaining


Ref # Part Number Qty Description	
/	
35 31963 Lever, Governor adjusting	
36 650518 Lockwasher	
37 650544 Screw, 10-24 x 7/8"	
38 7975 Nut, 10-24	
39 31965 Plate, Governor spring	
40 30312 Screw, 10-32 x 1/2"	
41 31967 Spring, Governor	
42 30590A Washer, Flat	
43 32425 Rod Assy., Governor	
44 31948 Spool, Governor	
45 29193 Ring, Retaining	
46 31947 Gear Assy., Governor	
47 31930 Shaft, Mechanical Governor	
48 32000A * Gasket, Cylinder head	
49 33034 Head, Cylinder	
51 650694A Screw, 5/16-18 x 2" (Use as required)	
51 650711 Screw, 5/16-18 x 1-5/8" (Use as requi red)
51 650628A Screw, 5/16-18 x 2-3/8" (Use as required)	
51 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red	
51 650714 Screw, 5/16-18 x 1-5/8" (Use as requi red	
51 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red	
51 650692 Screw, 5/16-18 x 1-3/4" (Use as required)	
51 650603 Screw, 5/16-18 x 5/8" (Use as require d)	
53 33636 Resistor Spark Plug (RJ-8C)	
53 34251 Resistor Spark Plug (RJ-17LM)	
54 33035 Cover, Cylinder head	
55 28537 Washer, Plain	
57 650691 Washer, Flat (Use as required)	
58 650690 Washer, Belleville (Use as required)	
58 8274 Washer, Lock (Use as required)	
59 650128 Screw, 10-24 x 1/2" 60 31976 Extension, Blower housing	
, ,	
61 31978 Bracket, Fuel tank	٦/
63 410144B Fuel Cap (White Plastic) (Std.) (As req uire	,
63 34210 Fuel Cap (Red Plastic) (Spurt resistant, H	gn pronie)
(Use as required)	
64 31979 Strap, Fuel tank	
65 650451 Screw, 1/4-20 x 1"	
66 650456 Nut, Flange whiz-lock, 1/4-20	
67 650517 Screw, 1/4-20 x 27/32" (Use as requir ed)	
67 650561 Screw, 1/4-20 x 5/8" (Use as required)	
67 30063 Screw, 1/4-20 x 1/2" (Use as required)	
67 792028 Screw, 5/16-18 x 7/8" (Use as require d)	
68 8345 Washer, Flat	
69 8303 Lockwasher	
70B 29683 Strainer & Shut-off, Fuel	
71 26460 Clamp, Fuel line (Use as required)	
72 29774 Fuel Line (Braided) (8.25") (Use as r equilibrium (Use as	ad)
72 30705 Fuel Line (Braided) (6.23) (Use as required for the line (Braided) (16") (Use as required for the line (
	,
72 30965 Fuel Line (Braided) (48") (Use as req uired	<i>a)</i>
73 32579 Baffle, Blower housing	
74 650561 Screw, 1/4-20 x 5/8"	
75 33356 Terminal	
76 28545 Grommet, Plastic	

77 78 79	Part Number 650760 31932 31928 32031	Qty	Description Screw, 8-32 x 3/8" Bearing, Tapered roller Cup, Bearing Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required
81	31971		* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972		"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32677		Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 112	650668 650679 650666 650594 33037 8274 650595 32039 650890 26073 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 33038 29752 650587 27272		Screw, 10-32 x 1" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Housing Washer, Lock Screw, 5/16-24 x 3/8" Switch, Stop Washer, Shakeproof Washer, Flat Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner


	Part Number	Qty	Description
	650399		Screw, 10-32 x 5/8"
	30767		Spacer, Air cleaner
	32377		Bracket, Air cleaner
	32380		Bracket, Air cleaner
	31925		Element, Air cleaner
	31926		Cover, Air cleaner
126	650513		Nut, Wing
128	650713		Screw, 5/16-18 x 5/8" (Use as require d)
128	650429		Screw, 5/16-18 x 3/4" (Use as require d)
128	792028		Screw, 5/16-18 x 7/8" (Use as require d)
141A	8274		Lockwasher, Split (Use as required)
141	26073		Washer, Flat (Use as required)
145	31960		* Gasket, Carburetor
147	32478		Baffle, Air
156	730201		Trigger Pin Kit (Use as required)
173	610118		Cover, Spark plug (Use as required)
176	31992		Spacer, Screen
177	8345		Washer, 1/4 plain (Use as required)
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
187	650713		Screw, 5/16-18 x 5/8"
188	26073		Washer, Flat
246	33776		Screen, Starter pulley
247	31980		Pulley, Starter
248	650680		Screw, 1/4-20 x 1-1/2"
249	32046		Rope Assy., Starter (Use as required)
266	610750		Grommet, Lead wire
278	610897		Flywheel
299	34346		Decal, Instruction
299B	34768		Decal, Name
299B	32676		Decal, Solid State
299A	31752		Decal, Air cleaner
	32255A		Valve, Seat, Spring & Gasket Assy.
	631328A		Carburetor (Incl. 145) (Refer to Division 5, Section A,
			page 94 for breakdown)
004	000074		, ,
304	33237A		* Gasket Set (Incl. items marked *)

This illustration may not depict actual equipment and is for reference only! **VIEW 2 of 3** 132 133 175 135 129 262 268 257A 270A 260A 255 235





Ref #	Part Number	Qty	Description
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
180	650701		Screw, 8-18 x 7/16" (Use as required)
222	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
257B	610824		Flat Connector (Female terminals) (As req.)
260A	610759		Solid State Magneto
261	650489		Screw, 1/4-20 x 5/8"
261A	650669		Screw, 5/16-18 x 1-1/4"
262	610760		Solid State Transformer Ass'y.(Incl.1 73,266)
263	650561		Screw, 1/4-20 x 5/8"
266	610750		Grommet, Lead wire
	730198		Starter Switch Kit(Incl. 287-298) (As req.)
	30831		Ground Wire (Incl. 75)
303	33835		Electric Starter Motor (12 Volt) NOTE: The 32817
			and 33835 starter motors are used interchangeably
			on the se models. Refer to service numberstamped
			on end cap of motor, or on decal for identification.
			Refer to Division 5, Section D for breakdown.



Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
62A	31977		Fuel Tank (Incl. 63)
70	29634		Fitting, Fuel line
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)