



Ref #	Part Number	Qtv	Description
	34922A		Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
	27652		Pin, Dowel
	650820		Screw, 1/4-20 x 1/2"
	30700		Yoke, Governor
	30699C		Rod Assy., Governor (Incl. 15A & 15B)
15B	650494		Screw, 6-40 x 5/16"
16	33454		Governor Lever Assy.
17	29916		Clamp, Governor lever
18	650548		Screw, 8-32 x 5/16"
	32630		Seal, Oil
	29536		Blower Housing Baffle (Without electric starter
25	29330		· · · · · · · · · · · · · · · · · · ·
			knockout) (Use as required)
25	35256A		Blower Housing Baffle (With electric starter
	00_00/1		knockout) (Use as required)
			Milothout) (Ose as required)
26	650561		Screw, 1/4-20 x 5/8"
30	33719B		Crankshaft (Incl. 108 & 109)
35	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, #8 E.T.
	29216		Locknut, 10-32
			,
	30322		Nut & Lockwasher, 8-32
	29642		Ring, Retaining
	34860A		Piston, Pin & Ring Set (Std.)(3-5/16")
40	34861A		Piston, Pin & Ring Set (.010" OS)
40	34862A		Piston, Pin & Ring Set (.020" OS)
41	34863		Piston & Pin Ass'y. (Std.)(3-5/16")(I ncl.43)
41	34864		Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	34865		Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	34866A		Ring Set (Std.) (3-5/16" Bore)
	34867A		Ring Set (.010" OS)
			Ring Set (.020" OS)
	34868A		J ,
	27888		Ring, Piston Pin retaining
	32591C		Rod Assy., Connecting (Incl. 46, 47 & 49)
	650662C		Bolt, Connecting rod (2 pieces)
47	650662C		Bolt, Connecting rod (2 pieces)
48	34034		Lifter, Valve
49	34242		Dipper, Oil
	34143		Camshaft (MCR)
	33273A		Extension, Blower housing
	34126		Bracket, Grommet mounting
	650760		Screw, 8-32 x 3/8"
			,
	28545		Grommet, Plastic
	650128		Screw, 10-24 x 1/2"
	35262		* Gasket, Flange
	33367B		Cover, Cylinder (Incl. 71, 75 & 80)
71	33368		Bushing, Crankshaft
72	27642		Plug, Oil drain
75	31950		Seal, Oil
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30590A 30591		
			Gear Assy., Governor (Incl. 81)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650833		Screw, 1/4-20 x 1-3/16 (Use as requir ed)
87	650832		Screw, 1/4-20 x 1-11/16" (Use as requ ired)


	Part Number	Qty	Description
	32589		Key, Flywheel
	650815		Washer, Belleville
	8116		Nut, Hex
	610118		Cover, Spark plug
103	650516		Screw, 1/4-20 x 1-1/8"
108	29783		Pin, Crankshaft gear (Only serviceable when gear is
			pinned to crank.)
100	33245		Gear, Crankshaft
	610609		Ground Wire
	34923A		* Gasket, Cylinder head
	34030A		Head, Cylinder
	27878A		Exhaust Valve (Std.) (Incl. 151)
	27880A		Exhaust Valve (3/32" OS) (Incl. 151)
	34035		
	34036		Intake Valve (Std.) (Incl. 151)
			Intake Valve (1/32" OS) (Incl. 151) Washer (Do not use with No. 6021A scr ew.)
	650691		,
	650690 650737		Washer, Belleville (Use as required)
	650727 6021A		Screw, 5/16-18 x 1-3/4 (Use as required but do
130	0021A		Screw, 5/16-18 x 1-1/2" (Use as required, but do
			notuse No. 650691 washer.)
130	650711		Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use
			6021A but discard 650691 washer.)
130	650694A		Screw, 5/16-18 x 2" (Use as required)
	650713		Screw, 5/16-18 x 5/8"
	650737		Screw, 1/4-20 x 1/2" (Use as required)
	650738		Screw, 1/4-20 x 1/2 (Use as required)
	650890		Washer, Internal Lock
	33636		Resistor Spark Plug
	33369		Bracket, Governor gear
	650836		
	35862		Screw, 10-24 x 1/2"
	27881		Seal Assy., Intake valve Spring, Valve
	32581		Cap, Lower valve spring
	27896A		* Gasket, Breather
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Breather
	35350		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher, 1/4-28
	30088A		Screw, 1/4-28 x 1"
	34587		•
	33263		Bracket, Choke * Gasket, Carburetor
	33877		•
			Pipe, Intake
	34667		Link, Governor lever
	34677		Control Bracket (Incl.19, 203, 204, 2 06, 209)
	31342		Spring, Compression
	650549 610073		Screw, 5-40 x 7/16"
	610973		Terminal Assy.
	33878		Link, Governor lever-to-throttle
	650821		Screw, 10-32 x 1/2"
	32410		Knob, Speed control
	34586		Rod, Choke
220	35438		Knob, Control


Ref #	Part Number	Qtv	Description
222A			Pop Rivet (Can be purchased locally)
	28820		Screw, 10-32 x 1/2"
	650378		Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A		* Gasket, Intake pipe
			· ·
	34822A		Blower Housing
	650788		Screw, 5/16-18 x 3/4"
	29747B		Screw, 5/16-24 x 21/32"
	33272B		Cover, Cylinder head
	35056		Muffler
276	31588		Plate, Muffler locking
276	35741		Plate, Muffler locking
277	650729		Screw, 5/16-18 x 3-3/16" (Use as required)
277	651002		Screw, 5/16-18 x 4-1/4" (Use as required)
	33013		Cover, Starter bubble
	650760		Screw, 8-32 x 7/16"
	33662		Hub & Screen Assy.
	29752		Nut, 1/4-28
	29774		·
			Fuel Line (Braided 8-1/4")(21cm)(As required)
	30962		Fuel Line (Braided 32")(80cm)(As required)
	30705		Fuel Line (Braided 16")(40cm)(As requ ired)
	26460		Fuel Line Clamp (Use as required)
	32961		Valve, Fuel shut-off
298	650665		Screw, 1/4-15 x 7/8"
300	34156A		Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
			builtwith different size fuel inlet openings. Tanks with
			the 1-3/16" I.D. opening use fuel cap 34210. Tanks
			with the 1-1/2" I.D. opening use fuel cap 35355.
004.4	4404445		
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
			(Use as required) (1.5" I.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
00171	0-1210		(Use as required) (1.5" I.D.)
			(Ose as required) (1.5 1.D.)
301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
305	33893A		Oil Fill Tube
307	33590		"O" Ring
	34011A		Dipstick (Incl. 307)
	650765		Screw, 10-32 x 1/2"
	35057A		Cover, Carburetor (Incl. 329)
	28942		Screw, Sems 10-32 x 3/8"
			•
	31291		Plug, Cover
	34154		Plate, Upper fuel tank mtg.
	34155		Bracket, Lower fuel tank mtg.
	650561		Screw, 1/4-20 x 5/8"
	34141		Guard, Starter
	32576		Seal, Snow Guard
365	650767		Screw, 8-32 x 27/64"
370	35274		Decal, Instruction
	631021		Inlet Needle, Seat & Clip Assy.
	632110		Carburetor (Incl. 184 & 379) (Refer to Division 5,
550			Section A, page 168 for breakdown or Fiche18B,
			Grid E-9)
400	222700		
400	33279G		* Gasket Set (Incl. items marked *)


Ref #	Part Number	Qty	Description
420	730225		SAE 30 4-Cycle Engine Oil (Quart)
421	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824		Muffler Optional
















Nut & Lockwasher, 8-32 Screw, 8-32 x 3/8"	62 650760	Ref #	Part Number	Qty	Description
63 28545 129 650727 131A 650713 Screw, 5/16-18 x 1-3/4 (Use as required) Screw, 5/16-18 x 5/8" Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 5/8 (Use as required) Pop Rivet (Can be purchased locally) Gasket, Exhaust Muffler Screw, 1/4-20 x 1/2" (Use as required) Pop Rivet (Can be purchased locally) Gasket, Exhaust Muffler Screw, 5/16-18 x 3-3/16" (Use as required) Screw, 5/16-18 x 4-1/4" (Use as required) Screw, 5/16-18 x 4-1/4" (Use as required) Screw, 5/16-18 x 4-1/4" (Use as required) Fuel Line (Braided 8-1/4")(21cm)(As r equired) Fuel Line (Braided 8-1/4")(1-15 r equired) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) Fuel Cap (Red	63 28545 129 650727 Screw, 5/16-18 x 1-3/4 (Use as required) Screw, 5/16-18 x 5/8" Screw, 5/16-18 x 5/8" Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 5/8 (Use as required) Pop Rivet (Can be purchased locally) Gasket, Exhaust Miffler Screw, 5/16-18 x 3-3/16" (Use as required) Pop Rivet (Can be purchased locally) Gasket, Exhaust Miffler Screw, 5/16-18 x 3-3/16" (Use as required) Hub & Screen Assy. Fuel Line (Braided 3-1/4")(21cm)(As r equired) Fuel Line (Braided 3-1/4")(21cm)(As r equired) Fuel Line (Braided 3-1/4")(21cm)(As r equired) Fuel Line (Clamp (Use as required) Fuel Line (Clamp (Use as required) Fuel Line (Lamp (Use as required) Fuel Line (Lamp (Use as required) Fuel Line (Lamp (Use as required) Fuel Lamp (Use as required) Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) Fuel Cap (Red Plastic) (Spu	37A	30322		Nut & Lockwasher, 8-32
129 650727 Screw, 5/16-18 x 1-3/4 (Use as required)	129 650727 Screw, 5/16-18 x 1-3/4 (Use as required)	62	650760		Screw, 8-32 x 3/8"
131A 650713 Screw, 5/16-18 x 5/8" Screw, 1/4-20 x 1/2" (Use as required)	131A 650713 Screw, 5/16-18 x 5/8" Screw, 1/4-20 x 1/2" (Use as required) 131 650737 Screw, 1/4-20 x 1/2" (Use as required) 131 650738 Screw, 1/4-20 x 5/8 (Use as required) 13222A Pop Rivet (Can be purchased locally) 134 35865 Gasket, Exhaust 135 650729 Screw, 5/16-18 x 3-3/16" (Use as required) 137 651002 Screw, 5/16-18 x 3-3/16" (Use as required) 138 33662 Hub & Screen Assy. 139 30962 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 139 30962 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 139 30962 Fuel Line (Clamp (Use as required) 130 32961 Valve, Fuel shut-off 130 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 130 31 303 303	63	28545		Grommet, Plastic
131 650737 Screw, 1/4-20 x 1/2" (Use as required)	131 650737 Screw, 1/4-20 x 1/2" (Use as required)	129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131 650738 Screw, 1/4-20 x 5/8 (Üse as required)	131 650738 Screw, 1/4-20 x 5/8 (Use as required)	131A	650713		Screw, 5/16-18 x 5/8"
Pop Rivet (Can be purchased locally)	222A	131	650737		Screw, 1/4-20 x 1/2" (Use as required)
274 35865 Gasket, Exhaust Muffler	274 35865 Gasket, Exhaust Wuffler 275C 35056 Muffler 277 650729 Screw, 5/16-18 x 3-3/16" (Use as required) 277 651002 Screw, 5/16-18 x 4-1/4" (Use as required) 285A 33662 Hub & Screen Assy. Fuel Line (Braided 8-1/4")(21cm)(As r equired) 290 30962 Fuel Line (Braided 3-2")(80cm)(As required) 292 26460 Fuel Line (Damp (Use as required) 293 52961 Valve, Fuel shut-off 298 650665 Screw, 1/4-15 x 7/8" Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 34155 Fuel Cap (Red Plastic) (Incl. 329) Fuel Cap (Red Plastic) (1.5" I.D.) 301A 34155 Fuel Cap (Red Plastic) (Incl. 329)	131	650738		Screw, 1/4-20 x 5/8 (Use as required)
275C 35056 Muffler 277 650729 Screw, 5/16-18 x 3-3/16" (Use as required) 277 651002 Screw, 5/16-18 x 4-1/4" (Use as required) 285A 33662 Hub & Screen Assy. 290 29774 Fuel Line (Braided 8-11/4")(21cm)(As required) 290 30962 Fuel Line (Braided 32")(80cm)(As required) 295 32961 Valve, Fuel shut-off 298 650665 Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 303A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 <td> 275C 35056 Muffler Screw, 5/16-18 x 3-3/16" (Use as requ ired) 277 651702 Screw, 5/16-18 x 3-3/16" (Use as requ ired) 285A 33662 Hub & Screen Assy. Hub & Screen Assy. 290 29774 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 290 30962 Fuel Line (Braided 32")(80cm)(As requ ired) 292 26460 Fuel Line (Braided 32")(80cm)(As requ ired) 295 32961 Valve, Fuel shut-off Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. Screw, 1/4-20 x 5/8" Primer Assy. 2180</td> <td>222A</td> <td></td> <td></td> <td>Pop Rivet (Can be purchased locally)</td>	275C 35056 Muffler Screw, 5/16-18 x 3-3/16" (Use as requ ired) 277 651702 Screw, 5/16-18 x 3-3/16" (Use as requ ired) 285A 33662 Hub & Screen Assy. Hub & Screen Assy. 290 29774 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 290 30962 Fuel Line (Braided 32")(80cm)(As requ ired) 292 26460 Fuel Line (Braided 32")(80cm)(As requ ired) 295 32961 Valve, Fuel shut-off Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. Screw, 1/4-20 x 5/8" Primer Assy. 2180	222A			Pop Rivet (Can be purchased locally)
Screw, 5/16-18 x 3-3/16" (Use as required)	Screw, 5/16-18 x 3-3/16" (Use as requ ired)	274	35865		Gasket, Exhaust
Screw, 5/16-18 x 4-1/4" (Use as required)	Screw, 5/16-18 x 4-1/4" (Use as required)	275C	35056		Muffler
285A 33662 290 29774 290 30962 2972 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 290 30962 291 Euel Line (Braided 32")(80cm)(As required) 292 26460 293 32961 294 650665 295 32961 296 650665 300 34156A 297 Fuel Line (Lamp (Use as required) 298 650665 309 34156A 300 34156A 300 34156A 300 34156A 300 34156A 300 34156A 300 Fuel Cap (Red Plastic) (Standard) (Use as required) 298 650665 309 650665 300 34156A 300 Fuel Cap (White Plastic) (Spurt Resistant, Low Profile) 299 650665 300 34156A 301A 3032 301A 3032 301A 3032 301A 3032 301A 3032 301A 34210 301A 3535 3057A 301A 34210 301A 35355 3057A 301A 34210 301A 35355 3057A 301A 34155 301A 34156 301A	285A 33662 290 29774 290 30962 29774 290 30962 291 Eul Line (Braided 8-1/4")(21cm)(As r equired) 292 26460 293 32961 294 650665 295 32961 296 650665 307 34156A 307 34156A 308 410144B 309 510 510 510 510 510 510 510 510 510 510	277	650729		Screw, 5/16-18 x 3-3/16" (Use as requ ired)
290 29774 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 290 30962 Fuel Line (Braided 32")(80cm)(As requ ired) 292 26460 Fuel Line Clamp (Use as required) 295 32961 Valve, Fuel shut-off 298 650665 Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic) (Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer <t< td=""><td>290 29774 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 290 30962 Fuel Line (Braided 32")(80cm)(As requ ired) 292 26460 Fuel Line Clamp (Use as required) 295 32961 Valve, Fuel shut-off 298 650665 Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323</td><td>277</td><td>651002</td><td></td><td>Screw, 5/16-18 x 4-1/4" (Use as requi red)</td></t<>	290 29774 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 290 30962 Fuel Line (Braided 32")(80cm)(As requ ired) 292 26460 Fuel Line Clamp (Use as required) 295 32961 Valve, Fuel shut-off 298 650665 Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323	277	651002		Screw, 5/16-18 x 4-1/4" (Use as requi red)
290 30962 Fuel Line (Braided 32")(80cm)(As required) 292 26460 Fuel Line Clamp (Use as required) 293 32961 Valve, Fuel shut-off 298 650665 Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 34155 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 33291 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 34155 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 33291 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 34155 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 34155 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 34156 Fuel Cap (Red Plastic) (1.5" I.D.) 301A 34156	290 30962 Fuel Line (Braided 32")(80cm)(As requ ired) 292 26460 Fuel Line Clamp (Use as required) Valve, Fuel shut-off Screw, 1/4-15 x 7/8" 309 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 33032 Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) Cover, Carburetor (Incl. 329) Cover,	285A	33662		Hub & Screen Assy.
292 26460 Fuel Line Clamp (Use as required) 295 32961 Valve, Fuel shut-off 298 650665 Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic) (Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	292 26460 Fuel Line Clamp (Use as required) Valve, Fuel shut-off	290	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
Valve, Fuel shut-off Screw, 1/4-15 x 7/8" Surew, 1/4-15 x 7/8" Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.	295 32961 Valve, Fuel shut-off Screw, 1/4-15 x 7/8" Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.	290	30962		Fuel Line (Braided 32")(80cm)(As required)
Screw, 1/4-15 x 7/8" Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.	Screw, 1/4-15 x 7/8" Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-4/2" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.	292	26460		Fuel Line Clamp (Use as required)
Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic) (Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" Primer Assy. 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	Substitution	295	32961		Valve, Fuel shut-off
builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) Cover, Carburetor (Incl. 329) Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic) (Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 3037 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as required) 419 650578 Screw, 8-18 x 3/8" (use as required) SAE 5W30 4-Cycle Engine Oil (Quart)	298	650665		Screw, 1/4-15 x 7/8"
the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 337 35057A Source, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as required)	the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic) (Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.5" I.D.) 301A 36421 Streen (Red Plastic) (1.5" I.D.) 301A 36421 Streen (Incl. 329) 301A 36421 Streen (Incl. 329) 301A 36421 Streen (Mini-Bike application) 41A 33323 Opt.Muffler Screen (Mini-Bike application) 41A 333700 Kit, Exhaust adapter (Incl. 274 & 277) 41B 33700 Cover & Tube, Muffler (use as required) Streen & Tube, Muffler (use as required)	300	34156A		Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	with the 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as required) 419 650578 Screw, 8-18 x 3/8" (use as required) 5AE 5W30 4-Cycle Engine Oil (Quart)				
301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	301A 410144B Fuel Cap (White Plastic) (Standard) (Use as required) (1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) 303A 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)				
(1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike application) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	(1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as required) 419 650578 Screw, 8-18 x 3/8" (use as required) SAE 5W30 4-Cycle Engine Oil (Quart)				with the 1-1/2" I.D. opening use fuel cap 35355.
(1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike application) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	(1.5" I.D.) 301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 750682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required)
(Use as required) (1.5" l.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" l.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" l.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) Cover & Tube, Muffler (use as require d)	(Use as required) (1.5" İ.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" İ.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as required) 419 650578 Screw, 8-18 x 3/8" (use as required) SAE 5W30 4-Cycle Engine Oil (Quart)				
(Use as required) (1.5" l.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" l.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" l.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) Cover & Tube, Muffler (use as require d)	(Use as required) (1.5" i.D.) 301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" i.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" i.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as required) 419 650578 Screw, 8-18 x 3/8" (use as required) SAE 5W30 4-Cycle Engine Oil (Quart)	201Λ	33033		Fuel Can (Pad Plactic) (Spurt Posistant Law Profile)
301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) Cover, Carburetor (Incl. 329) Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" Primer Assy. 351 32180C Line, Primer 414 33323 Copt. Muffler Screen (Mini-Bike applica tion) Kit, Exhaust adapter (Incl. 274 & 277) Cover & Tube, Muffler (use as require d)	301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic) (1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) SAE 5W30 4-Cycle Engine Oil (Quart)	301A	33032		, , , , , , , , , , , , , , , , , , , ,
(Use as required) (1.5" I.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) Cover, Carburetor (Incl. 329) Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. Screw, 1/4-20 x 5/8" Primer Assy. 351 32180C 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) Cover & Tube, Muffler (use as require d)	(Use as required) (1.5" i.D.) 301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.) 337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as required) 419 650578 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)				
301A 35355	301A 35355	301A	34210		
337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)				(Use as required) (1.5" I.D.)
337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	337 35057A Cover, Carburetor (Incl. 329) 338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	338A 31291 Plug, Cover 341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)				• • • • • • • • • • • • • • • • • • • •
341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	341 34155 Bracket, Lower fuel tank mtg. 342 650561 Screw, 1/4-20 x 5/8" 350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	338A	31291		
350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	350 570682 Primer Assy. 351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	341	34155		
351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	351 32180C Line, Primer 414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	342	650561		Screw, 1/4-20 x 5/8"
414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	414 33323 Opt.Muffler Screen (Mini-Bike applica tion) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	350	570682		Primer Assy.
415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	415 730130 Kit, Exhaust adapter (Incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	351	32180C		Line, Primer
418 33700 Cover & Tube, Muffler (use as require d)	418 33700 Cover & Tube, Muffler (use as require d) 419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	414	33323		Opt.Muffler Screen (Mini-Bike applica tion)
• • • • • • • • • • • • • • • • • • • •	419 650578 Screw, 8-18 x 3/8" (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	415	730130		Kit, Exhaust adapter (Incl. 274 & 277)
419 650578 Screw, 8-18 x 3/8" (use as required)	421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)				Cover & Tube, Muffler (use as require d)
		419	650578		Screw, 8-18 x 3/8" (use as required)
	422 35824 Muffler Optional	421	730226		
422 35824 Muffler Optional	· ·	422	35824		Muffler Optional



Ref #	Part Number	Qty	Description
	30322		Nut & Lockwasher, 8-32
129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131A	650713		Screw, 5/16-18 x 5/8"
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
183	34587		Bracket, Choke
200B	730152		Control Bracket (Incl.1158-1171)(As r eq.)
203	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	28820		Screw, 10-32 x 1/2"
222A			Pop Rivet (Can be purchased locally)
227	730127		Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250)
			(Use as required)
275C	35056		Muffler
285A	33662		Hub & Screen Assy.
290	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962		Fuel Line (Braided 32")(80cm)(As required)
291	30705		Fuel Line (Braided 16")(40cm)(As required)
293	33715		Impulse Fuel Pump NOTE: 34385 and 33715
			(WIP)pumps are replaced by 35813 and 35800
			(WIP) pumps. The 33010 (3000 series) repair kit is
			still available. The 35791 repair kit is used with the
			35813 and 35800 fuel pumps.
294	35791		Fuel Pump Repair Kit NOTE: 34385 and 33715
			(WIP)pumps are replaced by 35813 and 35800
			(WIP) pumps. The 33010 (3000 series) repair kit is
			still available. The 35791 repair kit is used with the
			35813 and 35800 fuel pumps.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required)
			(1.5" I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
			(Use as required) (1.5" l.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
00171	0.12.10		(Use as required) (1.5" I.D.)
004 4	25255		
	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	32958		Fitting, Fuel
	650765 35057A		Screw, 10-32 x 1/2" Cover, Carburetor (Incl. 329)
	31291		Plug, Cover
	33377		Bracket, Carburetor cover mtg.
	650767		Screw, 8-32 x 27/64"
	35274		Decal, Instruction
	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
	35824		Muffler Optional
	30312		Screw, 10-32 x 1/2"
	28820		Screw, 10-32 x 1/2"
	27070		Lockwasher
1185	33816		Hub & Screen Assy.



Ref #	Part Number	Qty	Description
	34922A		Cylinder (Cl liner)(3-5/16")(Incl.2,2 0 & 72)
2	27652		Pin, Dowel
	650820		Screw, 1/4-20 x 1/2"
	30322		Nut & Lockwasher, 8-32
	27642		Plug, Oil drain
	610118		Cover, Spark plug
	650516		Screw, 1/4-20 x 1-1/8"
	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
	650713		Screw, 5/16-18 x 5/8"
	650737		Screw, 1/4-20 x 1/2" (Use as required)
	650738		Screw, 1/4-20 x 5/8 (Use as required)
	27896A		* Gasket, Breather
170	28423		Body, Breather
171	28424		Element, Breather
172	28425		Cover, Breather
173	35350		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher, 1/4-28
	33878		Link, Governor lever-to-throttle
222A	00070		Pop Rivet (Can be purchased locally)
	391026		Muffler (Incl. 284, 284A & 416) (This spark arrester
2130	391020		, , , , , , , , , , , , , , , , , , , ,
			mufflercan be used on any model.)
275C	35056		Muffler
	31588		Plate, Muffler locking
	35741		Plate, Muffler locking
	650729		Screw, 5/16-18 x 3-3/16" (Use as required)
	651002		Screw, 5/16-18 x 4-1/4" (Use as required)
	33662		Hub & Screen Assy.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required)
			(1.5" I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
			(Use as required) (1.5" l.D.)
004.4	0.404.0		
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
			(Use as required) (1.5" I.D.)
301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	33876		Gasket, Stator (Used only on Std. poi nt ign.)
	35057A		Cover, Carburetor (Incl. 329)
	31291		
			Plug, Cover
3/5	610982		Magneto (w/ring gear) (12 Volt, 3 Amp) NOTE:
			The complete magneto is not available as an
			assembly. Themagneto number is shown for
			reference purpose only. Order component parts
			individually, as shown in parts list. (Refer to Division
			5, Section B, page 36 for breakdown or Fiche 18B,
			Grid F-3
277	30547A		Brooker Points (Lise with Std. noint i an)
			Breaker Points (Use with Std. point i gn.)
	610767A		Condenser
380	632110		Carburetor (Incl. 184 & 379) (Refer to Division 5,
			Section A, page 168 for breakdown or Fiche18B,
			Grid E-9)
421	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
	35824		Muffler Optional
422	JJU24		munici Optional