



Ref #	Part Number	Qty	Description
1	34096C	-	Cylinder (CI liner)(3-5/16")(Incl.2,20,41,43,72 & 119)
2	27652		Pin, Dowel
	30968		Nipple, Oil drain
	30969		Cap, Oil drain
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
			•
	30699C		Rod Assy., Governor (Incl. 15A & 15B)
	33454		Governor Lever Assy.
	29916		Clamp, Governor lever
	650548		Screw, 8-32 x 5/16"
	32630		Seal, Oil
25	29536		Blower Housing Baffle (Without electric starter
			knockout) (Use as required)
0.5	050504		, ,
25	35256A		Blower Housing Baffle (With electric starter
			knockout) (Use as required)
26	650561		Screw, 1/4-20 x 5/8"
	33719B		Crankshaft (Incl. 108 & 109)
	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, #8 E.T.
	30322		Nut & Lockwasher, 8-32
	29216		Locknut, 10-32
38	29642		Ring, Retaining
40	34543		Piston, Pin & Ring Set (Std.) (3-3/16 ")
40	34544		Piston, Pin & Ring Set (.010" OS)
40	34545		Piston, Pin & Ring Set (.020" OS)
	34031B		Piston & Pin Ass'y. (Std.)(3-3/16")(I ncl.43)
	34032B		Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	34033B		Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	34037		
			Ring Set (Std.) (3-3/16" Bore)
	34038		Ring Set (.010" OS)
	34039		Ring Set (.020" OS)
	27888		Ring, Piston Pin retaining
	32591C		Rod Assy., Connecting (Incl. 46, 47 & 49)
46	650662C		Bolt, Connecting rod (2 pieces)
47	650662C		Bolt, Connecting rod (2 pieces)
48	34034		Lifter, Valve
49	34242		Dipper, Oil
50	34143		Camshaft (MCR)
	33273A		Extension, Blower housing
	34126		Bracket, Grommet mounting
	650760		Screw, 8-32 x 3/8"
	28545		Grommet, Plastic
	650128		Screw, 10-24 x 1/2"
	35262		* Gasket, Flange
	33367B		Cover, Cylinder (Incl. 71, 75 & 80)
	33368		Bushing, Crankshaft
	27642		Plug, Oil drain
75	31950		Seal, Oil
80	31845		Shaft, Mechanical governor
81	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 81)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650833		Screw, 1/4-20 x 1-3/16 (Use as requir ed)
			2010 M, 1/7 20 X 1 0/10 (000 do requir ed)


D ("	D (N)	<u> </u>	
		Qty	Description
	650832		Screw, 1/4-20 x 1-11/16" (Use as required)
	32589		Key, Flywheel
	650815		Washer, Belleville
	8116		Nut, Hex
	610118		Cover, Spark plug
	650516		Screw, 1/4-20 x 1-1/8"
108	29783		Pin, Crankshaft gear (Only serviceable when gear is
			pinned to crank.)
109	33245		Gear, Crankshaft
	34240		Ground Wire
	34923A		* Gasket, Cylinder head
	34030A		Head, Cylinder
	27878A		Exhaust Valve (Std.) (Incl. 151)
	27880A		Exhaust Valve (1/32" OS) (Incl. 151)
	34035		Intake Valve (Std.) (Incl. 151)
	34036		Intake Valve (1/32" OS) (Incl. 151)
	650691		Washer (Do not use with No. 6021A scr ew.)
	650690		Washer, Belleville (Use as required)
	650727		Screw, 5/16-18 x 1-3/4 (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required, but do
100	002171		notuse No. 650691 washer.)
			,
130	650711		Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use
			6021A but discard 650691 washer.)
130	650694A		Screw, 5/16-18 x 2" (Use as required)
	650713		Screw, 5/16-18 x 5/8"
	650737		Screw, 1/4-20 x 1/2" (Use as required)
	650738		Screw, 1/4-20 x 1/2 (Use as required)
	650890		Washer, Internal Lock
	33636		,
	33369		Resistor Spark Plug
	650836		Bracket, Governor gear Screw, 10-24 x 1/2"
	35862		
	27881		Seal Assy., Intake valve Spring, Valve
	32581		Cap, Lower valve spring
	27896A		* Gasket, Breather
	28423		
	28424		Body, Breather Element, Breather
	28425		Cover, Breather
	35350		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher, 1/4-28
	30088A		Screw, 1/4-28 x 1"
	34587		Bracket, Choke
	33263		* Gasket, Carburetor
	33877		Pipe, Intake
	34667		•
	3466 <i>1</i> 34664		Link, Governor lever
	31342		Control Bracket (Incl.19,203, 204, 20 6 & 209)
	650549		Spring, Compression
	610973		Screw, 5-40 x 7/16"
			Terminal Assy.
	33878		Link, Governor lever-to-throttle
	650821 27702		Screw, 10-32 x 1/2"
	27793		Clip, Conduit
211	28942		Screw, 10-32 x 3/8"


Ref #	Part Number	Qty	Description
219	34586		Rod, Choke
220	35438		Knob, Control
222	28820		Screw, 10-32 x 1/2"
222A			Pop Rivet (Can be purchased locally)
223	650378		Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A		* Gasket, Intake pipe
	34822A		Blower Housing
	650788		Screw, 5/16-18 x 3/4"
	29747B		Screw, 5/16-24 x 21/32"
	33272B		Cover, Cylinder head
	33280A		Muffler
	31588		Plate, Muffler locking
	35741		Plate, Muffler locking
	650729		
	651002		Screw, 5/16-18 x 3-3/16" (Use as required)
			Screw, 5/16-18 x 4-1/4" (Use as required)
	33662		Hub & Screen Assy.
	29752		Nut, 1/4-28
	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962		Fuel Line (Braided 32")(80cm)(As required)
	30705		Fuel Line (Braided 16")(40cm)(As requ ired)
	26460		Fuel Line Clamp (Use as required)
	650665		Screw, 1/4-15 x 7/8"
300	34156A		Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
			builtwith different size fuel inlet openings. Tanks with
			the 1-3/16" I.D. opening use fuel cap 34210. Tanks
			with the 1-1/2" I.D. opening use fuel cap 35355.
2017	410144B		Fuel Can (White Plastic)(Standard) (Use as required)
301A	410144D		Fuel Cap (White Plastic)(Standard) (Use as required)
			(1.5" I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
			(Use as required) (1.5" l.D.)
204 4	24240		First Con (Dad Disatio) (Court Desistant High Drafile)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
			(Use as required) (1.5" I.D.)
301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	33893A		Oil Fill Tube
	33590		"O" Ring
	34011A		Dipstick (Incl. 307)
	650765		Screw, 10-32 x 1/2"
	34666		
			Cover, Carburetor
	28942		Screw, Sems 10-32 x 3/8"
	31291		Plug, Cover
	34154		Plate, Upper fuel tank mtg.
	34155		Bracket, Lower fuel tank mtg.
	650561		Screw, 1/4-20 x 5/8"
	34141		Guard, Starter
	32576		Seal, Snow Guard
	30063		Screw, Torx T-30, 1/4-20 x 1/2"
	650767		Screw, 8-32 x 27/64"
370D	34417		Decal, Primer
370	34416		Decal, Instruction
	35274		Decal, Instruction
	34686		Decal, Name
	34589		Decal, Choke
	631021		Inlet Needle, Seat & Clip Assy.
010	33.021		


Ref #	Part Number	Qty	Description
380	632110		Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A, page 168 for breakdown or Fiche18B, Grid E-9)
395	35763A		Electric Starter Motor (12 Volt) (Refer to service number stamped on end cap of motor, or on decal, for identification. Refer to Division 5, Section D for breakdown or Fiche 18B, Grid G-6)
420 421	33279G 730225 730226 35824		* Gasket Set (Incl. items marked *) SAE 30 4-Cycle Engine Oil (Quart) SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional
















Ref #	Part Number	Qty	Description
37A	30322		Nut & Lockwasher, 8-32
62	650760		Screw, 8-32 x 3/8"
63	28545		Grommet, Plastic
129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
131A	650713		Screw, 5/16-18 x 5/8"
222A			Pop Rivet (Can be purchased locally)
274	35865		Gasket, Exhaust
275	33280A		Muffler
277	650729		Screw, 5/16-18 x 3-3/16" (Use as requ ired)
277	651002		Screw, 5/16-18 x 4-1/4" (Use as requi red)
285A	33662		Hub & Screen Assy.
	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962		Fuel Line (Braided 32")(80cm)(As requ ired)
	26460		Fuel Line Clamp (Use as required)
	650665		Screw, 1/4-15 x 7/8"
300	34156A		Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
			builtwith different size fuel inlet openings. Tanks with
			the 1-3/16" I.D. opening use fuel cap 34210. Tanks
			with the 1-1/2" I.D. opening use fuel cap 35355.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required)
			(1.5" I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
			(Use as required) (1.5" l.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
00171	0.12.10		(Use as required) (1.5" I.D.)
	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	34666		Cover, Carburetor
	31291		Plug, Cover
	34155		Bracket, Lower fuel tank mtg.
	650561		Screw, 1/4-20 x 5/8"
	570682		Primer Assy.
	32180C		Line, Primer
	34417		Decal, Primer
	33323		Opt.Muffler Screen (Mini-Bike application)
	730130		Kit, Exhaust adapter (Incl. 274 & 277)
	33700		Cover & Tube, Muffler (use as required)
	650578		Screw, 8-18 x 3/8" (use as required)
	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824		Muffler Optional



Ref #	Part Number	Qty	Description
129 131A 131 131 183 200B 203 204 210 211 222 222A	30322 650727 650713 650737 650738 34587 730152 31342 650549 27793 28942 28820		Nut & Lockwasher, 8-32 Screw, 5/16-18 x 1-3/4 (Use as requir ed) Screw, 5/16-18 x 5/8" Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 5/8 (Use as required) Bracket, Choke Control Bracket (Incl.1158-1171)(As r eq.) Spring, Compression Screw, 5-40 x 7/16" Clip, Conduit Screw, 10-32 x 3/8" Screw, 10-32 x 1/2" Pop Rivet (Can be purchased locally) Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as required)
290 290 291	33662 29774 30962 30705 33715		Hub & Screen Assy. Fuel Line (Braided 8-1/4")(21cm)(As r equired) Fuel Line (Braided 32")(80cm)(As required) Fuel Line (Braided 16")(40cm)(As required) Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps are replaced by 35813 and 35800 (WIP) pumps. The 33010 (3000 series) repair kit is still available. The 35791 repair kit is used with the 35813 and 35800 fuel pumps.
294	35791		Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps are replaced by 35813 and 35800 (WIP) pumps. The 33010 (3000 series) repair kit is still available. The 35791 repair kit is used with the 35813 and 35800 fuel pumps.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)
303 336 337 338A 364 365 370 370C 370C 370D 370E 421 422 1159 1160	35355 32958 650765 34666 31291 33377 650767 34416 35274 34589 34417 34414 730226 35824 30312 28820 27070		Fuel Cap (Red Plastic)(1.75" I.D.) Fitting, Fuel Screw, 10-32 x 1/2" Cover, Carburetor Plug, Cover Bracket, Carburetor cover mtg. Screw, 8-32 x 27/64" Decal, Instruction Decal, Instruction Decal, Choke Decal, Primer Decal, Warning SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional Screw, 10-32 x 1/2" Screw, 10-32 x 1/2" Lockwasher

Ref # Part Number	Qty Description	
1185 33816	Hub & Screen Assy.	



421 730226

Dof #	Do at Nivershou	Ot /	Description
	Part Number	Qty	Description Oddinder (Chines) (2.5/45") (hel 2.20.44.42.72.8.440)
	34096C		Cylinder (CI liner)(3-5/16")(Incl.2,20,41,43,72 & 119)
	27652		Pin, Dowel
	30322		Nut & Lockwasher, 8-32
	27642		Plug, Oil drain
	610118		Cover, Spark plug
103	650516		Screw, 1/4-20 x 1-1/8"
129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
131A	650713		Screw, 5/16-18 x 5/8"
169	27896A		* Gasket, Breather
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Breather
	35350		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher, 1/4-28
	33878		Link, Governor lever-to-throttle
222A	000004		Pop Rivet (Can be purchased locally)
	33280A		Muffler
2/5B	391026		Muffler (Incl. 284, 284A & 416) (This spark arrester
			mufflercan be used on any model.)
276	31588		Plate, Muffler locking
	35741		Plate, Muffler locking
	650729		Screw, 5/16-18 x 3-3/16" (Use as required)
	651002		Screw, 5/16-18 x 4-1/4" (Use as required)
	33662		Hub & Screen Assy.
	410144B		Fuel Cap (White Plastic)(Standard) (Use as required)
301A	4101446		(1.5" I.D.)
			(1.5 1.0.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)
			(Use as required) (1.5" I.D.)
301Δ	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
3017	34210		(Use as required) (1.5" I.D.)
			(Use as required) (1.5 1.D.)
301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
313A	33876		Gasket, Stator (Used only on Std. poi nt ign.)
337	34666		Cover, Carburetor
338A	31291		Plug, Cover
361	30063		Screw, Torx T-30, 1/4-20 x 1/2"
	34417		Decal, Primer
	610982		Magneto (w/ring gear) (12 Volt, 3 Amp) NOTE:
0.0	010002		The complete magneto is not available as an
			assembly. Themagneto number is shown for
			reference purpose only. Order component parts
			individually, as shown in parts list. (Refer to Division
			5, Section B, page 36 for breakdown or Fiche 18B,
			Grid F-3
377	30547A		Breaker Points (Use with Std. point i gn.)
	610767A		Condenser
	632110		Carburetor (Incl. 184 & 379) (Refer to Division 5,
	-		Section A, page 168 for breakdown or Fiche18B,
			Grid E-9)
			J = 0/

SAE 5W30 4-Cycle Engine Oil (Quart)

Ref # Part Number	Qty Description	
422 35824	Muffler Optional	