

SPECIAL TIRES FOR SPECIAL PURPOSES




CARLISLE
TIRE & WHEEL PRODUCT CATALOG



CARLISLE
Tire & Wheel Company

TIRE & WHEEL CATALOG



2-9		TURF HANDLERS	
10-11		GRIPPING PERFORMERS	
12-13		SMOOTH OPERATORS	
14-15		GOLF GLIDERS	
16-19		BIG BITERS	
20-29		ATV	

TIRE & WHEEL CATALOG



TRAILER		30-34
INDUSTRIAL		35-39
AGRICULTURAL		40-41
WHEELS		42-43
TUBES, FLAPS & VALVES		44-47
INDEX / WARRANTY		48-49

1-800-827-1001 • www.CarlisleTire.com • Aiken, South Carolina



QUALITY COMMERCIAL, RECREATIONAL & UTILITY TIRES:

At Carlisle, we make special tires for special purposes. From all-terrain vehicles to farm equipment, highway trailers to golf cars, riding mowers to forklifts, our tires and wheels, backed by American technology and quality control, offer superior performance.



Consumer, Commercial Turf Equipment, Golf Cars, & Utility Vehicles

TURF SAVER®



All Turf Handlers are Non-Highway Service Tires



TURF HANDLER SERIES:

Turf Saver, Multi-Trac, Turf Master, Super Turf, Ultra Trac, Turf Chief, Turf CTR, Turf Trac R/S, Super Trac II, Turf Saver II, Turf Mate, Turf Pro

We understand that the wear on your turf is as important as the wear on your tire. These broad-shouldered designs provide excellent traction on turf and grass with minimal lawn wear.

TURF SAVER ® *Extra-wide, extra-care for the most sensitive turf*
33
TURF HANDLERS

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
9 x 3.50 - 4	5110091	2	8.9	3.5	2.50	165	30	2.2
4.10 - 4	5110251	2	10.8	3.8	2.50	230	24	2.7
11 x 4.00 - 4	5110271	2	11.2	4.2	2.50	215	22	3.0
11 x 4.00 - 5	5110101	2	10.8	4.0	3.00	210	22	2.8
13 x 5.00 - 6	5110201	2	12.9	4.7	3.50	295	20	4.2
13 x 5.00 - 6	5110211	4	12.9	4.8	3.50	440	40	3.4
13 x 6.50 - 6	5111851	2	13.2	6.5	4.50	305	14	4.2
13 x 6.50 - 6	5111861	4	13.4	6.3	4.50	460	28	5.9
15 x 6.00 - 6	5110301	2	14.5	6.2	4.50	365	14	5.6
15 x 6.00 - 6**	5114301	2	14.2	6.1	4.50	365	14	5.9
4.80/4.00 - 8	511250	2	16.3	5.0	3.75	435	20	4.9
16 x 6.50 - 8	5110951	2	16.1	6.5	5.38	380	12	6.3
16 x 6.50 - 8	5110961	4	16.3	6.4	5.38	620	28	5.7
16 x 7.50 - 8	5112001	2	16.5	7.1	5.38	475	12	7.6
18 x 6.50 - 8	5110981	2	17.2	6.5	5.38	515	14	7.6
18 x 6.50 - 8	511099	4	17.6	6.7	5.38	770	28	6.6
18 x 7.50 - 8	511097	2	17.9	7.5	5.38	530	12	8.9
18 x 7.50 - 8	511102	4	18.0	7.5	5.38	835	26	8.7
18 x 8.50 - 8	511070	2	17.8	8.3	7.00	515	10	9.0
18 x 8.50 - 8	511071	4	18.0	8.2	7.00	815	22	10.3
18 x 9.50 - 8	511084	2	17.7	9.5	7.00	695	12	9.8
18 x 9.50 - 8	511081	4	18.1	9.6	7.00	1040	24	10.7
18 x 9.50 - 8	511082	6	18.5	9.5	7.00	1320	36	11.7
20 x 8.00 - 8	511080	2	19.1	9.1	7.00	600	10	9.6
20 x 8.00 - 8**	511480	2	18.9	8.9	7.00	600	10	9.9
20 x 10.00 - 8	511101	2	19.6	10.1	7.00	750	10	13.0
20 x 8.00 - 10	511110	2	19.8	8.1	6.00	595	12	10.9
20 x 8.00 - 10	511111	4	20.0	7.9	6.00	895	24	11.7
20 x 10.00 - 10	511115	2	20.3	8.9	6.00	815	12	11.6
20 x 10.00 - 10	511116	4	20.8	8.8	6.00	1225	24	12.7
6 - 12*	501040	2	22.2	5.7	4.00	695	14	11.6
22 x 7.50 - 12	511050	2	21.8	8.1	7.00	880	12	11.4
22 x 9.50 - 12	511051	2	21.3	8.9	7.00	1410	14	13.0
23 x 8.50 - 12	511090	2	23.1	8.5	7.00	705	10	12.9
23 x 9.50 - 12	511100	2	23.2	9.5	7.00	920	12	14.2
23 x 10.50 - 12	511120	2	22.6	10.5	8.50	890	10	15.2
23 x 10.50 - 12	511121	4	22.8	10.3	8.50	1340	20	16.5
24 x 12.00 - 12	511075	2	23.0	11.6	8.50	1135	10	18.7
27 x 9.50 - 15	511150	2	27.3	9.4	7.00	855	15	22.2

*Tube Type Construction **Round Shoulder - R/L

Consumer, Commercial Turf Equipment, Golf Cars, & Utility Vehicles

MULTI-TRAC

TURF MASTER®

SUPER TURF



MULTI-TRAC

TURF HANDLERS

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
15 x 6.00 - 6	574345	2	14.4	6.2	4.50	365	14	5.2
15 x 6.00 - 6	574319	4	14.4	6.2	4.50	570	30	5.4
16 x 6.50 - 8	574326	2	15.8	6.4	5.38	415	14	6.1
16 x 6.50 - 8	574304	4	15.8	6.4	5.38	620	28	6.6
16 x 7.50 - 8	574321	2	16.4	7.1	5.38	475	12	8.3
16 x 7.50 - 8	574349	4	16.4	7.1	5.38	710	24	7.8
18 x 7.00 - 8	574351	4	17.9	6.9	5.38	785	26	8.7
18 x 8.50 - 8	574330	2	17.7	8.3	7.00	515	10	9.1
18 x 8.50 - 8	574331	4	17.7	8.3	7.00	815	22	9.6
18 x 8.50 - 8	574365	8	17.7	8.3	7.00	1220	44	13.2
18 x 9.50 - 8	574346	2	18.2	9.0	7.00	695	12	10.1
18 x 9.50 - 8	574332	4	18.2	9.0	7.00	1040	24	10.9
18 x 9.50 - 8	574399	6	18.2	9.0	7.00	1320	36	11.9
20 x 8.00 - 8	574359	2	19.4	8.8	6.50	625	12	11.0
20 x 10.00 - 8	574384	2	19.6	10.0	8.00	750	10	11.6
20 x 10.00 - 8	574341	4	19.6	10.0	8.00	1190	22	13.0
18 x 8.00 - 10	574311	4	17.9	7.8	7.00	830	22	10.0
18 x 8.50 - 10	5743U1	4	18.1	8.3	7.00	795	22	9.8
18 x 10.50 - 10	5743E5	4	17.8	10.1	8.00	990	20	12.2
20 x 8.00 - 10	574318	4	20.1	8.1	6.50	895	24	11.4
20 x 10.00 - 10	574325	2	19.6	9.6	8.00	735	10	13.3
20 x 10.00 - 10	574362	4	19.6	9.6	8.00	1160	22	13.2
20 x 10.00 - 10	5743C2	6	19.6	9.6	8.00	1450	32	17.2
23 x 8.50 - 12	574301	4	22.6	8.3	7.00	1115	22	14.6
23 x 8.50 - 12	574372	6	22.6	8.3	7.00	1440	34	18.4
23 x 9.50 - 12	574329	4	22.7	9.3	7.00	1380	24	15.5
23 x 10.50 - 12	574309	2	22.6	10.4	8.50	890	10	16.2
23 x 10.50 - 12	574367	4	22.6	10.4	8.50	1340	20	17.0
23 x 10.50 - 12	574353	6	22.6	10.4	8.50	1760	32	21.7

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
24 x 12.00 - 12	574352	4	23.6	11.5	8.50	1700	20	21.0
26 x 12.00 - 12	574357	2	25.2	12.2	8.50	1185	10	23.9
26 x 12.00 - 12	574361	4	25.2	12.2	8.50	1780	20	26.1
26 x 12.00 - 12	574377	6	25.2	12.2	8.50	2250	30	29.2
24 x 8.50 - 14	574324	4	24.0	8.5	7.00	1230	22	17.9
25 x 8.50 - 14	574339	4	25.0	8.5	7.00	1320	22	20.1
25 x 8.50 - 14	574371	6	25.0	8.5	7.00	1640	32	23.5
27 x 8.50 - 15	574348	4	26.6	8.5	7.00	1230	30	25.3
27 x 8.50 - 15	574356	6	26.6	8.6	7.00	1570	45	25.6
27 x 10.50 - 15	5743H6	4	26.9	10.2	8.50	1320	30	29.0
27 x 10.50 - 15	5743E0	10	26.9	10.2	8.50	2200	75	41.0

TURF MASTER[®]

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
13 x 6.50 - 6	511249	4	13.1	6.3	4.50	460	28	5.4
15 x 6.00 - 6	511251	2	14.2	6.1	4.50	365	14	4.7
15 x 6.00 - 6	511252	4	14.4	6.2	4.50	570	30	4.7
16 x 6.50 - 8	511495	2	16.2	6.4	5.38	415	14	6.9
16 x 6.50 - 8	511401	4	16.3	6.4	5.38	620	28	7.0
16 x 7.50 - 8	511496	2	16.5	7.0	5.38	475	12	7.1
16 x 7.50 - 8	511402	4	16.4	7.1	5.38	680	24	8.4
18 x 6.50 - 8	511417	4	17.5	6.4	5.38	770	28	7.2
18 x 8.50 - 8	511404	4	18.0	8.2	7.00	815	22	10.6
18 x 9.50 - 8	511412	2	17.9	9.2	7.00	695	12	9.9
18 x 9.50 - 8	511413	4	18.1	9.2	7.00	1040	24	10.7
20 x 10.00 - 8	511497	2	19.7	10.2	7.00	750	10	13.2
20 x 10.00 - 8	511405	4	19.6	10.4	7.00	1190	22	14.1
20 x 10.00 - 10	511416	4	20.0	8.8	6.00	1160	22	13.6
23 x 8.50 - 12	511419	4	22.9	8.4	7.00	1120	22	15.9
23 x 9.50 - 12	511410	2	23.0	9.7	7.00	920	12	16.6
23 x 9.50 - 12	511406	4	23.6	9.8	7.00	1380	24	19.3
23 x 10.50 - 12	511407	2	22.3	10.0	8.50	890	10	15.5
23 x 10.50 - 12	511408	4	22.8	10.0	8.50	1340	20	16.8
24 x 12.00 - 12	511498	2	22.5	11.6	8.50	1135	10	17.7
24 x 12.00 - 12	511409	4	23.3	11.4	8.50	1700	20	19.7

SUPER TURF

15 x 6.00 - 6	568345	2	14.4	6.3	4.50	365	14	4.6
16 x 6.50 - 8	568326	2	15.8	6.2	5.38	415	14	5.2
16 x 7.50 - 8	568321	2	16.2	7.4	5.38	475	12	6.3
20 x 10.00 - 8	568384	2	20.4	9.3	8.00	750	10	10.3
23 x 9.50 - 12	568328	2	22.5	9.1	7.00	920	12	11.7
23 x 10.50 - 12	568309	2	23.0	9.5	8.50	890	10	12.3
24 x 12.00 - 12	568376	2	23.4	11.8	8.50	1135	10	15.5
24 x 12.00 - 12	568352	4	23.0	11.8	8.50	1700	20	17.6

Consumer, Commercial Turf Equipment, Golf Cars, & Utility Vehicles

ULTRA TRAC

TURF CHIEF®



All Turf Handlers are Non-Highway Service Tires

ULTRA TRAC

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
24 x 13.00 - 12	529368	4	23.2	13.0	10.50	1730	18	26.3
24 x 13.00 - 12	529387	6	22.7	13.0	10.50	2240	28	28.3
26.5 x 14.00 - 12	529386	4	26.5	14.4	11.00	2170	18	30.6
29 x 14.00 - 15	5293E6	6	29.0	14.0	11.00	1710	30	44.5

TURF CHIEF®

16 x 6.50 - 8	511797	4	16.4	6.9	5.38	620	28	7.2
16 x 7.50 - 8	511701	4	16.3	7.7	5.38	680	24	8.3
18 x 8.50 - 8**	511774	4	17.9	8.5	7.00	815	22	7.4
23 x 8.50 - 12	511791	4	23.3	8.8	7.00	1115	22	14.1
23 x 10.50 - 12	511726	4	22.3	10.5	8.50	1340	20	16.6
26 x 12.00 - 12	511711	4	26.5	12.7	8.50	1780	20	26.0

**Round Shoulder

TURF CTR

TURF TRAC R/S



TURF CTR

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
22 x 11.00 - 8	511501	4	22.4	10.8	9.00	9.4	10	12.8

TURF TRAC R/S

11 x 4.00 - 5	575333	2	10.6	4.0	3.00	210	22	2.4
13 x 5.00 - 6	575334	2	12.6	4.8	3.50	295	20	3.3
13 x 6.50 - 6	575303	2	12.8	6.2	5.00	305	14	3.6
15 x 6.00 - 6	575392	2	14.4	5.9	4.50	365	14	4.1
15 x 6.00 - 6	575345	2	14.4	6.3	4.50	365	14	4.6
15 x 6.00 - 6	575319	4	14.4	6.3	4.50	570	30	4.6
16 x 6.50 - 8	575326	2	16.0	6.8	5.38	415	14	5.4
16 x 6.50 - 8	575304	4	16.0	6.8	5.38	620	28	6.9
16 x 7.50 - 8	575349	4	16.0	7.2	5.38	710	24	5.6
18 x 6.50 - 8	575335	2	17.6	6.5	5.00	515	14	5.7
18 x 6.50 - 8	575317	4	17.6	6.6	5.38	770	28	6.3
18 x 8.50 - 8	575330	2	17.7	8.3	7.00	515	10	6.5
18 x 8.50 - 8	575331	4	17.7	8.1	7.00	815	22	7.3
18 x 9.50 - 8	575346	2	17.5	9.1	7.00	695	12	6.9
18 x 9.50 - 8	575399	6	17.6	8.9	7.00	1320	36	9.6
20 x 8.00 - 8	575359	2	19.3	8.2	6.50	625	12	7.0
20 x 10.00 - 8	575384	2	19.5	9.9	8.00	750	10	8.7
20 x 10.00 - 8	575341	4	19.5	9.9	8.00	1190	22	10.5
20 x 10.00 - 8	575389	6	19.5	9.9	8.00	1480	32	11.0
22.5 x 10.00 - 8	50D397	2	22.6	9.6	8.00	880	10	12.5
22 x 11.00 - 8	599020	2	21.3	11.2	8.50	955	10	13.6
25 x 12.00 - 9	50D373	2	25.9	11.2	9.50	1230	10	17.4
20 x 8.00 - 10	575318	4	19.4	7.6	6.50	895	24	7.7
20 x 10.00 - 10	50D325	2	19.8	9.6	8.00	735	10	9.0
20 x 10.00 - 10	50D362	4	19.6	9.3	8.00	1160	22	10.1
20 x 12.00 - 10	575315	4	19.6	11.7	8.00	1320	20	13.9
22 x 9.50 - 10	5753N1	4	21.7	9.5	7.00	980	14	14.3
24 x 9.50 - 10	5753P2	4	24.3	9.8	7.00	1410	22	16.1
23 x 8.50 - 12	575327	2	22.3	8.4	7.00	705	10	9.3
23 x 8.50 - 12	575301	4	22.3	8.4	7.00	1115	22	10.1
23 x 9.50 - 12	575328	2	22.7	9.1	7.00	920	12	11.1
23 x 10.50 - 12	575309	2	22.5	10.2	8.50	890	10	11.2
23 x 10.50 - 12	575367	4	22.4	10.1	8.50	1340	20	13.0
24 x 12.00 - 12	575390	6	23.5	11.0	8.50	2240	32	21.3
26 x 12.00 - 12	50D363	10	25.3	12.4	8.50	3100	52	24.4

TURF HANDLERS

Consumer, Commercial Turf Equipment, Golf Cars, & Utility Vehicles

SUPER TRAC II

TURF SAVER II

TURF MATE®



SUPER TRAC II

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
15 x 6.50 - 6	591358	2	14.1	6.8	5.00	365	14	4.4
13 x 6.50 - 6	591305	4	12.9	12.9	5.00	460	28	4.9
16 x 6.50 - 8	591304	4	16.2	16.2	5.38	620	28	6.5
18 x 8.50 - 8	591330	2	17.9	17.9	7.00	515	10	7.8
20 x 8.00 - 8	591359	2	18.5	18.5	6.50	600	10	8.6

TURF SAVER II

13 x 5.00 - 6	5112201	2	12.3	4.6	3.50	295	20	3.8
15 x 6.00 - 6	5112301	2	14.3	6.0	4.50	365	14	5.3
16 x 6.50 - 8	5112951	2	16.0	6.2	5.38	415	14	5.9
18 x 8.50 - 8	5112701	2	17.8	8.4	7.00	515	10	6.3
18 x 9.50 - 8	511284	2	17.8	9.1	7.00	695	12	6.5
20 x 8.00 - 8	511280	2	19.0	8.9	7.00	600	10	7.7

TURF MATE®

4.10 - 4	5113251	2	10.6	3.7	2.50	230	24	2.3
15 x 6.00 - 6	5113301	2	14.3	6.1	4.50	365	14	5.2
16 x 6.50 - 8	5113951	2	16.3	6.2	5.38	415	14	5.3
16 x 6.50 - 8	511396	4	16.0	6.6	5.38	620	28	5.9
18 x 8.50 - 8	511371	4	17.7	8.6	7.00	815	22	7.2
18 x 9.50 - 8	5113841	2	18.1	8.9	7.00	695	12	10.3
20 x 8.00 - 8	511300	2	19.1	8.8	7.00	600	10	7.7
20 x 10.00 - 8	511303	4	19.2	9.5	7.00	1130	20	9.8
23 x 9.50 - 12	511400	2	13.1	9.1	7.00	825	10	10.6
23 x 10.50 - 12	511421	4	22.6	10.3	8.50	1340	20	12.4

TURF PRO®



All Turf Handlers are Non-Highway Service Tires

TURF PRO®

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
12 x 5.00 - 4	5100021	2	11.5	4.8	3.25	255	22	3.6
15 x 6.00 - 6	5116001	2	14.3	6.2	4.50	365	14	5.6
16 x 6.50 - 8	511610	2	15.4	6.5	5.38	415	14	5.4
16 x 7.50 - 8	511612	2	16.0	7.1	5.38	475	12	7.1
18 x 8.50 - 8	511616	2	17.7	8.3	7.00	515	10	9.6
20 x 9.00 - 8	511620	2	19.9	9.3	7.00	670	10	12.1
23 x 9.50 - 12	511626	2	21.6	8.6	7.00	825	10	12.6
24 x 10.50 - 12	511632	2	23.1	10.6	8.50	970	10	17.2
26 x 12.00 - 12	511635	2	26.0	12.6	8.50	1185	10	22.8

TURF HANDLERS

Utility Carts, Wheelbarrows, Pressure Washers, Generators, Hand Trucks, Lawn Equipment, & Fun-Karts

STUD

SAWTOOTH



All Gripping Performers are Non-Highway Service Tires



GRIPPING PERFORMERS:

Stud, Sawtooth, Super Slick

The specially designed tread patterns, with two-way traction, perform well on drive and free wheels.

STUD

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
4.10 - 4	5160251	2	10.6	3.6	2.50	230	24	2.6
4.10 - 5	5160301	2	11.6	3.8	3.00	260	24	2.4
4.10 - 6	5160351	2	12.5	3.9	3.25	290	24	3.2
5.30/4.50 - 6	516065	2	14.6	5.4	3.50	450	30	4.6
4.80 - 8	5160501	2	16.4	4.7	3.75	435	20	4.8
4.80 - 8	5164291	4	16.3	4.7	3.75	670	42	5.8

SAWTOOTH

2.80 - 4*	5190011	4	9.0	2.9	2.50	180	50	1.7
4.10 - 4	5190251	2	10.6	3.6	2.50	230	24	2.5
4.10 - 4	5190261	4	10.5	3.8	2.50	350	50	2.2
3.40/3.00 - 5	519016	4	11.0	3.9	3.00	380	95	2.5
4.10 - 5	5190301	2	11.6	3.8	3.00	260	24	2.6
4.10 - 6	5190351	2	12.6	3.9	3.25	290	24	3.2
4.10/3.50 - 6	519036	4	12.9	4.3	3.25	495	85	3.3
5.30/4.50 - 6	519067	6	14.6	5.3	3.50	885	95	5.1
4.80/4.00 - 8	5190501	2	16.0	4.6	3.75	510	35	5.1

SUPER SLICK**SUPER SLICK**

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
11 x 6.00 - 5*	528015	2	10.5	6.0	5.25	N/A	45	4.6

*Tube Type

Wheelbarrows, Transport Vehicles, Riding Mowers, Garden Tractors, & Farming Equipment



SMOOTH OPERATORS:

Smooth, Wheelbarrow, Multi-Rib, Rib, L.D. Rib, Turf Glide, Rib Implement

Our ribbed and smooth tires make optimum contact with various work surfaces for easy-flowing traction and a smooth roll. They also work smoothly as wide-flotation tires for on-site transportation.

SMOOTH



All Smooth Operators are Non-Highway Service Tires

SMOOTH

SMOOTH OPERATORS

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
9 x 3.50 - 4	5120101	4	8.7	3.7	2.50	260	50	2.3
11 x 4.00 - 5	5120111	4	11.0	4.0	3.00	325	46	3.2
13 x 5.00 - 6	5120211	4	12.7	4.8	4.50	440	40	4.1
13 x 6.50 - 6	512186	4	12.9	5.9	3.75	460	28	4.0
4.80 - 8	5120511	4	16.8	4.8	7.00	760	70	4.1
18 x 9.50 - 8**	510981	4	17.7	9.3	7.00	1040	24	9.3
18 x 9.50 - 8	599358	4	17.8	8.7	7.00	1040	24	8.3
18 x 10.50 - 10	586310	2	18.1	10.0	8.50	730	12	11.2
20 x 10.00 - 10	586325	2	19.6	9.5	8.00	815	12	11.9
24 x 13.00 - 12	510710	4	23.7	13.1	10.50	1730	18	28.2

**Round Shoulder

WHEELBARROW

MULTI-RIB

STRAIGHT RIB



WHEELBARROW

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
4.00 - 6	5134371	2	13.6	3.9	2.50	330	30	2.0
4.80 - 8	5134511	2	15.8	3.9	2.50	550	30	2.5
4.80 - 8	5130511	4	16.3	4.5	3.75	765	70	3.4

MULTI-RIB

13 x 6.50 - 6	576303	2	12.7	6.2	5.00	305	14	3.6
13 x 6.50 - 6	576305	4	12.7	6.2	5.00	460	28	4.0
20 x 10.00 - 10	576362	4	19.6	9.3	8.00	1160	22	11.5

STRAIGHT RIB

11 x 4.00 - 5	5180101	2	10.9	4.2	3.00	210	22	2.6
13 x 5.00 - 6	5180201	2	12.7	4.6	3.50	295	20	3.9
13 x 5.00 - 6	5180211	4	12.9	4.7	3.50	440	40	2.5
13 x 6.50 - 6	518186	4	13.0	5.9	4.50	460	28	4.0
15 x 6.00 - 6	5180301	2	14.2	6.1	4.50	365	14	5.4
15 x 6.00 - 6	5180311	4	14.5	6.1	4.50	570	30	3.9
4.80/4.00 - 8	5180511	4	16.5	4.7	3.75	765	70	4.0
16 x 6.50 - 8	5180951	2	15.8	6.4	5.38	415	14	4.2
16 x 6.50 - 8	5180961	4	16.2	6.4	5.38	620	28	5.2
18 x 9.50 - 8	518081	4	17.7	9.3	7.00	1040	24	9.4
20 x 10.00 - 10	518116	4	20.0	8.7	6.00	1160	22	12.8
26 x 12.00 - 12	518711	4	25.0	11.7	10.50	1780	20	22.3

SMOOTH OPERATORS

Golf Cars & Utility Vehicles

**GOLF GLIDERS:**

Tour Max, Turf Glide, Links, Links I, Fairway, Fairway Pro

Our line of tubeless golf and utility tires carry their loads without wear and tear on the fairway and ride smoothly on paved paths. They also work well as a wide-flotation tire for on-site transport on heavy duty jobs.

TOUR MAX™**TURF GLIDE****TOUR MAX™**

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
205/50 - 10 [†]	519146	LRB	18.3	7.8	6.00	675	30	12.0

TURF GLIDE

8.00 - 6*	508040	4	17.6	7.1	3.25	410	20	8.7
18 x 8.50 - 8	518980	4	17.2	8.7	7.00	815	22	10.4

LINKS®

LINKS I



LINKS®

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
18 x 8.50 - 8	519271	4	17.4	8.5	7.00	815	22	13.2

LINKS I

18 x 8.50 - 8	519272	4	17.9	8.5	7.00	815	22	11.5
---------------	--------	---	------	-----	------	-----	----	------

FAIRWAY®

FAIRWAY PRO



FAIRWAY®

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
18 x 8.50 - 8	518975	4	17.1	8.6	7.00	815	22	9.6

FAIRWAY PRO**

18 x 8.50 - 8	5189761	4	18.2	8.4	7.00	815	22	11.8
---------------	---------	---	------	-----	------	-----	----	------

**One Year Warranty

Riding Mowers, Garden Tractors, Snowthrowers, Tillers, ATVs, & Utility Vehicles

SUPER LUG



All Big Bites are Non-Highway Service Tires

SUPER LUG

BIG BITERS

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
4.10 - 6	5100351	2	12.4	3.9	3.25	290	24	3.8
13 x 5.00 - 6	5100201	2	13.1	4.5	3.50	295	20	4.2
14 x 4.50 - 6	5100251	2	14.5	4.6	3.25	320	20	5.0
4.80/4.00 - 8	510050	2	16.6	5.0	3.75	435	20	5.8
16 x 6.50 - 8	510096	4	16.2	6.3	5.38	620	28	7.5
18 x 9.50 - 8	510080	2	18.1	8.8	7.00	1040	24	11.9
20 x 10.00 - 8	510101	4	20.1	9.7	7.00	1190	22	17.3
6 - 12*	500040	2	22.4	5.6	4.00	395	14	11.5
23 x 10.50 - 12	510120	2	22.8	10.6	8.50	890	10	20.8
23 x 10.50 - 12	510121	4	22.9	10.5	8.50	1340	20	21.0
26 x 12.00 - 12	510711	4	26.3	12.3	8.50	1780	20	28.0

*Tube Type

POWER TRAC

POWER TRAC II



POWER TRAC / POWER TRAC II

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
4.80 - 8	5109501	2	16.1	4.0	2.50	435	20	6.2
21 x 11.00 - 8	510090	4	20.6	10.9	9.00	340	5	14.6
23 x 8.50 - 12	510960	2	23.2	8.0	7.00	705	10	14.2

BIG BITERS

BIG BITER SERIES:

Super Lug, Power Trac, Tru Power, AT101 Chevron, Snow Hog, X-Trac, All Trail

These All-Americans, with their bar tread design put power to the ground for equipment that demands pure traction in snow, hard and loose soil.



BIG BITERS

Riding Mowers, Garden Tractors, Tillers, Snowthrowers, Golf Cars, & Utility Vehicles

TRU POWER

AT101 CHEVRON



BIG BITERS

TRU POWER

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
16 x 6.50 - 8	523304	4	16.0	6.7	5.38	620	28	9.9
6 - 12	523322	2	22.7	5.7	5.00	395	14	11.5
7 - 12	523382	4	23.9	6.5	5.00	715	24	18.3
23 x 8.50 - 12	523301	4	22.4	8.2	7.00	1115	22	16.3
23 x 10.50 - 12	523367	4	23.3	10.0	7.00	1340	20	23.2
26 x 12.00 - 12	523361	4	25.6	12.3	8.50	1780	20	30.1
26 x 12.00 - 12	523377	6	25.6	12.3	8.50	2250	30	34.1
26 x 12.00 - 12	523360	8	25.6	12.3	8.50	2740	42	34.8
26 x 12.00 - 12	523363	10	25.6	12.3	8.50	3110	52	36.4
29 x 12.50 - 15	5233D4	6	29.3	11.6	10.00	1710	30	41.9
31 x 15.50 - 15	5233A4	8	31.4	15.1	13.00	2760	45	71.5

AT101 CHEVRON

21 x 11.00 - 8	599044	4	21.2	10.9	8.50	1430	22	14.8
21 x 11.00 - 10	599050	4	20.9	10.4	8.50	1380	22	15.8
24 x 12.00 - 12	560352	4	23.8	12.2	8.50	1700	20	21.0

SNOW HOG

X-TRAC

ALL TRAIL™



SNOW HOG

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
4.10 - 4	5170041	2	11.0	3.7	3.00	230	24	2.4
4.10 - 6	5170051	2	13.0	4.0	3.25	290	24	3.1
13 x 5.00 - 6	5170061	2	13.0	4.7	3.50	295	20	4.0
15 x 5.00 - 6	5170081	2	14.8	5.1	3.50	405	20	5.3
4.80 - 8	5170011	2	16.2	4.7	3.75	435	20	4.1
16 x 6.50 - 8	5170021	2	16.3	6.2	5.38	415	14	6.6
18 x 6.50 - 8	517010	4	17.3	6.6	5.38	770	28	7.5

X-TRAC

13 x 5.00 - 6	5170161	2	12.9	4.7	3.50	295	20	4.7
15 x 5.00 - 6	5170171	2	14.6	5.1	3.50	405	20	5.7
4.80 - 8	5170111	2	16.5	4.7	3.75	435	20	6.5
16 x 6.50 - 8	5170181	2	16.5	6.1	5.38	415	14	7.3

ALL TRAIL™ / ALL TRAIL II

24 x 9.50 - 10	55A3P2	4	24.0	9.7	7.50	1410	22	15.0
24 x 10.50 - 10	55A3N9	4	24.5	10.8	8.00	1490	20	18.0
23 x 10.50 - 12	511505	4	23.1	9.9	7.00	1340	20	24.4

BIG BITERS

Utility & Recreational ATVs, Dune Buggies, & Fun-Karts

KNOBBY

TRAIL HAWK®



ATV tires are Non-Highway Service Tires

KNOBBY

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT145/70 - 6	5150021	2	14.3	5.3	5.38	80	4	4.9
AT16 x 8 - 7	5150031	2	16.5	6.6	5.00	180	7	7.1
AT16 x 6 - 8	5150011	2	15.3	6.3	5.38	99	4	6.2
AT18 x 9.50 - 8	537005	2	18.3	8.8	7.00	625	10	10.6
AT22 x 11 - 8	537050	2	21.6	10.7	9.00	495	10	14.4
AT25 x 12 - 9	537081	2	24.6	11.8	10.00	430	5	18.8

TRAIL HAWK®

AT24 x 8 - 11	537100	Belted	24.0	7.8	6.38	410	10	15.7
---------------	--------	--------	------	-----	------	-----	----	------

Utility & Recreational ATVs, Dune Buggies, & Fun-Karts

ATV UTILITY & RECREATIONAL TIRES:

Knobby, Trail Hawk, Trail Pro, Turf Buster, Trail Wolf, Turf Tamer, 4-Max, AT389, AT489, Chevron, Stryker, Work Mate, Swamp Pro, Traks Max, HD Field Trax, Badlands, S-Trac, Badlands XTR

Our rugged ATV tires are designed with durable rubber compounds and strong nylon cord construction, offering the ultimate in cut and impact resistance. Special tread patterns perform well for a variety of terrains.



TRAIL PRO®

TURF BUSTER®



TRAIL PRO® Built-in Rim Guard protects rims from nicks and dents.

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT22 x 11 - 8	537070	Belted	22.5	11.0	9.00	340	5	21.1
AT22 x 11 - 9	537060	Belted	22.4	11.2	10.00	340	5	23.1

TURF BUSTER® Built-in Rim Guard also helps maintain tire pressure longer.

AT25 x 12 - 9	537080	Belted	25.1	12.1	10.00	430	5	28.3
---------------	--------	--------	------	------	-------	-----	---	------

ATV

Utility & Recreational ATVs, Dune Buggies, & Fun-Karts

TRAIL WOLF®



TRAIL WOLF®

ATV

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT19 x 7 - 8	537037	2	19.0	6.8	5.50	175	5	8.0
AT19 x 8 - 8	537038	2	19.1	7.1	5.50	200	5	8.3
AT20 x 7 - 8	537039	2	19.2	7.2	5.50	157	4	8.5
AT20 x 11 - 8	537033	3★	20.2	10.5	9.00	440	10	13.8
AT20 x 11 - 9	537034	3★	20.4	10.3	9.00	340	7	14.8
AT25 x 12 - 9	537082	4	24.7	12.5	10.00	430	5	25.9
AT20 x 11 - 10	537035	3★	21.9	11.9	10.00	280	5	19.4
AT21 x 7 - 10	537084	4	21.4	6.8	5.50	205	5	12.0
AT22 x 7 - 10	537048	2	22.1	6.8	5.50	180	4	12.0
AT22 x 10 - 10	537049	2	22.9	9.6	8.00	245	4	17.7
AT25 x 12 - 10	537085	4	25.3	11.6	10.00	430	5	21.1
AT23 x 8 - 11	537090	4	23.1	7.6	6.38	255	5	15.0
AT24 x 9 - 11	537091	4	24.4	8.4	7.00	316	5	17.0
AT25 x 8 - 12	537062	2	25.3	7.5	6.50	340	7	16.4
AT25 x 10 - 12	537061	2	25.4	9.1	8.00	340	7	21.4
AT25 x 11 - 12	537065	2	25.7	9.1	8.00	455	7	20.6
AT26 x 10 - 12	537063	Belted	26.1	9.8	8.00	420	7	25.3
AT26 x 10 - 12**	537064	2	26.8	9.4	8.00	440	7	23.0

**Trail Wolf Plus

Utility & Recreational ATVs, Dune Buggies, & Fun-Karts

TURF TAMER

4-MAX



TURF TAMER

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT18 x 9.50 - 8	55U346	3★	18.1	9.0	7.50	245	7	10.6
AT18 x 11 - 8	55U386	3★	18.1	10.6	9.00	290	7	11.6
AT20 x 11 - 8	55U3E2	3★	20.0	11.2	9.00	340	7	14.2
AT22 x 11 - 8	55U387	3★	22.7	10.3	9.00	395	7	14.9
AT22.5 x 10 - 8	55U3B9	3★	22.5	9.6	8.00	365	7	14.0
22.5 x 10 - 8	55U3C7	4	22.8	9.2	8.00	1390	22	14.2
AT20 x 11 - 9	55U3A7	3★	20.2	10.8	9.00	340	7	14.8
AT25 x 12 - 9	55U373	3★	25.3	11.2	9.50	495	7	17.5
AT20 x 11 - 10	55U3F2	3★	20.0	10.7	9.00	330	7	15.1
AT22 x 11 - 10	55U3A5	3★	22.7	10.6	9.00	385	7	16.7
23 x 10.50 - 12	467367	4	22.8	10.4	8.50	1340	20	18.4

4-MAX

AT20 x 7 - 8	537101	2	19.9	7.1	5.50	280	10	8.2
AT22 x 8 - 9	537103	2	21.9	7.4	6.00	365	10	9.2
AT22 x 8 - 10	537104	2	22.0	6.9	5.50	365	10	9.7
AT21 x 7 - 10	537105	2	20.2	6.5	5.50	300	10	8.0

ATV

AT389

AT489



AT389

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT25 x 8 - 12	504341	2★	25.2	7.5	6.50	290	5	12.8
AT25 x 10 - 12	504339	2★	25.2	9.5	8.00	365	5	17.5

AT489

22 x 9.50 - 10	5793N1	4	22.0	9.5	7.50	1280	22	15.6
AT22 x 11 - 10	5893V0	2★	22.2	10.6	9.00	330	7	15.6
22 x 11 - 10	5893H5	4	22.2	10.6	9.00	1020	12	15.9
AT23 x 7 - 10	5893M0	2★	22.7	6.5	5.50	240	5	12.4
AT23 x 8 - 10	589326	3★	23.2	7.9	6.50	300	7	13.8
AT23 x 10 - 10	589327	3★	23.4	9.5	8.00	375	7	17.7
24 x 9.50 - 10	5793P2	4	24.0	9.5	7.50	1410	22	18.0
24 x 10.50 - 10	5793N9	4	24.3	10.5	8.00	1490	20	20.2
AT24 x 11 - 10	589305	3★	24.0	9.7	9.00	440	7	17.9
AT24 x 11.5 - 10	589338	3★	24.2	11.4	9.00	480	7	19.4
24 x 12.00 - 10	5793A6	4	24.5	11.7	9.50	1740	20	21.8
AT25 x 11 - 10	589308	3★	25.1	10.6	9.00	455	7	20.3
25 x 11 - 10	589334	4	26.2	10.5	9.00	1220	12	20.3
AT23 x 8 - 11	589304	3★	23.7	7.5	6.50	290	7	14.3
AT24 x 8 - 11	589332	3★	24.5	8.4	6.50	320	7	18.1
AT24 x 9 - 11	5893A9	3★	24.5	8.6	7.00	365	7	18.0
AT24 x 10 - 11	589328	3★	24.4	9.6	8.00	395	7	19.2
AT23 x 8 - 12	589329	3★	23.1	7.4	6.50	280	7	13.6
AT23 x 10 - 12	589330	3★	23.1	9.0	8.00	365	7	17.8
AT24 x 8 - 12	589337	3★	23.8	8.0	6.50	455	7	14.9
AT24 x 9 - 12	589342	2★	23.8	8.9	8.00	265	5	16.5
AT24 x 11 - 12	589344	3★	24.4	10.1	9.00	340	7	20.1
AT25 x 8 - 12	589306	3★	25.2	7.5	6.50	340	7	15.2
AT25 x 10 - 12	589321	3★	25.2	9.1	8.00	420	7	19.2
25 x 10 - 12	589335	4	25.4	9.1	8.00	1120	12	19.1
25 x 11 - 12	589346	3★	25.7	9.8	8.00	455	7	21.1
25 x 11 - 12	589351	4	25.7	10.4	9.00	1360	12	21.1
AT26 x 10.5 - 12	589336	2★	25.7	9.8	8.00	385	5	19.6

Utility & Recreational ATVs, Dune Buggies, & Fun-Karts

CHEVRON

STRYKER®

WORK MATE®



CHEVRON

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT22 x 11 - 8	531950	Belted	21.0	10.9	9.00	485	10	14.5

STRYKER®

AT22 x 11 - 8	531073	Belted	22.6	11.1	9.00	340	5	21.0
AT22 x 11 - 9	531065	Belted	22.6	11.2	10.00	340	5	22.3
AT25 x 12 - 9	531075	Belted	25.2	12.2	10.00	430	5	28.0
22 x 9 - 10*	516091	4	22.8	9.3	6.00	1220	20	20.6
AT22 x 11 - 10	531095	2	22.9	10.1	8.25	330	5	20.8
23 x 10 - 12	531120	4	22.9	9.8	7.00	1335	20	19.3

WORK MATE®

21 x 9 - 10	516090	4	23.0	7.3	6.00	1080	20	12.1
-------------	--------	---	------	-----	------	------	----	------

ATV

*Stryker I

Utility & Recreational ATVs, Dune Buggies, & Fun-Karts

SWAMP PRO®



ATV tires are Non-Highway Service Tires

SWAMP PRO®

ATV

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT26 x 12.5 - 10	531118	3★	26.5	12.5	10.00	480	5	31.6
AT26 x 9.5 - 11	531121	3★	26.0	8.4	7.00	365	5	22.3
AT26 x 9.5 - 12	531123	3★	25.7	8.3	7.00	365	5	21.9
AT26 x 12.5 - 12	531125	3★	26.1	11.7	8.00	480	5	32.6
AT27 x 10 - 12	531128	3★	26.8	9.4	7.00	410	5	24.3
AT27 x 12 - 12	531130	3★	27.5	11.7	7.00	480	5	33.3

TRAKS MAX®

HD FIELD TRAX



TRAKS MAX®

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT25 x 12 - 10	531097	Belted	26.6	11.0	8.00	430	5	23.6
AT23 x 8 - 11	531115	Belted	23.3	8.6	6.38	385	10	17.2
AT24 x 9 - 11	531100	Belted	24.0	8.4	6.38	455	10	18.1
AT25 x 8 - 11	531117	Belted	24.8	7.9	6.38	300	5	17.6
AT25 x 10 - 11	531119	Belted	25.0	10.7	8.00	355	5	19.9
AT25 x 8 - 12	531122	Belted	25.0	8.1	7.00	290	5	17.9
AT25 x 10 - 12	531124	Belted	25.1	10.9	8.50	365	5	20.8

HD FIELD TRAX

AT22 x 12 - 8	588389	3★	21.3	11.7	9.50	430	7	20.8
AT22.5 x 10 - 8	5883B9	3★	22.5	10.2	7.00	365	7	20.5
AT25 x 13 - 9	588394	3★	24.8	12.4	10.50	535	7	27.1
18 x 8.50 - 10	5883U1	4	18.2	7.4	7.00	830	22	11.0
26 x 12 - 12	588357	2	25.6	11.8	9.50	1185	10	25.9

ATV

Utility & Recreational ATVs, Dune Buggies, & Fun-Karts

BADLANDS



BADLANDS

ATV

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT18 x 11 - 8	537011	2	18.5	11.0	9.00	375	10	11.8
AT20 x 11 - 8	537031	2	20.4	11.4	9.00	440	10	14.3
AT22 x 11 - 8	55B335	2★	22.2	11.1	9.00	330	5	16.2
AT20 x 11 - 9	537032	2	20.8	11.5	10.00	440	10	14.9
AT22 x 11 - 9	55B334	2★	22.1	11.2	9.00	340	5	15.3
AT20 x 11 - 10	55B382	2★	20.0	10.7	9.00	280	5	14.9
AT21 x 7 - 10	55B392	2★	21.0	7.0	5.50	205	5	11.9
AT22 x 7 - 10	55B378	2★	21.8	7.2	5.50	220	5	12.0
AT22 x 11 - 10	55B3V0	2★	22.2	10.9	9.00	330	5	15.9
AT23 x 7 - 10	55B3M0	2★	22.8	7.2	5.50	240	5	12.2

Utility & Recreational ATVs, Dune Buggies, & Fun-Karts

S-TRAC

BADLANDS XTR



ATV tires are Non-Highway Service Tires

BADLANDS XTR *Featuring new radial technology.*

SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT
AT205/80R12	537066	4	25.2	7.6	6.50	340	7	14.7
AT255/65R12	537067	6	25.2	9.4	8.00	420	7	19.7

S-TRAC *Featuring new radial technology.*

AT22 x 7R10	537201	4	21.4	6.6	5.50	255	7	10.9
AT20 x 10R9	537200	4	20.3	10.3	8.00	300	7	13.6

ATV

Utility Trailers, Snowmobile Trailers, Boat Trailers, Stock Trailers, Log Splitters, & Campers

USA TRAIL®




USA TRAIL is approved for Highway Speed Use

SIZE	PRODUCT CODE	LOAD RANGE	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY	MAX PSI	TIRE WEIGHT	TREAD DEPTH (32nds)
4.80 - 8	519056	LRB	17.1	5.1	3.75	590	60	6.7	6
4.80 - 8	519058	LRC	17.4	5.1	3.75	745	90	8.1	6
5.70 - 8	519086	LRB	19.2	6.0	3.75	715	50	9.8	10
5.70 - 8	519087	LRC	18.8	6.0	3.75	910	75	11.3	10
5.70 - 8	519088	LRD	18.9	6.1	3.75	1075	100	12.3	10
16.5 x 6.5 - 8	519296	LRB	16.6	6.4	5.38	620	45	8.9	7
16.5 x 6.5 - 8	519297	LRC	16.2	6.6	5.38	795	70	10.9	7
16.5 x 6.5 - 8	519298	LRD	16.3	6.7	5.38	915	90	10.7	7
18.5 x 8.5 - 8	519471	LRB	18.0	8.4	7.00	770	35	13.7	10
18.5 x 8.5 - 8	519472	LRC	17.7	8.5	7.00	940	50	15.4	10
6.90 - 9	519572	LRC	22.0	7.1	4.50	1120	60	13.0	10
20.5 x 8.0 - 10	519141	LRB	21.0	8.4	6.00	905	35	15.8	10
20.5 x 8.0 - 10	519142	LRC	20.7	8.5	6.00	1105	50	17.6	10
20.5 x 8.0 - 10	519143	LRD	20.5	8.6	6.00	1330	70	17.8	10
20.5 x 8.0 - 10	519144	LRE	20.9	8.7	6.00	1535	90	18.7	10
20.5 x 8.0 - 10	519145	LRF	20.5	8.6	6.00	1675	105	20.4	10
4.80 - 12	519062	LRB	21.0	5.0	4.00	780	60	9.6	8
4.80 - 12	519063	LRC	21.3	5.1	4.00	990	90	10.3	8
5.30 - 12	519076	LRB	21.8	5.3	4.00	840	55	10.3	8
5.30 - 12	519077	LRC	22.1	5.3	4.00	1045	80	11.5	8
ST175/80D13	519160	LRB	24.7	6.7	4.50	1100	35	16.1	10
ST175/80D13	519161	LRC	25.0	6.7	4.50	1360	50	17.1	10
ST205/75D14	519310	LRB	26.6	8.1	5.50	1430	35	21.1	10
ST205/75D14	519300	LRC	26.9	8.1	5.50	1760	50	21.3	10
ST215/75D14	519315	LRC	27.3	8.5	6.00	1870	50	23.3	10
ST205/75D15	519400	LRC	27.1	8.0	5.50	1820	50	24.1	10
ST225/75D15	519410	LRC	28.1	8.9	6.00	2150	50	28.6	10
ST225/75D15	519412	LRD	28.6	9.0	6.00	2540	65	33.6	10

HIGHWAY SPEED TRAILER TIRES:

USA Trail, Sure Trail, Radial Trail

Approved for over-the-highway use, these tires comply with U.S. Department of Transportation requirements. Their long-lasting, wrap-around tread provides sure cornering and safe travel.



Utility Trailers, Snowmobile Trailers, Boat Trailers, Stock Trailers, Log Splitters, & Campers

SURE TRAIL®

SURE TRAIL LT®

EXTRA GRIP



SURE TRAIL is approved for Highway Speed Use

SURE TRAIL ®

SIZE	PRODUCT CODE	LOAD RANGE	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY	MAX PSI	TIRE WEIGHT	TREAD DEPTH (32nds)
4.80 - 8	5190541	LRB	16.2	4.6	3.75	590	60	4.0	6
4.80 - 8	5190572	LRC	16.5	4.8	3.75	745	90	6.1	6
5.70 - 8	5190602	LRB	18.4	5.7	3.75	715	50	8.2	6
5.70 - 8	5190612	LRC	18.7	5.9	3.75	910	75	8.5	6
18.5 x 8.5 - 8	5194692	LRB	18.0	8.5	7.00	770	35	12.1	6
18.5 x 8.5 - 8	5194702	LRC	18.3	8.4	7.00	940	50	12.6	8
20.5 x 8 - 10	5100132	LRC	20.8	8.2	6.00	1105	50	15.8	8
20.5 x 8 - 10	5100142	LRD	20.7	8.5	6.00	1330	70	17.2	8
4.80 - 12	5190652	LRB	20.4	4.8	4.00	780	60	7.7	8
4.80 - 12	5190662	LRC	20.5	4.9	4.00	990	90	8.4	6
5.30 - 12	5190702	LRB	21.2	5.1	4.00	840	55	9.1	6
5.30 - 12	5190712	LRC	21.6	5.3	4.00	1045	80	10.2	6
ST165/80D13	5191562	LRC	23.4	6.1	4.50	1230	50	12.9	10
ST175/80D13	5191582	LRB	23.6	6.2	4.50	1100	35	13.4	10
ST175/80D13	5191592	LRC	23.8	6.2	4.50	1360	50	14.0	10
ST185/80D13	519165	LRC	24.5	6.6	4.50	1480	50	15.1	10
ST185/80D13	519166	LRD	23.2	6.8	4.50	1730	65	17.6	10
ST195/75D14	519305	LRB	24.6	7.1	5.50	1320	35	16.3	10
ST195/75D14	519306	LRC	24.9	7.2	5.50	1610	50	17.2	10
ST205/75D14	519312	LRB	25.4	7.5	5.50	1430	35	16.7	10
ST205/75D14	5193112	LRC	25.6	7.5	5.50	1760	50	18.0	10
ST215/75D14	519316	LRC	26.2	8.0	6.00	1870	50	18.9	10
ST205/75D15	5193992	LRB	27.1	7.6	5.50	1480	35	17.7	8
ST205/75D15	5194012	LRC	27.0	7.5	5.50	1820	50	20.1	8
ST225/75D15	519411	LRC	27.1	8.7	6.00	2150	50	22.4	10
ST225/75D15	519413	LRD	27.6	8.6	6.00	2540	65	27.5	10

SURE TRAIL LT ®

7.00 - 14.5LT	519504	LRD	26.5	8.1	6.00	1870	70	23.7	10
8.00 - 14.5LT	5195032	LRF	27.7	8.6	6.00	2790	100	27.7	10
7.00 - 15LT	5196112	LRD	30.1	8.4	5.50	2040-S 1820-D	60	31.9	14
7.50 - 16LT	5196052	LRE	32.6	8.7	6.00	2780-S 2440-D	75	35.4	14

EXTRA GRIP

5.70 - 8	519886	LRB	18.6	5.8	3.75	715	50	10.8	10
----------	--------	-----	------	-----	------	-----	----	------	----

S=Single D=Dual

Utility Trailers, Snowmobile Trailers, Boat Trailers, Stock Trailers, Log Splitters, & Campers

RADIAL TRAIL



RADIAL TRAIL is approved for Highway Speed Use

RADIAL TRAIL

HIGHWAY SPEED TRAILER

SIZE	PRODUCT CODE	LOAD RANGE	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY	MAX PSI	TIRE WEIGHT	TREAD DEPTH (32nds)
ST145/R12	5151291	LRD	21.14	5.7	4.00	1220	65	15.0	8
ST175/80R13	5198122	LRC	24.2	6.7	4.50	1360	50	18.4	10
ST205/75R14	5198132	LRC	26.2	7.8	5.50	1760	50	24.1	10
ST215/75R14	5198142	LRC	26.8	8.2	6.00	1870	50	25.1	10
ST205/75R15	5198152	LRC	27.2	8.0	5.50	1820	50	25.6	10
ST225/75R15	5198162	LRC	28.2	8.8	6.00	2150	50	28.5	10
ST225/75R15	5198171	LRD	28.3	8.8	6.00	2540	65	29.6	10
ST225/75R15	5198201*	LRE	30.5	9.3	6.00	2840	80	30.5	10
ST235/85R16	5198181*	LRE	31.9	9.1	6.00	3042 - S 2778 - D	80	40.9	16
ST245/75R16	5198191*	LRE	30.5	9.3	6.00	3042 - S 2778 - D	80	42.3	16

*Coming Soon S=Single D=Duel

Airport Support Equipment

GROUND FORCE GSE:

Our Ground Force tires combine extra tread depth and the exclusive **CT-4** tread compound to set a new standard of durability and wear in the ground support industry. Each tire features a built-in rim guard for maximum wheel protection.



GROUND FORCE GSE™



GROUND FORCE GSE™

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT	TREAD DEPTH (32nds)
4.80 - 8 (TT)	52N242	8	16.5	4.8	3.75	1160	145	10.4	11
5.70 - 8 (TT)	52N208	8	18.4	5.9	3.75	1470	120	12.5	11
6.90 - 9 (TT)	52N260	10	21.6	6.8	4.00	2200	125	23.3	24
6.50 - 10 (TL)	52N394	6	23.2	7.1	5.00	1895	70	24.0	11
6.50 - 10 (TT)	52N263	10	23.2	7.1	5.00	2535	115	23.6	11
9.00 - 10 (TT)	52N221	10	27.2	9.7	6.00	3720	85	34.4	9
9.00 - 10 (TT)	52N209	16	26.4	10.0	6.00	4880	135	37.8	9

INDUSTRIAL

Material Handling, Mining & Compaction Equipment

INDUSTRIAL
DEEP TRACTIONPREMIUM
WIDE TRACROAD
ROLLER

All Industrials are Non-Highway Service Tires

**FORKLIFT:**

Industrial Deep Traction, Premium Wide Trac, Road Roller

Heavy ply construction and increased gauges deliver optimum tire life, while stabilizing features such as a larger tread volume and a wide, flat profile guarantee each of our forklift tires will come in on top.

INDUSTRIAL DEEP TRACTION *Reinforced bead area*

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT	TREAD DEPTH (32nds)
5.70/5.00 - 8 (TT)	5542A1	8	18.2	5.5	4.5/3.0	2450	120	11.5	9
6.90/6.00 - 9 (TT)	554204	10	21.9	6.9	5.5/4.0	3665	125	20.2	19
6.50 - 10 (TT)	554263	10	23.4	7.4	5.00	4225	115	26.3	20
7.00 - 12 (TT)	554212	12	27.4	7.8	5.00	5995	125	36.3	21
8.25 - 15 (TT)	554231	12	33.6	9.8	6.50	8680	105	58.7	23
29 x 8 - 15 (TT)	554216	12	29.2	7.5	5.50	6870	125	47.5	25

PREMIUM WIDE TRAC *Extra heavy duty sidewall*

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI	TIRE WEIGHT	TREAD DEPTH (32nds)
5.70/5.00 - 8 (TT)	54P2A1	8	18.5	5.5	4.5/3.0	2450	120	14.7	17
5.70/5.00 - 8 (TT)	54P2E7	10	18.5	5.5	4.5/3.0	2790	150	15.5	17
18 x 7 - 8 (TT)	54P255	16	18.3	6.6	4.33	4695	145	23.0	21
18 x 9 - 8 (TT)	54P257	16	18.6	8.5	7.00	5585	150	29.0	20
6.90/6.00 - 9 (TT)	54P204	10	22.2	6.0	5.5/4.0	3665	125	28.6	32
6.50 - 10 (TT)	54P263	10	23.8	7.1	5.00	4225	115	37.6	32
6.50 - 10 (TT)	54P267	12	24.0	7.5	5.00	3240	140	40.0	32
7.00 - 12 (TT)	54P212	12	27.3	7.5	5.00	5995	125	51.1	32
7.50 - 15 (TT)	54P269	12	32.4	8.7	6.00	5260	115	61.0	22
28 x 9 - 15 (TT)	54P2B5	12	27.3	8.8	7.00	6880	120	52.2	18
28 x 9 - 15 (TT)	54P2D3	14	27.3	8.9	7.00	7530	140	55.0	18
29 x 8 - 15 (TT)	54P216	12	28.9	7.5	5.50	6870	125	57.0	32
8.25 - 15 (TT)	54P231	12	33.6	9.9	6.50	8680	105	80.0	24
8.25 - 15 (TT)	54P2D5	14	33.6	9.8	6.50	9385	120	84.3	24
2.50 - 15 (TT)	54P2H1	16	29.1	9.1	7.50	9450	135	67.8	24
2.50 - 15 (TT)	54P2H2	18	29.1	9.1	7.50	10100	150	67.8	24
3.00 - 15 (TT)	54P2H3	20	32.7	11.3	8.00	14500	135	118.2	26
28 x 12 - 15 (TT)	54P262	20	28.1	11.5	9.75	10800	150	82.0	24
7.50 - 16 (TT)	54P2K8	12	32.3	8.5	6.00	8000	115	56.4	22

ROAD ROLLER *Superior heat resistant nylon fabric plies*

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 5MPH	MAX PSI	TIRE WEIGHT	TREAD DEPTH (32nds)
7.50 - 15 (TT)	58R256	6	30.9	8.6	6.00	3900	55	36.3	NA
7.50 - 15 (TT)	58R252	12	30.9	8.6	6.00	5860	110	45.5	NA
7.50 - 15 (TT)	58R2E1	14	30.9	8.6	6.00	6300	125	45.5	NA
8.5/90 - 15K (TL)	58R3A2	6	30.9	8.6	6.00	3900	50	39.8	NA

Skid Steers, Backhoes, Subcompact Tractors, Aerial Work Platform Lifts, & Rough Terrain Forklifts

**SKID STEER:**

Trac Chief, USA Loader

Our Skid Steer tires feature unique lug designs, heavy gauge sidewalls, and premium materials—ensuring optimum service life. Key sizes incorporate built-in rim guard for increased protection against debris and lateral hazards.

TRAC CHIEF™**TRAC CHIEF™**

INDUSTRIAL

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY	MAX PSI	TIRE WEIGHT	TREAD DEPTH (32nds)
5.70 - 12 (TL)	51S3C2	4	22.4	5.7	4.50	1450	60	15.5	17
23 x 8.50 - 12 (TL)	51S3C3	4	23.0	8.0	7.00	1470	35	21.2	14
23 x 8.50 - 14 (TL)	51S388	4	23.0	8.0	7.00	1560	35	23.2	17
25 x 8.50 - 14 (TL)	51S379	6	25.8	8.4	7.00	2130	50	26.7	17
27 x 8.50 - 15 (TL)	51S3C6	4	26.7	9.0	7.00	1930	35	28.3	17
27 x 8.50 - 15 (TL)	51S339	6	26.7	9.0	7.00	2400	50	28.4	17
27 x 10.50 - 15 (TL)	51S3H7	6	26.8	10.4	8.50	2610	45	33.7	17
10 - 16.5 (TL)	51S3C8	6	30.8	10.4	8.25	3500	45	43.0	19
10 - 16.5 (TL)	51S3D1	8	30.8	10.4	8.25	4140	60	44.0	19
12 - 16.5 (TL)	51S3C9	6	33.3	12.2	9.75	4220	40	55.0	23
12 - 16.5 (TL)	51S3D2	8	33.3	12.2	9.75	4810	50	58.0	23

Skid Steers, Backhoes, Subcompact Tractors, Aerial Work Platform Lifts, & Rough Terrain Forklifts

USA LOADER™



USA LOADER™

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY	MAX PSI	TIRE WEIGHT	TREAD DEPTH (32nds)
23x8.50 - 12 (TL)	510723	6	23.0	8.5	7.00	1810	50	23.9	12
27x8.50 - 15 (TL)	510721	8	27.4	9.2	7.00	1650	50	33.7	16
27x10.50 - 15 (TL)	510722	8	27.2	10.4	8.50	1520	40	38.9	16
10 - 16.5 (TL)	510718	6	30.9	10.6	8.25	3500	45	55.0	26
10 - 16.5 (TL)	510712	8	30.9	10.6	8.25	4140	60	57.0	26
10 - 16.5 (TL)	510713	10	30.9	10.6	8.25	4720	75	58.0	26
12 - 16.5 (TL)	510719	6	32.6	12.5	9.75	4220	40	70.0	27
12 - 16.5 (TL)	510715	8	32.6	12.5	9.75	4810	50	72.8	27
12 - 16.5 (TL)	510716	10	32.9	12.6	9.75	5600	65	73.4	27

INDUSTRIAL

Front Tractors, Wagons, Balers, Spreaders, Seeders, Irrigation Systems, & Feedyard Scrapers

**AGRICULTURAL:**

F-2, F-2M, I-1, FI, HF1

Farm Specialist features high quality *Durable Nylon Cord* construction and a special tread compound formulated specifically for the agricultural industry's needs.

FARM SPECIALIST™**FARM SPECIALIST™ F-2 / F-2M**

AGRICULTURAL

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 25MPH	MAX PSI	TIRE WEIGHT
4.00 - 15SL F-2 (TT)	52F230	4	24.3	4.4	3	585	52	9.5
4.00 - 15SL F-2 (TL)	52F330	4	24.3	4.4	3	585	52	10.5
5.00 - 15SL F-2 (TT)	52F235	4	26.0	5.1	3	715	44	12.0
5.00 - 15SL F-2 (TL)	52F335	4	26.0	5.1	3	715	44	13.1
7.5L - 15SL F-2 (TT)	52F290	6	29.1	8.0	6	1430	44	26.5
7.5L - 15SL F-2 (TL)	52F390	6	29.1	8.0	6	1430	44	28.0
9.5L - 15SL F-2 (TL)	52F343	6	31.5	9.9	7	1520	36	40.4
9.5L - 15SL F-2 (TL)	52F344	8	31.5	9.9	7	1870	48	42.4
9.5L - 15SL F-2 (TL)	52F243	6	31.5	9.9	7	1520	36	36.8
9.5L - 15SL F-2 (TL)	52F244	8	31.5	9.9	7	1870	48	38.8
11L - 15SL F-2 (TL)	52F318	8	32.0	11.0	8	2090	44	52.6
5.50 - 16SL F-2 (TT)	52F238	4	28.0	5.9	4	855	40	17.8
5.50 - 16SL F-2 (TL)	52F338	4	28.0	5.9	4	855	40	19.1
5.50 - 16SL F-2 (TT)	52F239	6	28.0	5.9	4	1050	56	18.0
5.50 - 16SL F-2 (TL)	52F339	6	28.0	5.9	4	1050	56	19.3
6.00 - 16SL F-2 (TT)	52F274	4	29.1	6.2	4	910	36	19.0
6.00 - 16SL F-2 (TL)	52F374	4	29.1	6.2	4	910	36	20.3
6.00 - 16SL F-2 (TT)	52F275	6	29.1	6.2	4	1140	52	19.1
6.00 - 16SL F-2 (TL)	52F375	6	29.1	6.2	4	1140	52	20.6
6.50 - 16SL F-2 (TT)	52F281	6	29.8	7.3	4.5	1230	48	21.8
6.50 - 16SL F-2 (TL)	52F381	6	29.8	7.3	4.5	1230	48	24.2

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 25MPH	MAX PSI	TIRE WEIGHT
7.50 - 16SL F-2 (TL)	52F383	6	31.8	7.9	4.5	1480	44	29.0
7.50 - 16SL F-2 (TT)	52F283	6	31.8	7.9	5.5	1480	44	27.3
11L - 15SL F-2M (TT)	53F218	8	32.0	10.5	8	2090	44	43.3
10.00 - 16SL F-2M (TT)	53F298	8	35.2	10.8	8	2340	44	47.0

FARM SPECIALIST™ HF-1 / I-1

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 30MPH	MAX PSI	TIRE WEIGHT
25 x 7.50-15NHS HF-1 (TL)	51F393	4	25.2	7.5	5.5	965	30	18.8
25 x 7.50-15NHS HF-1 (TL)	51F378	6	25.2	7.5	5.5	1230	45	21.6
27 x 9.50-15NHS HF-1 (TL)	51F394	4	27.0	9.0	7	1280	30	23.7
27 x 9.50-15NHS HF-1 (TL)	51F395	6	27.0	9.0	7	1610	45	26.9
31 x 13.5-15NHS HF-1 (TL)	51F396	6	31.8	13.5	10	2090	30	46.9
31 x 13.5-15NHS HF-1 (TL)	51F397	8	31.8	13.5	10	2620	45	50.1
31 x 13.5-15NHS HF-1 (TL)	51F307	10	31.8	13.5	10	3080	60	54.5
4.00 - 9 I-1 (TT)	518249	4	17.4	4.8	3	550	44	5
4.00 - 12 I-1 (TT)	518277	4	20.4	5.0	3	675	44	7
26 x 12 - 12NHS I-1 (TL)	510361	4	25.5	11.7	8	1780	20	25.0
26 x 12 - 12NHS I-1 (TL)	510363	10	25.5	11.7	8	3110	52	27.0
9.5L14SL I-1 (TT)	51F299	8	29.4	9.2	7	2400	44	25.6
9.5L - 14SL I-1 (TL)	51F399	8	29.4	9.2	7	2400	44	28.5
11L - 14SL I-1 (TT)	51F291	8	29.6	10.6	8	2470	36	28.0
11L - 14SL I-1 (TL)	51F391	8	29.6	10.6	8	2470	36	31.8
5.00 - 15SL I-1 (TT)	51F235	4	25.2	5.4	4	950	36	11.9
5.90 - 15SL I-1 (TT)	51F252	4	26.3	6.3	4.5	1140	36	13.4
6.70 - 15SL I-1 (TL)	51F367	4	28.2	7.2	4.5	1280	32	17.8
7.60 - 15 SL I-1 (TT)	51F237	8	28.7	7.9	5.5	2090	52	22.5
9.5L - 15SL I-1 (TL)	51F343	6	29.9	9.2	7	2040	32	27.2
9.5L - 15SL I-1 (TT)	51F244	8	29.9	9.2	7	2470	44	23.1
9.5L - 15SL I-1 (TL)	51F344	8	29.9	9.2	7	2470	44	26.7
9.5L - 15SL I-1 (TT)	51F2D7	12	29.9	9.2	7	3000	64	30.8
11L - 15SL I-1 (TL)	51F314	6	30.4	10.1	8	2150	28	30.0
11L - 15SL I-1 (TT)	51F218	8	30.4	10.1	8	2540	36	26.7
11L - 15SL I-1 (TL)	51F318	8	30.4	10.1	8	2540	36	30.4
11L - 15SL I-1 (TT)	51F217	12	30.4	10.1	8	3200	52	33.4
12.5L - 15SL I-1 (TT)	51F240	8	32.6	12.1	10	3000	36	37.8

FARM SPECIALIST™ FI Intermittent Highway Service

SIZE	PRODUCT CODE	PLY	MTD DIA.	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY	MAX PSI	TIRE WEIGHT
9.5L - 15FI (TL)	51H359	D	30.2	9.5	7	2680	60	37.7
11L - 15FI (TL)	51H386	D	30.6	11.0	8	3080	60	41.3
11L - 15FI (TL)	51H392	F	30.6	11.0	8	3960	90	43.4
12.5L - 15FI (TL)	51H3B2*	D	32.4	12.5	10	3740	60	NA
12.5L - 15FI (TL)	51H387*	F	32.4	12.5	10	4680	90	NA

*Coming Soon

WHEELS

Utility Trailers, Snowmobile Trailers, Boat Trailers, Log Splitters, & Campers



HIGHWAY (DOT) APPROVED TRAILER WHEELS:

Standard, Eight Spoke, Supreme

Our extensive offering of styles and finishes fits all popular sizes. These sturdy, reliable wheels are suitable for most trailer applications.

STANDARD



EIGHT SPOKE



SUPREME



STANDARD

SIZE	BOLT PATTERN	WHITE PRODUCT CODE	GALVANIZED PRODUCT CODE
8 x 3.75	4 on 4	0815443266	0815443400
8 x 3.75	5 on 4 1/2	0810923266	0810923400
8 x 5.375	4 on 4	0815293266	0815293400
8 x 5.375	5 on 4 1/2	0815295266	0815295400
8 x 7	4 on 4	0815301266	0815301400
8 x 7	5 on 4 1/2	0815299266	0815299400
10 x 6	4 on 4	1015239266	1015239400
10 x 6	5 on 4 1/2	1015240266	1015240400

EIGHT SPOKE

SIZE	BOLT PATTERN	WHITE WITH PIN STRIPES PRODUCT CODE	GALVANIZED PRODUCT CODE
12 x 4	4 on 4	1217986564	1218094400
12 x 4	5 on 4 1/2	1217987564	1218095400
13 x 4.5	4 on 4	1318077564	1318137400
13 x 4.5	5 on 4 1/2	1317988564	1318138400
14 x 6	5 on 4 1/2	1417989564	1417993400
15 x 6	5 on 4 1/2	1517990564	1517994400
15 x 6	6 on 5 1/2	1518153564	1518154400
16 x 6	6 on 5 1/2	1618326564	1618340400
16 x 6	8 on 6 1/2	1618327564	1618341400

SUPREME

SIZE	BOLT PATTERN	SUPREME NO RIVETS PRODUCT CODE	GALVANIZED PRODUCT CODE
12 x 4	4 on 4	1218368564	1218343400
12 x 4	5 on 4 1/2	1218303564	1218344400
13 x 4.5	5 on 4 1/2	1318371564	1318345400
14 x 6	5 on 4 1/2	1418221564	1418346400
15 x 6	5 on 4 1/2	1518277564	1518347400
15 x 6	6 on 5 1/2	1518278564	1518348400
16 x 6	6 on 5 1/2	1618329564	1618349400
16 x 6	8 on 6 1/2	1618330564	1618350400

SLOW-SPEED & NON-HIGHWAY WHEELS:

Our variety of slow-speed tire and wheel assemblies, non-highway wheels and trailer hubs are the right replacement parts for use with our non-highway tires.



SLOW-SPEED TIRE & WHEEL ASSEMBLIES

ASSEMBLY NAME	SIZE	PRODUCT CODE	PLY	MTD DIAMETER	MTD WIDTH	RIM WIDTH	MAX LOAD CAPACITY @ 10MPH	MAX PSI
STUD ON STEEL	4.10 - 4	329991	2	10.6	3.9	2.63	230	24
SAWTOOTH ON STEEL	4.10 - 4	320691	2	10.7	3.6	2.63	230	24
SAWTOOTH ON STEEL	4.10 - 4	329981	4	10.9	3.9	2.63	350	50
WHEELBARROW ON STEEL	4.00 - 6	327051	2	13.6	3.9	3.50	330	30
WHEELBARROW ON STEEL	4.80 - 8	324991	2	15.8	3.9	3.75	550	30
WHEELBARROW ON STEEL	4.80 - 8	330001	4	16.2	4.8	3.75	765	70

NON-HIGHWAY WHEELS

SIZE	PRODUCT CODE	RIM SIZE	OFFSET	DIAMETER PILOT HOLE	LUGS	BOLT CIRCLE	DIAMETER BOLT HOLES REQUIRED
21 x 12 - 8 & 22 x 11 - 8	0815856560	USES 8 X 9	SYM.	88.39MM	4	110MM	11/32
	0816080560	AND 8 X 9	SYM.	2 1/2"	4	4"	17/32
	0816081560	AND 8 X 9	SYM.	76.45MM	3	110MM	11/32
	0815856560	AND 8 X 9	SYM.	88.39MM	4	130MM	11/32
25 x 12 - 9	0915785560	USES 9 X 10	SYM.	2 13/16"	4	4"	19/32
	0916079560	AND 9 X 10	SYM.	110.7MM	4	150MM	11/32
	0916079560	AND 9 X 10	SYM.	110.7MM	4	130MM	11/32
22 x 7.50 - 12	1209858266	USES 12 X 7	1 1/4	3 1/8"	5	4 1/2"	15/32
23 x 8.50 - 12	1209858266	USES 12 X 7	1 1/4	3 1/8"	5	4 1/2"	15/32
23 x 9.50 - 12	1209858266	USES 12 X 7	1 1/4	3 1/8"	5	4 1/2"	15/32
23 x 10.50 - 12	1217394266	USES 12 X 8.5	1 1/4	3 1/8"*	5	4 1/2"	15/32

TRAILER HUBS

SIZE	PRODUCT CODE	HUB TYPE (DEMOUNTABLE)	LUGS	BOLT CIRCLE	DIAMETER BOLT HOLES REQUIRED
100H	25042001562407	DM	4	4"	1/2
101H	25042001562601	DM	5	4 1/2"	1/2

Lawn & Garden, Industrial, ATV, Golf Car, Truck, Passenger, Farm, Grader, & Mining Applications



LAWN & GARDEN, INDUSTRIAL, ATV, TRAILER

SIZE	PRODUCT CODE	VALVE	UNIT WEIGHT	SIZE	PRODUCT CODE	VALVE	UNIT WEIGHT
9 x 3.50 - 4	320030	TR87	0.4	5.70/5.00 - 8	320450	TR13	1.0
2.80/2.50 - 4	320050	TR87	0.3	16 x 6.50/7.50 - 8	320420	TR13	1.0
4.10/3.50 - 4	320100	TR87	0.4	18 x 6.50/8.50/9.50 - 8	320410	TR13	1.6
3.40/3.00 - 5	320150	TR87	0.4	20 x 8.00/10.00 - 8			
4.10/3.50 - 5	320200	TR87	0.6	22 x 11 - 8	320440	TR6	1.6
11/6.00 - 5	323520	TR87	0.6	21 x 12 - 8			
4.10/3.50 - 6	320250	TR87	0.5	25 x 12 - 9	321520	TR6	2.2
13 x 5.00 - 6	320260	TR87	0.6	25 x 13 - 9			
13 x 5.00 - 6	323790	TR13	0.6	6.90/6.00 - 9	321500	TR13	1.5
5.30/4.50 - 6	320270	TR87	0.6	20 x 8.00/10.00 - 10	320770	TR13	1.8
15 x 6.00 - 6	320290	TR87	0.8	4.80 - 12	320900	TR13	0.9
15 x 6.00 - 6	323800	TR13	0.8	5.30 - 12	320950	TR13	1.3
3.50/4.00 - 8	320360	TR87	0.5	23 x 8.50/9.50/10.50 - 12	321370	TR13	3.3
4.80/4.00 - 8	320400	TR13	0.5	26 x 12 - 12	321050	TR13	3.4

TUBES/FLAPS

45

Lawn & Garden, Industrial, ATV, Golf Car, Truck, Passenger, Farm, Grader, & Mining Applications

RADIAL PASSENGER

SIZE	PRODUCT CODE	VALVE	UNIT WEIGHT
ER 12/13	322160	TR13	0.9
FR 13/14	322010	TR13	1.6
FR 15	322170	TR13	1.4
GR 13/14/15	322020	TR13	1.8
KR 14/15	322030	TR13	2.4
MR 14/15	322040	TR13	2.8
GR/KR 16	322050	TR13	2.0
GR/KR 16	322190	TR15CW	1.8

LIGHT TRUCK

7.00/7.50 - 16	322300	TR150	2.5
----------------	--------	-------	-----

RADIAL LIGHT TRUCK

7.00/7.50R 15	322070	TR150	2.4
7.00/7.50R 15	322230	TR13CW	2.3
7.00/7.50R 16	322060	TR150	2.5
7.00/7.50R 16	322200	TR13	2.5
7.00/7.50R 16	322210	TR440	2.6
7.00/7.50R 16	322220	TR15CW	2.5
7.00/7.50R 16	322430	TR13CW	2.4
7.00/7.50R 17/18	322440	TR440	3.5

RADIAL HEAVY TRUCK

8.25R 20	322080	TR442	4.9
9.00R 20	322090	TR443	6.5
10.00R 20 12/80R - 20	322100	TR444	7.2
11.00R 20 13/80R - 20	322110	TR444	8.4
12.00R 20 14/80R - 20	322460	TR444	8.6
10.00R 22	322270	TR444	8.1
11.00R 22	322280	TR444	8.1

HEAVY DUTY BIAS

10.00 - 20	322330	TR444	6.8
------------	--------	-------	-----

RV & WIDE BASE TRUCK BIAS

9.50/10 - 16.5 LT	322480	TR15CW	3.9
12 - 16.5	322490	TR15CW	3.9

RV & WIDE BASE TRUCK RADIAL

10/11R - 15 LT	322310	TR13	3.9
9.50/10R - 16.5 LT	322320	TR150CW	4.0

LOW PLATFORM RADIAL

SIZE	PRODUCT CODE	VALVE	UNIT WEIGHT
7.00/7.50R 15 TR	322450	TR440	2.4
8.25R 15 TR	322240	TR444	3.1
9.00/10.00/11.00R 15 TR	322250	TR444	3.9

MOBILE HOME BIAS

7/8/9 - 14.5 MH	322290	TR300	2.9
-----------------	--------	-------	-----

GRADER BIAS

13.00/14.00 - 24 TG	322340	TR220A	16.9
---------------------	--------	--------	------

HEAVY DUTY INDUSTRIAL LIFT/ FORK TRUCK/MINING

5.70/5.00 - 8	323820	JS2	0.99
5.70/5.00 - 8NHS 4.80/4.00 - 8/9NHS	322410	JS2	0.60
7.00 - 12NHS	322420	TR440	2.40
6.90/6.00 - 9	323830	JS2	1.50
6.50 - 10	323840	JS2	1.76
7.50 - 15	323850	TR440	3.00
28 x 9 - 15	323860	TR440	3.00
8.25 - 15	323870	TR442	3.40
2.50 - 15	323880	TR440	2.47
3.00 - 15	323890	TR440	3.53
28 x 12 - 15	323900	TR440	3.75
32 x 12 - 15	323910	TR440	3.99
7.50 - 16	323940	TR440	3.02
29 x 8 - 15	323920	TR440	3.00

FARM IMPLEMENT BIAS

8.5/9.5L - 14/15sL	322390	TR13	2.9
11L - 15/16sL	322150	TR218A	4.2
11L - 15/16sL	322400	TR15CW	3.8
12.5 - 15/16sL	322470	TR218A	3.8
12.5 - 15/16	323810	TR15CW	3.8

FRONT FARM BIAS

4.00/5.90/6.00 - 15sL	322350	TR15	1.4
5.50/5.90/6.00/6.40 - 16sL	322120	TR15	1.8
6.50/7.00/7.50/7.60 - 16sL	322360	TR15	2.5
10.00 - 15/16sL	322130	TR15CW	4.1
11.00 - 16sL	322370	TR15CW	3.9
6.50/7.00/7.50 - 18sL	322140	TR15	2.9
4.00 - 18/19sL	322380	TR15	1.3

TUBES/FLAPS

Lawn & Garden, Industrial, ATV, Golf Car, Truck, Passenger, Farm, Grader, & Mining Applications

REAR FARM BIAS

SIZE	PRODUCT CODE	VALVE	UNIT WEIGHT
13.6/14.9 - 28	323530	TR218A	12.1
9.00/9.50/10.00/ 11.25 - 24SL/12.4 - 24	323540	TR218A	6.7
14.9/16.9/17.5/19.5L - 24	323550	TR218A	12.8
16.9/18.4 - 38	323560	TR218A	19.4
14.9-36; 13.6/14.9/15.5 - 38	323570	TR218A	15.4
16.9/18.4 - 26/28	323580	TR218A	14.9
11.2/12.4 - 28, 11.25 - 28SL	323590	TR218A	8.5
7.5 - 24SL, 7.5/8.3/9.5 - 24	323600	TR218A	6.6
16.9/18.4 - 30	323610	TR218A	16.7
13.6/13.9 - 36	323620	TR218A	15.4
11.2 - 34, 11.2/12.4 - 36	323650	TR218A	9.1
11.2/12.4 - 38	323630	TR218A	9.1
13.6 - 24, 13.6/14.9 - 26	323640	TR218A	11.5

REAR FARM RADIAL

SIZE	PRODUCT CODE	VALVE	UNIT WEIGHT
16.9/18.4R - 38	323690	TR218A	19.4
16.9/18.4R - 34	323700	TR218A	18.2
20.8R - 38	323710	TR218A	25.3
14.9R-36,13.6/14.9/15.5R-38	323720	TR218A	15.4
16.9/18.4R - 26/28	323730	TR218A	14.9
18.4R/20.8R - 42	323740	TR218A	29.7
13.6/14.9R - 28	323750	TR218A	12.1
14.9 - 16.9/17.5LR - 24	323760	TR218A	12.8
18.4/19.5L/21LR - 24	323770	TR218A	16.3
16.9/18.4R - 30	323780	TR218A	16.7

RADIAL INDUSTRIAL FLAPS

SIZE	PRODUCT CODE	UNIT WEIGHT
8R3.0	05508	0.44
9R6.7	11009	0.66
10R6.7	12310	0.68
12R6.0	12812	0.88
15R10.00	19015	3.97
16R6.50/7.00/7.50/8.25	17016	2.54
15R6.50/7.00/7.50/8.25	17015	2.38
20R7.50/8.25	17020	3.42
20R8.25	18020	3.53
20R9.00/10.00	20520	4.63
22R10.00/11.00	20522	5.29
20R11.00/12.00	21020	5.84
20R13.00/14.00	23020	7.05

TUBELESS VALVE STEMS

SIZE	PRODUCT CODE	RIM HOLE DR. (INCH)	LENGTH (INCH)
TR412	010200000007	0.453	0.88
TR415	010200000005	0.453	1.25
TR600HP*	010200000008	0.453	1.27

*High Pressure

INNER TUBE FITMENT CHART

Industrial, Fun-Kart, Lawn & Garden Sizes

SIZE	PRODUCT CODE	VALVE	WEIGHT (LBS.)	ADDITIONAL APPLICATIONS
4.10/3.50 - 4	320100	TR-87	0.41	11 x 4.00 - 4
4.10/3.50 - 5	320200	TR-87	0.42	11 x 4.00 - 5
13 x 5.00 - 6	320260	TR-87	0.63	12 x 5.00 - 6, 14 x 4.50 - 6
5.30/4.50 - 6	320270	TR-87	0.63	13 x 6.50 - 6, 14.5/7.00 - 6
18 x 6.50/7.50 - 8	320410	TR-13	1.56	18 x 8.50/9.50 - 8, 20 x 8.00/9.00/10.00 - 8
23 x 8.50/9.50 - 12	321370	TR-13	3.26	22 x 7.50/9.00 - 12, 23/24 x 10.50 - 12
26 x 12.00 - 12	321500	TR-13	3.36	24 x 12.00 - 12, 26 x 10.50 - 12

ATV Tubes

21 x 12.00 - 8	320440	TR-6	1.55	AT20 x 12 - 8, AT22 x 11 - 8, AT20 x 12.5 - 8, AT20 x 11 - 8
25 x 12.00/13.00 - 9	321520	TR-6	2.19	AT22 x 11 - 9, AT20 x 12.5 - 9

RADIAL INNER TUBE FITMENT CHART

47

Passenger/Trailer Radial Tires

PRINTED SIZES: ER 12/13												PRODUCT CODE: 322160				VALVE: TR-13		WEIGHT (LBS.): 0.90	
alpha bias 78 series	alpha bias 70 series	alpha bias 60 series	p/st metric	ps/st metric 80 series	ps/st metric 75 series	ps/st metric 70 series	ps/st metric 60 series	alpha radial 78 series	alpha radial 70 series	numeric	implement/lt								
A78 - 13			135R12 145R12/13 155R12/13 165R13	145/80R12/13 155/80R13		165/70R12/13 155/70R12	185/60R13 195/60R13	AR78 - 12 BR78 - 12		5.00 - 12/13 5.20 - 12/13 5.50 - 12 5.60 - 12/13	6R12SL								
PRINTED SIZES: FR 13/14												PRODUCT CODE: 322010				VALVE: TR-13		WEIGHT (LBS.): 1.37	
alpha bias 78 series	alpha bias 70 series	alpha bias 60 series	p/st metric	ps/st metric 80 series	ps/st metric 75 series	ps/st metric 70 series	ps/st metric 60 series	alpha radial 78 series	alpha radial 70 series	numeric	implement/lt								
A78 - 13/14 B78 - 13/14	A70 - 13 B70 - 13/14	A60 - 13/14 B60 - 13/14	175R13 155R14 165R14	165/80R13/14 175/80R13 155/80R14	165/75R13/14 175/75R13/14 185/75R13	175/70R13/14 185/70R13/14	205/60R13/14 185/60R14 195/60R14	AR78 - 13/14 BR78 - 13/14	AR70 - 13 BR70 - 13/14	6.00 - 13/14 6.15 - 13 6.40 - 13 6.50 - 13	6R14SL 7R14SL								
PRINTED SIZES: FR15												PRODUCT CODE: 322170				VALVE: TR-13		WEIGHT (LBS.): 1.44	
alpha bias 78 series	alpha bias 70 series	alpha bias 60 series	p/st metric	ps/st metric 80 series	ps/st metric 75 series	ps/st metric 70 series	ps/st metric 60 series	alpha radial 78 series	alpha radial 70 series	numeric	implement/lt								
A78 - 15 B78 - 15	B70 - 15		155R15 165R15 175R15	155/80R15 165/80R15	175/75R15	185/70R15	195/60R15 205/60R15	AR78 - 15 BR78 - 15	BR70 - 15	5.00 - 15 5.50 - 15 6.00 - 15									
PRINTED SIZES: GR13/14/15												PRODUCT CODE: 322020				VALVE: TR-13		WEIGHT (LBS.): 1.65	
alpha bias 78 series	alpha bias 70 series	alpha bias 60 series	p/st metric	ps/st metric 80 series	ps/st metric 75 series	ps/st metric 70 series	ps/st metric 60 series	alpha radial 78 series	alpha radial 70 series	numeric	implement/lt								
C78 - 13/14/15 D78 - 13/14/15 E78 - 14/15 F78 - 14/15	C70 - 13/14/15 D70 - 13/14/15 E70 - 14/15 F70 - 14/15	C60 - 14/15 D60 - 14/15 E60 - 14/15 F60 - 14/15 G60 - 14	185R13/14/15 195R13/14/15 175R14	185/80R13/14 175/80R14	195/75R13/14/15 185/75R14/15 205/75R14	195/70R13/14/15 205/70R13/14/15	235/60 13/14 215/60R14/15 225/60R14/15 245/60R14	CR78 - 13/14/15 DR78 - 13/14/15 ER78 - 14/15 FR78 - 15	CR70 - 13/14/15 DR70 - 13/14/15 ER70 - 14/15 FR70 - 14/15	6.70R13/14 7.00R13/14 6.50R14 7.35R14 6.85R15	LT195/75R14 700R14LT 7.9R14LT 26 x 850R14LT 27 x 850R14LT 27 x 750R15LT								
PRINTED SIZES: KR14/15												PRODUCT CODE: 322030				VALVE: TR-13		WEIGHT (LBS.): 2.37	
alpha bias 78 series	alpha bias 70 series	alpha bias 60 series	p/st metric	ps/st metric 80 series	ps/st metric 75 series	ps/st metric 70 series	ps/st metric 60 series	alpha radial 78 series	alpha radial 70 series	numeric	implement/lt								
G78 - 14/15 H78 - 14/15	G70 - 14/15 H70 - 14/15	H60 - 14/15 G60 - 15	205R14/15 215R14/15 225R15	195/80R15	215/75R14/15 225/75R14 205/75R15	215/70R14/15 225/70R14/15	255/60R14 235/60R15 245/60R15	FR78 - 14 GR78 - 14/15 HR78 - 14/15	GR70 - 14/15 HR70 - 14/15	7.50R14/15 7.75R14/15 8.00R14/15 8.25R14/15 8.55R15									
PRINTED SIZES: MR14/15												PRODUCT CODE: 322040				VALVE: TR-13		WEIGHT (LBS.): 2.37	
alpha bias 78 series	alpha bias 70 series	alpha bias 60 series	p/st metric	ps/st metric 80 series	ps/st metric 75 series	ps/st metric 70 series	ps/st metric 60 series	alpha radial 78 series	alpha radial 70 series	numeric	implement/lt								
J78 - 14/15 K78 - 15 L78 - 15 N78 - 15	J70 - 14/15 K70 - 15 L70 - 15	J60 - 14 L60 - 14/15 M60 - 14/15 N60 - 15	225R14 235R15		235/75R14/15 225/75R15	235/70R14/15 245/70R14/15 255/70R15	265/60R14/15 275/60R14/15 255/60R15	JR78 - 14/15 KR78 - 15 LR78 - 15 NR78 - 15	JR70 - 14/15 KR70 - 15 LR70 - 15	8.50R14 8.85R14/15 9.00R14/15 9.50R14 9.15R15									
PRINTED SIZES: GR/KR16												PRODUCT CODE: 322050				VALVE: TR-15		WEIGHT (LBS.): 1.83	
alpha bias 78 series	alpha bias 70 series	alpha bias 60 series	p/st metric	ps/st metric 80 series	ps/st metric 75 series	ps/st metric 70 series	ps/st metric 60 series	alpha radial 78 series	alpha radial 70 series	numeric	implement/lt								
F78 - 16 H78 - 16 L78 - 16								FR78 - 16 HR78 - 16 JR78 - 16 LR78 - 16		5.50R16 6.00R16 6.50R16 6.70R16 7.00R16 7.50R16	7R16SL 8R16SL								
PRINTED SIZES: GR/KR16												PRODUCT CODE: 322190				VALVE: TR-15CW		WEIGHT (LBS.): 1.83	
alpha bias 78 series	alpha bias 70 series	alpha bias 60 series	p/st metric	ps/st metric 80 series	ps/st metric 75 series	ps/st metric 70 series	ps/st metric 60 series	alpha radial 78 series	alpha radial 70 series	numeric	implement/lt								
F78 - 16 H78 - 16 L78 - 16								FR78 - 16 HR78 - 16 LR78 - 16		8.00R16 8.25R16									

4-Max	23	S-Trac	29
		Straight Rib	13
All Trail / All Trail II	19	Stryker	25
AT101 Chevron	18	Stud	11
AT389	24	Super Lug	16
AT489	24	Super Slick	11
		Super Trac II	8
Badlands	28	Super Turf	5
Badlands XTR	29	Sure Trail	32-33
		Sure Trail Extra Grip	32-33
Chevron	25	Sure Trail LT	32-33
		Swamp Pro	26
Fairway	15		
Fairway Pro	15	Tour Max	14
Farm Specialist	40-41	Trac Chief	38
		Trail Hawk	20
Ground Force GSE	35	Trail Pro	21
HD Field Trax	27	Trail Wolf	22
		Trailer Hubs	43
Industrial Deep Traction	37	Traks Max	27
Inner Tubes	44-46	Tru Power	18
		Tubeless Valve Systems	46
Knobby	20	Turf Buster	21
		Turf Chief	6
Links	15	Turf CTR	7
Links I	15	Turf Glide	14
		Turf Master	5
Multi Trac	4-5	Turf Mate	8
Multi-Rib	13	Turf Pro	9
		Turf Saver	2-3
Non-Highway Wheels	43	Turf Saver II	8
		Turf Tamer	23
Power Trac / Power Trac II	17	Turf Trac R/S	7
Premium Wide Trac	37		
		Ultra Trac	6
Radial Industrial Flaps	46	USA Loader	39
Radial Trail	34	USA Trail	30-31
Road Roller	37		
		Wheelbarrow	13
Sawtooth	11	Wheels	42-43
Slow Speed Tire & Wheel Assemblies	43	Work Mate	25
Smooth	12		
Snow Hog	19	X-Trac	19

HIGHWAY/NON-HIGHWAY TIRE & WHEEL WARRANTY

Carlisle Tire & Wheel Company ["Carlisle"] warrants, subject to the terms, conditions and limitations stated herein, tires & wheels to be free from defects in materials and workmanship.

Carlisle's liability for tires and wheels shall be limited to replacement of any defective tire or wheel plus any applicable taxes.

CARLISLE'S WARRANTY

1. **THE CARLISLE TIRE & WHEEL WARRANTY ["Warranty"]** applies only to the original purchaser for two years from the date of purchase.
 - (a) The Warranty period for the coating of the wheel is ninety (90) days from the date of purchase.
2. The Warranty is void if the tire or wheel fails due to damage from improper inflation pressures, exceeding the maximum speed limit, or overloading the tire beyond the maximum load capacity stated on the sidewall.
3. The Warranty does not cover incidental or consequential damages, including, but not limited to, lost time, inconvenience, loss of vehicle use, cost of towing or transportation, related property damage or consequential damages of any type or nature.
4. The Warranty does not cover mounting and balancing charges.
5. The Warranty is void if a covered tire is worn past last $\frac{3}{32}$ of tread depth at any point on the tread contact surface.
6. The Warranty **DOES NOT** apply to the following:
 - (a) repaired tubes, tires or wheels
 - (b) tires or wheels used in racing or competition
 - (c) tires or wheels subjected to road hazards, overloading, under-inflation, improper mounting, fitment to incorrect rim, purposeful abuse or chemical contamination
 - (d) tires or wheels which have been patched, plugged or repaired or into which liquid balancers or sealants have been introduced
 - (e) cosmetic irregularities
7. Carlisle makes no expressed claims of expected tire wear. Variables that affect tire wear are driving conditions, load and tire inflation pressure.

To obtain warranty adjustments or warranty information contact your Carlisle dealer or call Carlisle's Product Service Department at **1-800-260-7959** or fax to **1-800-352-0075**. Claims must be made within 30 days of discovery of defect.

Carlisle reserves the right to inspect all products before making adjustments.

THERE ARE NO WARRANTIES EITHER EXPRESSED OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. CARLISLE SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. NO REPRESENTATIVE OF CARLISLE TIRE & WHEEL COMPANY HAS AUTHORITY TO MAKE ANY REPRESENTATIONS OR PROMISES EXCEPT AS STATED HEREIN.

Some states do not permit limitations on the period of an implied warranty lasts and do not permit the exclusion or limitation of incidental or consequential damages, therefore, the above limitations or exclusions may not apply. This warranty provides specific legal rights. Other rights may vary from state/province to state/province.



**23 Windham Boulevard,
Aiken, South Carolina
1-800-827-1001
www.CarlisleTire.com**

March, 2003